

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%) ¹	Xanomeline Low Dose N = 96 n (%) ¹	Xanomeline High Dose N = 72 n (%) ¹	Overall N = 254 n (%) ¹
Any Treatment-Emergent AE	65 (76%)	84 (88%)	68 (94%)	217 (85%)
GENERAL DISORDERS AND ADMINISTRATION SITE CONDITIONS	21 (24%)	51 (53%)	36 (50%)	108 (43%)
APPLICATION SITE PRURITUS	6 (7.0%)	23 (24%)	21 (29%)	50 (20%)
APPLICATION SITE ERYTHEMA	3 (3.5%)	13 (14%)	14 (19%)	30 (12%)
APPLICATION SITE DERMATITIS	5 (5.8%)	9 (9.4%)	7 (9.7%)	21 (8.3%)
APPLICATION SITE IRRITATION	3 (3.5%)	9 (9.4%)	9 (13%)	21 (8.3%)
APPLICATION SITE VESICLES	1 (1.2%)	5 (5.2%)	5 (6.9%)	11 (4.3%)
FATIGUE	1 (1.2%)	5 (5.2%)	5 (6.9%)	11 (4.3%)
OEDEMA PERIPHERAL	2 (2.3%)	1 (1.0%)	2 (2.8%)	5 (2.0%)
APPLICATION SITE SWELLING	0	1 (1.0%)	2 (2.8%)	3 (1.2%)
APPLICATION SITE URTICARIA	0	2 (2.1%)	1 (1.4%)	3 (1.2%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
CHILLS	1 (1.2%)	1 (1.0%)	1 (1.4%)	3 (1.2%)
MALAISE	0	1 (1.0%)	2 (2.8%)	3 (1.2%)
PYREXIA	2 (2.3%)	1 (1.0%)	0	3 (1.2%)
APPLICATION SITE PAIN	0	0	2 (2.8%)	2 (0.8%)
APPLICATION SITE PERSPIRATION	0	0	2 (2.8%)	2 (0.8%)
APPLICATION SITE REACTION	1 (1.2%)	0	1 (1.4%)	2 (0.8%)
ASTHENIA	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
CHEST DISCOMFORT	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
CHEST PAIN	0	0	2 (2.8%)	2 (0.8%)
OEDEMA	0	2 (2.1%)	0	2 (0.8%)
PAIN	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
APPLICATION SITE BLEEDING	0	1 (1.0%)	0	1 (0.4%)
APPLICATION SITE DESQUAMATION	0	1 (1.0%)	0	1 (0.4%)
APPLICATION SITE DISCHARGE	0	0	1 (1.4%)	1 (0.4%)
APPLICATION SITE DISCOLOURATION	0	1 (1.0%)	0	1 (0.4%)
APPLICATION SITE INDURATION	1 (1.2%)	0	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
APPLICATION SITE WARMTH	0	1 (1.0%)	0	1 (0.4%)
FEELING ABNORMAL	0	0	1 (1.4%)	1 (0.4%)
FEELING COLD	0	0	1 (1.4%)	1 (0.4%)
INFLAMMATION	0	1 (1.0%)	0	1 (0.4%)
SECRETION DISCHARGE	0	1 (1.0%)	0	1 (0.4%)
SUDDEN DEATH	0	1 (1.0%)	0	1 (0.4%)
SWELLING	0	1 (1.0%)	0	1 (0.4%)
ULCER	0	1 (1.0%)	0	1 (0.4%)
SKIN AND SUBCUTANEOUS TISSUE DISORDERS	20 (23%)	39 (41%)	39 (54%)	98 (39%)
PRURITUS	8 (9.3%)	21 (22%)	25 (35%)	54 (21%)
ERYTHEMA	8 (9.3%)	14 (15%)	14 (19%)	36 (14%)
RASH	5 (5.8%)	13 (14%)	8 (11%)	26 (10%)
HYPERHIDROSIS	2 (2.3%)	4 (4.2%)	8 (11%)	14 (5.5%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
SKIN IRRITATION	3 (3.5%)	6 (6.3%)	5 (6.9%)	14 (5.5%)
BLISTER	0	5 (5.2%)	1 (1.4%)	6 (2.4%)
RASH PRURITIC	0	1 (1.0%)	2 (2.8%)	3 (1.2%)
PRURITUS GENERALISED	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
URTICARIA	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
ACTINIC KERATOSIS	0	0	1 (1.4%)	1 (0.4%)
ALOPECIA	1 (1.2%)	0	0	1 (0.4%)
COLD SWEAT	1 (1.2%)	0	0	1 (0.4%)
DERMATITIS CONTACT	0	1 (1.0%)	0	1 (0.4%)
DRUG ERUPTION	1 (1.2%)	0	0	1 (0.4%)
RASH ERYTHEMATOUS	0	1 (1.0%)	0	1 (0.4%)
RASH MACULO-PAPULAR	0	0	1 (1.4%)	1 (0.4%)
SKIN EXFOLIATION	0	1 (1.0%)	0	1 (0.4%)
SKIN ODOUR ABNORMAL	0	0	1 (1.4%)	1 (0.4%)
SKIN ULCER	1 (1.2%)	0	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
NERVOUS SYSTEM DISORDERS	8 (9.3%)	22 (23%)	23 (32%)	53 (21%)
DIZZINESS	2 (2.3%)	9 (9.4%)	10 (14%)	21 (8.3%)
HEADACHE	3 (3.5%)	3 (3.1%)	5 (6.9%)	11 (4.3%)
SYNCOPE	0	5 (5.2%)	2 (2.8%)	7 (2.8%)
SOMNOLENCE	2 (2.3%)	3 (3.1%)	1 (1.4%)	6 (2.4%)
TRANSIENT ISCHAEMIC ATTACK	0	2 (2.1%)	1 (1.4%)	3 (1.2%)
BURNING SENSATION	0	0	2 (2.8%)	2 (0.8%)
LETHARGY	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
AMNESIA	0	0	1 (1.4%)	1 (0.4%)
BALANCE DISORDER	0	1 (1.0%)	0	1 (0.4%)
COGNITIVE DISORDER	0	0	1 (1.4%)	1 (0.4%)
COMPLEX PARTIAL SEIZURES	0	1 (1.0%)	0	1 (0.4%)
COORDINATION ABNORMAL	0	1 (1.0%)	0	1 (0.4%)
HEMIANOPIA HOMONYMOUS	0	1 (1.0%)	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
HYPERSOMNIA	0	0	1 (1.4%)	1 (0.4%)
PARAESTHESIA	0	0	1 (1.4%)	1 (0.4%)
PARAESTHESIA ORAL	0	1 (1.0%)	0	1 (0.4%)
PARKINSON'S DISEASE	1 (1.2%)	0	0	1 (0.4%)
PAROSMIA	0	0	1 (1.4%)	1 (0.4%)
PARTIAL SEIZURES WITH SECONDARY GENERALISATION	0	0	1 (1.4%)	1 (0.4%)
PSYCHOMOTOR HYPERACTIVITY	1 (1.2%)	0	0	1 (0.4%)
STUPOR	0	1 (1.0%)	0	1 (0.4%)
SYNCOPE VASOVAGAL	0	0	1 (1.4%)	1 (0.4%)
GASTROINTESTINAL DISORDERS	17 (20%)	15 (16%)	19 (26%)	51 (20%)
DIARRHOEA	9 (10%)	5 (5.2%)	3 (4.2%)	17 (6.7%)
VOMITING	3 (3.5%)	4 (4.2%)	6 (8.3%)	13 (5.1%)
NAUSEA	3 (3.5%)	3 (3.1%)	6 (8.3%)	12 (4.7%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
ABDOMINAL PAIN	1 (1.2%)	3 (3.1%)	1 (1.4%)	5 (2.0%)
SALIVARY HYPERSECRETION	0	0	4 (5.6%)	4 (1.6%)
DYSPEPSIA	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
ABDOMINAL DISCOMFORT	0	0	1 (1.4%)	1 (0.4%)
CONSTIPATION	1 (1.2%)	0	0	1 (0.4%)
DYSPHAGIA	0	1 (1.0%)	0	1 (0.4%)
FLATULENCE	1 (1.2%)	0	0	1 (0.4%)
GASTROINTESTINAL HAEMORRHAGE	0	0	1 (1.4%)	1 (0.4%)
GASTROOESOPHAGEAL REFLUX DISEASE	1 (1.2%)	0	0	1 (0.4%)
GLOSSITIS	1 (1.2%)	0	0	1 (0.4%)
HIATUS HERNIA	1 (1.2%)	0	0	1 (0.4%)
RECTAL HAEMORRHAGE	0	1 (1.0%)	0	1 (0.4%)
STOMACH DISCOMFORT	0	0	1 (1.4%)	1 (0.4%)
CARDIAC DISORDERS	12 (14%)	14 (15%)	14 (19%)	40 (16%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
SINUS BRADYCARDIA	2 (2.3%)	7 (7.3%)	8 (11%)	17 (6.7%)
MYOCARDIAL INFARCTION	4 (4.7%)	2 (2.1%)	4 (5.6%)	10 (3.9%)
ATRIAL FIBRILLATION	1 (1.2%)	2 (2.1%)	2 (2.8%)	5 (2.0%)
SUPRAVENTRICULAR EXTRASYSTOLES	1 (1.2%)	1 (1.0%)	1 (1.4%)	3 (1.2%)
VENTRICULAR EXTRASYSTOLES	0	2 (2.1%)	1 (1.4%)	3 (1.2%)
ATRIAL FLUTTER	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
ATRIOVENTRICULAR BLOCK FIRST DEGREE	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
BUNDLE BRANCH BLOCK RIGHT	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
PALPITATIONS	0	2 (2.1%)	0	2 (0.8%)
ATRIAL HYPERTROPHY	1 (1.2%)	0	0	1 (0.4%)
ATRIOVENTRICULAR BLOCK SECOND DEGREE	1 (1.2%)	0	0	1 (0.4%)
BRADYCARDIA	1 (1.2%)	0	0	1 (0.4%)
BUNDLE BRANCH BLOCK LEFT	1 (1.2%)	0	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
CARDIAC DISORDER	0	0	1 (1.4%)	1 (0.4%)
CARDIAC FAILURE CONGESTIVE	1 (1.2%)	0	0	1 (0.4%)
SINUS ARRHYTHMIA	1 (1.2%)	0	0	1 (0.4%)
SUPRAVENTRICULAR TACHYCARDIA	0	1 (1.0%)	0	1 (0.4%)
TACHYCARDIA	1 (1.2%)	0	0	1 (0.4%)
VENTRICULAR HYPERTROPHY	1 (1.2%)	0	0	1 (0.4%)
WOLFF-PARKINSON-WHITE SYNDROME	0	1 (1.0%)	0	1 (0.4%)
INFECTIONS AND INFESTATIONS	16 (19%)	9 (9.4%)	13 (18%)	38 (15%)
NASOPHARYNGITIS	2 (2.3%)	4 (4.2%)	6 (8.3%)	12 (4.7%)
UPPER RESPIRATORY TRACT INFECTION	6 (7.0%)	1 (1.0%)	3 (4.2%)	10 (3.9%)
INFLUENZA	1 (1.2%)	1 (1.0%)	1 (1.4%)	3 (1.2%)
URINARY TRACT INFECTION	2 (2.3%)	0	1 (1.4%)	3 (1.2%)
CYSTITIS	1 (1.2%)	0	1 (1.4%)	2 (0.8%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
EAR INFECTION	2 (2.3%)	0	0	2 (0.8%)
BRONCHITIS	1 (1.2%)	0	0	1 (0.4%)
CELLULITIS	0	1 (1.0%)	0	1 (0.4%)
CERVICITIS	1 (1.2%)	0	0	1 (0.4%)
GASTROENTERITIS VIRAL	1 (1.2%)	0	0	1 (0.4%)
HORDEOLUM	0	0	1 (1.4%)	1 (0.4%)
LOCALISED INFECTION	1 (1.2%)	0	0	1 (0.4%)
LOWER RESPIRATORY TRACT INFECTION	0	0	1 (1.4%)	1 (0.4%)
PNEUMONIA	0	1 (1.0%)	0	1 (0.4%)
RHINITIS	0	0	1 (1.4%)	1 (0.4%)
VAGINAL MYCOSIS	1 (1.2%)	0	0	1 (0.4%)
VIRAL INFECTION	0	1 (1.0%)	0	1 (0.4%)
PSYCHIATRIC DISORDERS	10 (12%)	11 (11%)	7 (9.7%)	28 (11%)
CONFUSIONAL STATE	2 (2.3%)	3 (3.1%)	1 (1.4%)	6 (2.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
AGITATION	2 (2.3%)	3 (3.1%)	0	5 (2.0%)
INSOMNIA	2 (2.3%)	0	2 (2.8%)	4 (1.6%)
ANXIETY	0	3 (3.1%)	0	3 (1.2%)
DELUSION	1 (1.2%)	0	1 (1.4%)	2 (0.8%)
IRRITABILITY	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
COMPLETED SUICIDE	1 (1.2%)	0	0	1 (0.4%)
DELIRIUM	0	0	1 (1.4%)	1 (0.4%)
DEPRESSED MOOD	0	1 (1.0%)	0	1 (0.4%)
DISORIENTATION	1 (1.2%)	0	0	1 (0.4%)
HALLUCINATION	0	0	1 (1.4%)	1 (0.4%)
HALLUCINATION, VISUAL	0	0	1 (1.4%)	1 (0.4%)
LIBIDO DECREASED	0	0	1 (1.4%)	1 (0.4%)
LISTLESS	0	0	1 (1.4%)	1 (0.4%)
NIGHTMARE	0	0	1 (1.4%)	1 (0.4%)
RESTLESSNESS	0	1 (1.0%)	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
RESPIRATORY, THORACIC AND MEDIASTINAL DISORDERS	8 (9.3%)	9 (9.4%)	10 (14%)	27 (11%)
COUGH	1 (1.2%)	5 (5.2%)	5 (6.9%)	11 (4.3%)
NASAL CONGESTION	3 (3.5%)	1 (1.0%)	3 (4.2%)	7 (2.8%)
DYSPNOEA	1 (1.2%)	1 (1.0%)	1 (1.4%)	3 (1.2%)
EPISTAXIS	0	1 (1.0%)	2 (2.8%)	3 (1.2%)
PHARYNGOLARYNGEAL PAIN	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
RHINORRHOEA	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
ALLERGIC GRANULOMATOUS ANGIITIS	0	0	1 (1.4%)	1 (0.4%)
DYSPHONIA	0	1 (1.0%)	0	1 (0.4%)
EMPHYSEMA	1 (1.2%)	0	0	1 (0.4%)
HAEMOPTYSIS	1 (1.2%)	0	0	1 (0.4%)
PHARYNGEAL ERYTHEMA	0	0	1 (1.4%)	1 (0.4%)
POSTNASAL DRIP	1 (1.2%)	0	0	1 (0.4%)
PRODUCTIVE COUGH	0	0	1 (1.4%)	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
RALES	1 (1.2%)	0	0	1 (0.4%)
RESPIRATORY TRACT CONGESTION	0	0	1 (1.4%)	1 (0.4%)
INVESTIGATIONS	10 (12%)	7 (7.3%)	5 (6.9%)	22 (8.7%)
ELECTROCARDIOGRAM ST SEGMENT DEPRESSION	4 (4.7%)	1 (1.0%)	0	5 (2.0%)
ELECTROCARDIOGRAM T WAVE INVERSION	2 (2.3%)	1 (1.0%)	1 (1.4%)	4 (1.6%)
BLOOD GLUCOSE INCREASED	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
ELECTROCARDIOGRAM T WAVE AMPLITUDE DECREASED	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
BIOPSY	0	0	1 (1.4%)	1 (0.4%)
BIOPSY PROSTATE	0	0	1 (1.4%)	1 (0.4%)
BLOOD ALKALINE PHOSPHATASE INCREASED	1 (1.2%)	0	0	1 (0.4%)
BLOOD CHOLESTEROL INCREASED	0	0	1 (1.4%)	1 (0.4%)
BLOOD CREATINE PHOSPHOKINASE INCREASED	1 (1.2%)	0	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
BLOOD URINE PRESENT	1 (1.2%)	0	0	1 (0.4%)
BODY TEMPERATURE INCREASED	0	1 (1.0%)	0	1 (0.4%)
CYSTOSCOPY	1 (1.2%)	0	0	1 (0.4%)
HEART RATE INCREASED	1 (1.2%)	0	0	1 (0.4%)
HEART RATE IRREGULAR	1 (1.2%)	0	0	1 (0.4%)
NASAL MUCOSA BIOPSY	0	1 (1.0%)	0	1 (0.4%)
WEIGHT DECREASED	0	1 (1.0%)	0	1 (0.4%)
MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDERS	4 (4.7%)	7 (7.3%)	7 (9.7%)	18 (7.1%)
BACK PAIN	1 (1.2%)	1 (1.0%)	3 (4.2%)	5 (2.0%)
ARTHRALGIA	1 (1.2%)	2 (2.1%)	1 (1.4%)	4 (1.6%)
SHOULDER PAIN	1 (1.2%)	2 (2.1%)	0	3 (1.2%)
MUSCLE SPASMS	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
ARTHRITIS	0	0	1 (1.4%)	1 (0.4%)
FLANK PAIN	0	0	1 (1.4%)	1 (0.4%)
MUSCULAR WEAKNESS	0	1 (1.0%)	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
MYALGIA	0	0	1 (1.4%)	1 (0.4%)
PAIN IN EXTREMITY	1 (1.2%)	0	0	1 (0.4%)
INJURY, POISONING AND PROCEDURAL COMPLICATIONS	4 (4.7%)	5 (5.2%)	5 (6.9%)	14 (5.5%)
CONTUSION	1 (1.2%)	1 (1.0%)	2 (2.8%)	4 (1.6%)
EXCORIATION	2 (2.3%)	1 (1.0%)	1 (1.4%)	4 (1.6%)
FALL	1 (1.2%)	2 (2.1%)	1 (1.4%)	4 (1.6%)
HIP FRACTURE	1 (1.2%)	0	2 (2.8%)	3 (1.2%)
SKIN LACERATION	1 (1.2%)	2 (2.1%)	0	3 (1.2%)
FACIAL BONES FRACTURE	0	0	1 (1.4%)	1 (0.4%)
JOINT DISLOCATION	0	1 (1.0%)	0	1 (0.4%)
WOUND	0	1 (1.0%)	0	1 (0.4%)
RENAL AND URINARY DISORDERS	4 (4.7%)	3 (3.1%)	3 (4.2%)	10 (3.9%)
MICTURITION URGENCY	1 (1.2%)	1 (1.0%)	1 (1.4%)	3 (1.2%)
DYSURIA	1 (1.2%)	1 (1.0%)	0	2 (0.8%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
NEPHROLITHIASIS	1 (1.2%)	0	1 (1.4%)	2 (0.8%)
CALCULUS URETHRAL	0	0	1 (1.4%)	1 (0.4%)
INCONTINENCE	0	1 (1.0%)	0	1 (0.4%)
POLLAKIURIA	1 (1.2%)	0	0	1 (0.4%)
METABOLISM AND NUTRITION DISORDERS	6 (7.0%)	1 (1.0%)	2 (2.8%)	9 (3.5%)
DECREASED APPETITE	1 (1.2%)	0	1 (1.4%)	2 (0.8%)
FOOD CRAVING	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
INCREASED APPETITE	1 (1.2%)	0	1 (1.4%)	2 (0.8%)
DEHYDRATION	1 (1.2%)	0	0	1 (0.4%)
DIABETES MELLITUS	1 (1.2%)	0	0	1 (0.4%)
HYPONATRAEMIA	1 (1.2%)	0	0	1 (0.4%)
VASCULAR DISORDERS	3 (3.5%)	3 (3.1%)	1 (1.4%)	7 (2.8%)
HYPOTENSION	2 (2.3%)	1 (1.0%)	0	3 (1.2%)
HYPERTENSION	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
HOT FLUSH	0	1 (1.0%)	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
ORTHOSTATIC HYPOTENSION	1 (1.2%)	0	0	1 (0.4%)
WOUND HAEMORRHAGE	0	0	1 (1.4%)	1 (0.4%)
EYE DISORDERS	2 (2.3%)	2 (2.1%)	1 (1.4%)	5 (2.0%)
VISION BLURRED	0	1 (1.0%)	1 (1.4%)	2 (0.8%)
CONJUNCTIVAL HAEMORRHAGE	0	1 (1.0%)	0	1 (0.4%)
CONJUNCTIVITIS	1 (1.2%)	0	0	1 (0.4%)
EYE ALLERGY	1 (1.2%)	0	0	1 (0.4%)
EYE PRURITUS	1 (1.2%)	0	0	1 (0.4%)
EYE SWELLING	1 (1.2%)	0	0	1 (0.4%)
SURGICAL AND MEDICAL PROCEDURES	2 (2.3%)	1 (1.0%)	2 (2.8%)	5 (2.0%)
CATARACT OPERATION	1 (1.2%)	1 (1.0%)	0	2 (0.8%)
ACROCHORDON EXCISION	0	0	1 (1.4%)	1 (0.4%)
EYE LASER SURGERY	1 (1.2%)	0	0	1 (0.4%)
SKIN LESION EXCISION	0	0	1 (1.4%)	1 (0.4%)
EAR AND LABYRINTH DISORDERS	1 (1.2%)	2 (2.1%)	1 (1.4%)	4 (1.6%)
VERTIGO	0	1 (1.0%)	1 (1.4%)	2 (0.8%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%)¹	Xanomeline Low Dose N = 96 n (%)¹	Xanomeline High Dose N = 72 n (%)¹	Overall N = 254 n (%)¹
CERUMEN IMPACTION	0	1 (1.0%)	0	1 (0.4%)
EAR PAIN	1 (1.2%)	0	0	1 (0.4%)
CONGENITAL, FAMILIAL AND GENETIC DISORDERS	0	1 (1.0%)	2 (2.8%)	3 (1.2%)
VENTRICULAR SEPTAL DEFECT	0	1 (1.0%)	2 (2.8%)	3 (1.2%)
NEOPLASMS BENIGN, MALIGNANT AND UNSPECIFIED (INCL CYSTS AND POLYPS)	0	2 (2.1%)	1 (1.4%)	3 (1.2%)
COLON CANCER	0	1 (1.0%)	0	1 (0.4%)
MALIGNANT FIBROUS HISTIOCYTOMA	0	1 (1.0%)	0	1 (0.4%)
PROSTATE CANCER	0	0	1 (1.4%)	1 (0.4%)
REPRODUCTIVE SYSTEM AND BREAST DISORDERS	2 (2.3%)	0	1 (1.4%)	3 (1.2%)
BENIGN PROSTATIC HYPERPLASIA	1 (1.2%)	0	1 (1.4%)	2 (0.8%)
PELVIC PAIN	1 (1.2%)	0	0	1 (0.4%)
HEPATOBIILIARY DISORDERS	1 (1.2%)	0	0	1 (0.4%)
HYPERBILIRUBINAEMIA	1 (1.2%)	0	0	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.

Table X.X.X

Treatment-Emergent Adverse Events by Primary System Organ Class and Reported Term

Primary System Organ Class Reported Term for the Adverse Event	Placebo N = 86 n (%) ¹	Xanomeline Low Dose N = 96 n (%) ¹	Xanomeline High Dose N = 72 n (%) ¹	Overall N = 254 n (%) ¹
IMMUNE SYSTEM DISORDERS	0	1 (1.0%)	0	1 (0.4%)
HYPERSENSITIVITY	0	1 (1.0%)	0	1 (0.4%)
SOCIAL CIRCUMSTANCES	0	0	1 (1.4%)	1 (0.4%)
ALCOHOL USE	0	0	1 (1.4%)	1 (0.4%)

¹ n (%)

TEAE = Treatment Emergent Adverse Event.

N = Total number of participants in the treatment group.

n = Number of participants with at least one treatment-emergent adverse event.

Note 1: Adverse events were coded using MedDRA version XX

Note 2: Participants were counted once for each system organ class and once for each reported term.