

Computations

$$\bar{h} = 1$$

1 S_2 , char 2, τ trivial

1.1 Hilbert polynomial

$$t^4 + 2t^3 + 2t^2 + 2t + 1 = (t + 1)^2(t^2 + 1).$$

1.2 Generators

$$x_0^2 + x_1^2$$

$$x_0^4.$$

2 S_3 , char 3, τ trivial

2.1 Hilbert polynomial

$$t^{12} + 3t^{11} + 6t^{10} + 8t^9 + 9t^8 + 9t^7 + 9t^6 + 9t^5 + 9t^4 + 8t^3 + 6t^2 + 3t + 1 = (t^2 + t + 1)^3(t^6 + t^3 + 1).$$

2.2 Generators

$$x_0^3 + x_1^3 + x_2^3$$

$$\begin{aligned} & ((2c + 2)/c)x_0^3 \\ & + ((c + 1)/c)x_1^3 \\ & - x_0^2x_1 - x_1^2x_2 - x_0x_2^2 \\ & + x_0x_1^2 + x_0^2x_2 + x_1x_2^2 \end{aligned}$$

$$x_0^9.$$

3 S_4 , char 2, τ trivial

3.1 Hilbert polynomial

$$t^6 + 4t^5 + 7t^4 + 8t^3 + 7t^2 + 4t + 1 = (t + 1)^4(t^2 + 1).$$

3.2 Generators

$$x_0^2 + x_1^2 + x_2^2 + x_3^2$$

$$((c+1)/c)x_0^2 + x_0x_1 + x_1x_2 + ((c+1)/c)x_2^2 + x_0x_3 + x_2x_3$$

$$((c+1)/c)x_0^2 + ((c+1)/c)x_1^2 + x_0x_2 + x_1x_2 + x_0x_3 + x_1x_3$$

$$x_0^4.$$

4 S_5 , char 5, τ trivial

4.1 Hilbert polynomial

PARTIAL

$$1 + 5t + 15t^2 + 35t^3 + 70t^4 + 122t^5 + 190t^6 + 270t^7 + \dots$$

4.2 Generators

PARTIAL

$$x_0^5 + x_1^5 + x_2^5 + x_3^5 + x_4^5$$

$$\begin{aligned} & ((4c+4)/c)x_0^5 \\ & + ((c+1)/c)x_3^5 \\ & + x_0^4x_1 + x_0^4x_2 + x_1^4x_3 + x_2^4x_3 + x_0^4x_4 + x_3x_4^4 \\ & + 2x_0^4x_3 \\ & + 3x_0x_3^4 \\ & - x_0x_1^4 - x_0x_2^4 - x_1x_3^4 - x_2x_3^4 - x_3x_4^4 - x_0x_4^4 \\ & + ((c+4)/(c+2))x_0^2x_1^3 + ((c+4)/(c+2))x_0^2x_2^3 + ((c+4)/(c+2))x_1^2x_3^3 + ((c+4)/(c+2))x_2^2x_3^3 + ((c+4)/(c+2))x_3^3x_4^2 + ((c+4)/(c+2))x_0^2x_4^3 \\ & + ((2c+3)/(c+2))x_0^2x_3^3 \\ & + ((3c+2)/(c+2))x_0^3x_2^2 \\ & + ((4c+1)/(c+2))x_0^3x_1^2 + ((4c+1)/(c+2))x_0^3x_2^2 + ((4c+1)/(c+2))x_1^3x_3^2 + ((4c+1)/(c+2))x_2^3x_3^2 + ((4c+1)/(c+2))x_3^3x_4^2 + ((4c+1)/(c+2))x_0^2x_4^3 \\ & + (c/(c+2))x_0x_1^3x_2 + (c/(c+2))x_0x_1x_2^3 + (c/(c+2))x_0x_1^3x_4 + (c/(c+2))x_0x_2^3x_4 + (c/(c+2))x_0x_1x_4^3 + (c/(c+2))x_0x_2x_4^3 \\ & + (2c/(c+2))x_0^3x_1x_3 + (2c/(c+2))x_0^3x_2x_3 + (2c/(c+2))x_1x_2x_3^3 + (2c/(c+2))x_0^3x_3x_4 + (2c/(c+2))x_1x_3^3x_4 + (2c/(c+2))x_2x_3^3x_4 \\ & + (3c/(c+2))x_0^3x_1x_2 + (3c/(c+2))x_0x_1x_3^3 + (3c/(c+2))x_0x_2x_3^3 + (3c/(c+2))x_0^3x_1x_4 + (3c/(c+2))x_0^3x_2x_4 + (3c/(c+2))x_0x_3^3x_4 \\ & + (4c/(c+2))x_1^3x_2x_3 + (4c/(c+2))x_1x_2^3x_3 + (4c/(c+2))x_1^3x_3x_4 + (4c/(c+2))x_2^3x_3x_4 + (4c/(c+2))x_1x_3^3x_4 + (4c/(c+2))x_2x_3^3x_4 \\ & + ((c^2+4c)/(c^2+1))x_1^2x_2^2x_3 + ((c^2+4c)/(c^2+1))x_0x_1^2x_3^2 + ((c^2+4c)/(c^2+1))x_0x_2^2x_3^2 + ((c^2+4c)/(c^2+1))x_1^2x_3x_4^2 + ((c^2+4c)/(c^2+1))x_2^2x_3x_4^2 + ((c^2+4c)/(c^2+1))x_0x_3^2x_4^2 \\ & + ((2c^2+3c)/(c^2+1))x_1^2x_2x_3^2 + ((2c^2+3c)/(c^2+1))x_1x_2^2x_3^2 + ((2c^2+3c)/(c^2+1))x_1^2x_3^2x_4 + ((2c^2+3c)/(c^2+1))x_2^2x_3^2x_4 + ((2c^2+3c)/(c^2+1))x_1x_2^2x_4^2 + ((2c^2+3c)/(c^2+1))x_2x_2^2x_4^2 \\ & + ((3c^2+2c)/(c^2+1))x_0^2x_1^2x_2 + ((3c^2+2c)/(c^2+1))x_0^2x_1x_2^2 + ((3c^2+2c)/(c^2+1))x_0^2x_1^2x_4 + ((3c^2+2c)/(c^2+1))x_0^2x_2^2x_4 + ((3c^2+2c)/(c^2+1))x_1^2x_2^2x_4 + ((3c^2+2c)/(c^2+1))x_2^2x_2^2x_4 \end{aligned}$$

$$\begin{aligned}
& 1))x_0^2x_2^2x_4 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_1x_4^2 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_2x_4^2 \\
& + ((4c^2 + c)/(c^2 + 1))x_0x_2^2x_2^2 + ((4c^2 + c)/(c^2 + 1))x_0^2x_1^2x_3 + ((4c^2 + c)/(c^2 + 1))x_0^2x_2^2x_3 + ((4c^2 + c)/(c^2 + 1))x_0x_1^2x_4^2 + ((4c^2 + c)/(c^2 + 1))x_0x_2^2x_4^2 + ((4c^2 + c)/(c^2 + 1))x_0^2x_3x_4^2 \\
& + (c^2/(c^2 + 1))x_0^2x_1x_2x_4 \\
& + (2c^2/(c^2 + 1))x_0x_1x_2x_3^2 + (2c^2/(c^2 + 1))x_1^2x_2x_3x_4 + (2c^2/(c^2 + 1))x_1x_2^2x_3x_4 + (2c^2/(c^2 + 1))x_0x_1x_3^2x_4 + (2c^2/(c^2 + 1))x_0x_2x_3^2x_4 + (2c^2/(c^2 + 1))x_1x_2x_3x_4^2 \\
& + (3c^2/(c^2 + 1))x_0^2x_1x_2x_3 + (3c^2/(c^2 + 1))x_0x_1^2x_2x_4 + (3c^2/(c^2 + 1))x_0x_1x_2^2x_4 + (3c^2/(c^2 + 1))x_0^2x_1x_3x_4 + (3c^2/(c^2 + 1))x_0^2x_2x_3x_4 + (3c^2/(c^2 + 1))x_0x_1x_2x_4^2 \\
& + (4c^2/(c^2 + 1))x_1x_2x_3^2x_4
\end{aligned}$$

$$\begin{aligned}
& ((4c+4)/c)x_0^5 + x_0^4x_1 + ((4c+1)/(c+2))x_0^3x_1^2 + ((c+4)/(c+2))x_0^2x_1^3 - x_0x_1^4 + 2x_0^4x_2 + (2c/(c+2))x_0^3x_1x_2 + ((4c^2 + c)/(c^2 + 1))x_0^2x_1^2x_2 + x_1^4x_2 + ((3c+2)/(c+2))x_0^3x_2^2 + ((c^2 + 4c)/(c^2 + 1))x_0x_1^2x_2^2 + ((4c+1)/(c+2))x_1^3x_2^2 + ((2c+3)/(c+2))x_0^2x_3^2 + (3c/(c+2))x_0x_1x_3^2 + ((c+4)/(c+2))x_1^2x_3^2 + 3x_0x_2^4 - x_1x_2^4 + ((c+1)/c)x_0^5 + x_0^4x_3 + (3c/(c+2))x_0^3x_1x_3 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_1^2x_3 + (c/(c+2))x_0x_1^3x_3 + (2c/(c+2))x_0^3x_2x_3 + (3c^2/(c^2 + 1))x_0^2x_1x_2x_3 + (4c/(c+2))x_1^3x_2x_3 + (2c^2/(c^2 + 1))x_0x_1x_2^2x_3 + ((2c^2 + 3c)/(c^2 + 1))x_1^2x_2^2x_3 + (3c/(c+2))x_0x_3^2x_3 + (2c/(c+2))x_1x_3^2x_3 - x_1^4x_3 + ((4c+1)/(c+2))x_0^3x_3^2 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_1x_3^2 + ((4c^2 + c)/(c^2 + 1))x_0x_1^2x_3^2 + ((4c^2 + c)/(c^2 + 1))x_0^2x_2x_3^2 + ((c^2 + 4c)/(c^2 + 1))x_1^2x_2x_3^2 + ((c^2 + 4c)/(c^2 + 1))x_0x_2^2x_3^2 + ((2c^2 + 3c)/(c^2 + 1))x_1x_2^2x_3^2 + ((c+4)/(c+2))x_2^3x_3^2 + ((c+4)/(c+2))x_0^2x_3^3 + (c/(c+2))x_0x_1x_3^3 + (4c/(c+2))x_1x_2x_3^3 + ((4c+1)/(c+2))x_2^2x_3^3 - x_0x_3^4 + x_2x_3^4 + x_1^4x_4 + (3c/(c+2))x_0^3x_1x_4 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_1^2x_4 + (c/(c+2))x_0x_1^3x_4 + (2c/(c+2))x_0^3x_2x_4 + (3c^2/(c^2 + 1))x_0^2x_1x_2x_4 + (4c/(c+2))x_1^3x_2x_4 + (2c^2/(c^2 + 1))x_0x_1x_2^2x_4 + ((2c^2 + 3c)/(c^2 + 1))x_1^2x_2^2x_4 + (3c/(c+2))x_0x_3^2x_4 + (2c/(c+2))x_1x_3^2x_4 - x_1^4x_4 + (3c/(c+2))x_0^3x_3x_4 + (c^2/(c^2 + 1))x_0^2x_1x_3x_4 + (3c^2/(c^2 + 1))x_0x_1^2x_3x_4 + (3c^2/(c^2 + 1))x_0^2x_2x_3x_4 + (2c^2/(c^2 + 1))x_1^2x_2x_3x_4 + (2c^2/(c^2 + 1))x_0x_2^2x_3x_4 + (4c^2/(c^2 + 1))x_1x_2^2x_3x_4 + (2c/(c+2))x_2^3x_3x_4 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_3^2x_4 + (3c^2/(c^2 + 1))x_0x_1x_2^2x_4 + (2c^2/(c^2 + 1))x_1x_2x_3^2x_4 + ((2c^2 + 3c)/(c^2 + 1))x_2^2x_3^2x_4 + (c/(c+2))x_0x_3^3x_4 + (4c/(c+2))x_2x_3^3x_4 + ((4c+1)/(c+2))x_0^3x_4^2 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_1x_4^2 + ((4c^2 + c)/(c^2 + 1))x_0x_1^2x_4^2 + ((4c^2 + c)/(c^2 + 1))x_0^2x_2x_4^2 + ((c^2 + 4c)/(c^2 + 1))x_1^2x_2x_4^2 + ((c^2 + 4c)/(c^2 + 1))x_0x_2^2x_4^2 + ((2c^2 + 3c)/(c^2 + 1))x_1x_2^2x_4^2 + ((c+4)/(c+2))x_2^3x_4^2 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_3x_4^2 + (3c^2/(c^2 + 1))x_0x_1x_3x_4^2 + (2c^2/(c^2 + 1))x_1x_2x_3x_4^2 + ((2c^2 + 3c)/(c^2 + 1))x_2^2x_3x_4^2 + ((4c^2 + c)/(c^2 + 1))x_0x_2^3x_4^2 + ((c^2 + 4c)/(c^2 + 1))x_2x_3^2x_4^2 + ((c+4)/(c+2))x_0^2x_4^3 + (c/(c+2))x_0x_1x_4^3 + (4c/(c+2))x_1x_2x_4^3 + ((4c+1)/(c+2))x_2^2x_4^3 + (c/(c+2))x_0x_3x_4^3 + (4c/(c+2))x_2x_3x_4^3 - x_0x_4^4 + x_2x_4^4
\end{aligned}$$

$$\begin{aligned}
& ((4c+4)/c)x_0^5 + 2x_0^4x_1 + ((3c+2)/(c+2))x_0^3x_1^2 + ((2c+3)/(c+2))x_0^2x_1^3 + 3x_0x_1^4 + ((c+1)/c)x_0^5 + x_0^4x_2 + (2c/(c+2))x_0^3x_1x_2 + (3c/(c+2))x_0x_1^2x_2 - x_1^4x_2 + ((4c+1)/(c+2))x_0^3x_2^2 + ((4c^2 + c)/(c^2 + 1))x_0^2x_1x_2^2 + ((c^2 + 4c)/(c^2 + 1))x_0x_1^2x_2^2 + ((c+4)/(c+2))x_1^3x_2^2 + ((c+4)/(c+2))x_0^2x_3^2 + ((4c+1)/(c+2))x_1^2x_3^2 - x_0x_2^4 + x_1x_2^4 + x_0^4x_3 + (2c/(c+2))x_0^3x_1x_3 + (3c/(c+2))x_0x_1^2x_3 - x_1^4x_3 + (3c/(c+2))x_0^3x_2x_3 + (3c^2/(c^2 + 1))x_0^2x_1x_2x_3 + (2c^2/(c^2 + 1))x_0x_1^2x_2x_3 + (2c/(c+2))x_1^3x_2x_3 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_2^2x_3 + ((2c^2 + 3c)/(c^2 + 1))x_1^2x_2^2x_3 + (c/(c+2))x_0x_2^2x_3 + (4c/(c+2))x_1x_2^2x_3 + ((4c+1)/(c+2))x_0^3x_3^2 + ((4c^2 + c)/(c^2 + 1))x_0^2x_1x_3^2 + ((c^2 + 4c)/(c^2 + 1))x_0x_1^2x_3^2 + ((c+4)/(c+2))x_1^3x_3^2 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_2x_3^2 + ((2c^2 + 3c)/(c^2 + 1))x_1^2x_2x_3^2 + ((4c^2 + c)/(c^2 + 1))x_0x_2^2x_3^2 + ((c^2 + 4c)/(c^2 + 1))x_1x_2^2x_3^2 + ((c+4)/(c+2))x_0^2x_3^3 + ((4c+1)/(c+2))x_1^2x_3^3 + (c/(c+2))x_0x_2x_3^3 + (4c/(c+2))x_1x_2x_3^3 - x_0x_3^4 + x_1x_3^4 + x_0^4x_4 + (2c/(c+2))x_0^3x_1x_4 + (3c/(c+2))x_0x_1^2x_4 - x_1^4x_4 + (3c/(c+2))x_0^3x_2x_4 + (3c^2/(c^2 + 1))x_0^2x_1x_2x_4 + (2c^2/(c^2 + 1))x_0x_1^2x_2x_4 + (2c/(c+2))x_1^3x_2x_4 + (2c/(c+2))x_1^3x_2x_4 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_2^2x_4 + ((2c^2 + 3c)/(c^2 + 1))x_1^2x_2^2x_4 + (c/(c+2))x_0x_3^2x_4 + (4c/(c+2))x_1x_3^2x_4 + (3c/(c+2))x_0^3x_3x_4 + (3c^2/(c^2 + 1))x_0^2x_1x_3x_4 + (2c^2/(c^2 + 1))x_0x_1^2x_3x_4 + (2c/(c+2))x_1^3x_3x_4 + (c^2/(c^2 + 1))x_0^2x_2x_3x_4 + (4c^2/(c^2 + 1))x_1^2x_2x_3x_4 + (3c^2/(c^2 + 1))x_0x_2^2x_3x_4 + (2c^2/(c^2 + 1))x_1x_2^2x_3x_4 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_3^2x_4 + ((2c^2 + 3c)/(c^2 + 1))x_1^2x_3^2x_4 + (3c^2/(c^2 + 1))x_0x_2x_3^2x_4 + (2c^2/(c^2 + 1))x_1x_2x_3^2x_4 + (c/(c+2))x_0x_3^3x_4 + (4c/(c+2))x_2x_3^3x_4 + ((4c+1)/(c+2))x_0^3x_4^2 + ((4c^2 + c)/(c^2 + 1))x_0^2x_1x_4^2 + ((c^2 + 4c)/(c^2 + 1))x_0x_1^2x_4^2 + ((c+4)/(c+2))x_1^3x_4^2 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_2x_4^2 + ((2c^2 + 3c)/(c^2 + 1))x_1^2x_2x_4^2 + ((4c^2 + c)/(c^2 + 1))x_0x_2^2x_4^2 + ((c^2 + 4c)/(c^2 + 1))x_1x_2^2x_4^2 + ((3c^2 + 2c)/(c^2 + 1))x_0^2x_3x_4^2 + ((2c^2 + 3c)/(c^2 + 1))x_1^2x_3x_4^2 + (3c^2/(c^2 + 1))x_0x_2x_3x_4^2 + (2c^2/(c^2 + 1))x_1x_2x_3x_4^2 + ((4c^2 + c)/(c^2 + 1))x_0x_3^2x_4^2 + ((c^2 + 4c)/(c^2 + 1))x_1x_3^2x_4^2 + ((c+4)/(c+2))x_0^2x_4^3 + ((4c+1)/(c+2))x_1^2x_4^3 + (c/(c+2))x_0x_2x_4^3 + (4c/(c+2))x_1x_2x_4^3 + (c/(c+2))x_0x_3x_4^3 + (4c/(c+2))x_1x_3x_4^3 - x_0x_4^4 + x_1x_4^4
\end{aligned}$$

conjecture: x_0^{25}

5 S_6 , char 3, τ trivial

5.1 Hilbert polynomial

PARTIAL

$$1 + 6t + 21t^2 + 51t^3 + 96t^4 + 147t^5 + 192t^6 + 222t^7 + \dots$$

5.2 Generators

PARTIAL

$$x_0^3 + x_1^3 + x_2^3 + x_3^3 + x_4^3 + x_5^3$$

$$\begin{aligned} & ((2c+2)/c)x_0^3 \\ & + ((c+1)/c)x_4^3 \\ & + x_0^2x_1 + x_0^2x_2 + x_0^2x_3 + x_1^2x_4 + x_2^2x_4 + x_3^2x_4 + x_0x_4^2 + x_0^2x_5 + x_4x_5^2 \\ & - x_0x_1^2 - x_0x_2^2 - x_0x_3^2 - x_0^2x_4 - x_1x_4^2 - x_2x_4^2 - x_3x_4^2 - x_4^2x_5 - x_0x_5^2 \\ & + (c/(c+2))x_0x_1x_2 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 \\ & + (2c/(c+2))x_1x_2x_4 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_2x_3x_4 + (2c/(c+2))x_1x_4x_5 + (2c/(c+2))x_2x_4x_5 + \\ & (2c/(c+2))x_3x_4x_5 \end{aligned}$$

$$\begin{aligned} & ((2c+2)/c)x_0^3 \\ & + ((c+1)/c)x_3^3 \\ & + x_0^2x_1 + x_0^2x_2 + x_1^2x_3 + x_2^2x_3 + x_0x_3^2 + x_0^2x_4 + x_3x_4^2 + x_0^2x_5 + x_3x_5^2 \\ & - x_0x_1^2 - x_0x_2^2 - x_0^2x_3 - x_1x_3^2 - x_2x_3^2 - x_3^2x_4 - x_0x_4^2 - x_3^2x_5 - x_0x_5^2 \\ & + (c/(c+2))x_0x_1x_2 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_4x_5 \\ & + (2c/(c+2))x_1x_2x_3 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_2x_3x_4 + (2c/(c+2))x_1x_3x_5 + (2c/(c+2))x_2x_3x_5 + \\ & (2c/(c+2))x_3x_4x_5 \end{aligned}$$

$$\begin{aligned} & ((2c+2)/c)x_0^3 \\ & + ((c+1)/c)x_2^3 \\ & + x_0^2x_1 + x_1^2x_2 + x_0x_2^2 + x_0^2x_3 + x_2x_3^2 + x_0^2x_4 + x_2x_4^2 + x_0^2x_5 + x_2x_5^2 \\ & - x_0x_1^2 - x_0^2x_2 - x_1x_2^2 - x_2^2x_3 - x_0x_3^2 - x_2^2x_4 - x_0x_4^2 - x_2^2x_5 - x_0x_5^2 \\ & + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_3x_4 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_3x_5 + (c/(c+2))x_0x_4x_5 \\ & + (2c/(c+2))x_1x_2x_3 + (2c/(c+2))x_1x_2x_4 + (2c/(c+2))x_2x_3x_4 + (2c/(c+2))x_1x_2x_5 + (2c/(c+2))x_2x_3x_5 + \\ & (2c/(c+2))x_2x_4x_5 \end{aligned}$$

$$\begin{aligned} & ((2c+2)/c)x_0^3 \\ & + ((c+1)/c)x_1^3 \\ & - x_0^2x_1 - x_1^2x_2 - x_0x_2^2 - x_0^2x_3 - x_0x_3^2 - x_1^2x_4 - x_0x_4^2 - x_1^2x_5 - x_0x_5^2 \\ & + x_0x_1^2 + x_0^2x_2 + x_1x_2^2 + x_0^2x_3 + x_1x_3^2 + x_0^2x_4 + x_1x_4^2 + x_0^2x_5 + x_1x_5^2 \\ & + (c/(c+2))x_0x_2x_3 + (c/(c+2))x_0x_2x_4 + (c/(c+2))x_0x_3x_4 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 + (c/(c+2))x_0x_4x_5 \\ & + (2c/(c+2))x_1x_2x_3 + (2c/(c+2))x_1x_2x_4 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_1x_2x_5 + (2c/(c+2))x_1x_3x_5 + \\ & (2c/(c+2))x_1x_4x_5 \end{aligned}$$

conjecture: x_0^9 .

6 S_6 , char 2, τ trivial

6.1 Hilbert polynomial

$$t^8 + 6t^7 + 16t^6 + 26t^5 + 30t^4 + 26t^3 + 16t^2 + 6t + 1 = (t+1)^6(t^2+1)$$

6.2 Generators

$$\begin{aligned} & x_0^2 + x_1^2 + x_2^2 + x_3^2 + x_4^2 + x_5^2 \\ & ((c+1)/c)x_0^2 + x_0x_1 + x_0x_2 + x_0x_3 + x_1x_4 + x_2x_4 + x_3x_4 + ((c+1)/c)x_4^2 + x_0x_5 + x_4x_5 \\ & ((c+1)/c)x_0^2 + x_0x_1 + x_0x_2 + x_1x_3 + x_2x_3 + ((c+1)/c)x_3^2 + x_0x_4 + x_3x_4 + x_0x_5 + x_3x_5 \\ & ((c+1)/c)x_0^2 + x_0x_1 + x_1x_2 + ((c+1)/c)x_2^2 + x_0x_3 + x_2x_3 + x_0x_4 + x_2x_4 + x_0x_5 + x_2x_5 \\ & ((c+1)/c)x_0^2 + ((c+1)/c)x_1^2 + x_0x_2 + x_1x_2 + x_0x_3 + x_1x_3 + x_0x_4 + x_1x_4 + x_0x_5 + x_1x_5 \\ & x_0^4. \end{aligned}$$

7 S_9 , char 3, τ trivial

7.1 Hilbert polynomial

PARTIAL

$$\dots + 157t^3 + 45t^2 + 9t + 1$$

7.2 Generators

PARTIAL

$$\begin{aligned} & x_0^3 + x_1^3 + x_2^3 + x_3^3 + x_4^3 + x_5^3 + x_6^3 + x_7^3 + x_8^3 \\ & ((2c+2)/c)x_0^3 \\ & + ((c+1)/c)x_7^3 \\ & + x_0^2x_1 + x_0^2x_2 + x_0^2x_3 + x_0^2x_4 + x_0^2x_5 + x_0^2x_6 + x_1^2x_7 + x_2^2x_7 + x_3^2x_7 + x_4^2x_7 + x_5^2x_7 + x_6^2x_7 + x_0x_7^2 + x_0^2x_8 + x_7x_8^2 \\ & - x_0x_1^2 - x_0x_2^2 - x_0x_3^2 - x_0x_4^2 - x_0x_5^2 - x_0x_6^2 - x_0^2x_7 - x_1x_7^2 - x_2x_7^2 - x_3x_7^2 - x_4x_7^2 - x_5x_7^2 - x_6x_7^2 - x_7^2x_8 - x_0x_8^2 \\ & + (c/(c+2))x_0x_1x_2 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (c/(c+2))x_0x_3x_4 \\ & + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 + (c/(c+2))x_0x_4x_5 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_0x_2x_6 \\ & + (c/(c+2))x_0x_3x_6 + (c/(c+2))x_0x_4x_6 + (c/(c+2))x_0x_5x_6 + (c/(c+2))x_0x_1x_8 + (c/(c+2))x_0x_2x_8 + (c/(c+2))x_0x_3x_8 \\ & + (c/(c+2))x_0x_4x_8 + (c/(c+2))x_0x_5x_8 + (c/(c+2))x_0x_6x_8 \end{aligned}$$

$$\begin{aligned}
& + (2c/(c+2))x_1x_2x_7 + (2c/(c+2))x_1x_3x_7 + (2c/(c+2))x_2x_3x_7 + (2c/(c+2))x_1x_4x_7 + (2c/(c+2))x_2x_4x_7 + \\
& (2c/(c+2))x_3x_4x_7 + (2c/(c+2))x_1x_5x_7 + (2c/(c+2))x_2x_5x_7 + (2c/(c+2))x_3x_5x_7 + (2c/(c+2))x_4x_5x_7 + \\
& (2c/(c+2))x_1x_6x_7 + (2c/(c+2))x_2x_6x_7 + (2c/(c+2))x_3x_6x_7 + (2c/(c+2))x_4x_6x_7 + (2c/(c+2))x_5x_6x_7 + \\
& (2c/(c+2))x_1x_7x_8 + (2c/(c+2))x_2x_7x_8 + (2c/(c+2))x_3x_7x_8 + (2c/(c+2))x_4x_7x_8 + (2c/(c+2))x_5x_7x_8 + \\
& (2c/(c+2))x_6x_7x_8
\end{aligned}$$

$$\begin{aligned}
& ((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 - \\
& x_0x_3^2 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (c/(c+2))x_0x_3x_4 - x_0x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + \\
& (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 + (c/(c+2))x_0x_4x_5 - x_0x_5^2 - x_0^2x_6 + x_1^2x_6 + (2c/(c+2))x_1x_2x_6 + x_2^2x_6 + \\
& (2c/(c+2))x_1x_3x_6 + (2c/(c+2))x_2x_3x_6 + x_3^2x_6 + (2c/(c+2))x_1x_4x_6 + (2c/(c+2))x_2x_4x_6 + (2c/(c+2))x_3x_4x_6 + \\
& x_4^2x_6 + (2c/(c+2))x_1x_5x_6 + (2c/(c+2))x_2x_5x_6 + (2c/(c+2))x_3x_5x_6 + (2c/(c+2))x_4x_5x_6 + x_5^2x_6 + x_0x_6^2 - x_1x_6^2 - \\
& x_2x_6^2 - x_3x_6^2 - x_4x_6^2 - x_5x_6^2 + ((c+1)/c)x_6^3 + x_0^2x_7 + (c/(c+2))x_0x_1x_7 + (c/(c+2))x_0x_2x_7 + (c/(c+2))x_0x_3x_7 + \\
& (c/(c+2))x_0x_4x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_1x_6x_7 + (2c/(c+2))x_2x_6x_7 + (2c/(c+2))x_3x_6x_7 + \\
& (2c/(c+2))x_4x_6x_7 + (2c/(c+2))x_5x_6x_7 - x_6^2x_7 - x_0x_7^2 + x_6x_7^2 + x_0^2x_8 + (c/(c+2))x_0x_1x_8 + (c/(c+2))x_0x_2x_8 + \\
& (c/(c+2))x_0x_3x_8 + (c/(c+2))x_0x_4x_8 + (c/(c+2))x_0x_5x_8 + (2c/(c+2))x_1x_6x_8 + (2c/(c+2))x_2x_6x_8 + (2c/(c+2))x_3x_6x_8 + \\
& (2c/(c+2))x_4x_6x_8 + (2c/(c+2))x_5x_6x_8 - x_6^2x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_6x_7x_8 - x_0x_8^2 + x_6x_8^2
\end{aligned}$$

$$\begin{aligned}
& ((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 - \\
& x_0x_3^2 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (c/(c+2))x_0x_3x_4 - x_0x_4^2 - x_0^2x_5 + x_1^2x_5 + (2c/(c+2))x_1x_2x_5 + \\
& x_2^2x_5 + (2c/(c+2))x_1x_3x_5 + (2c/(c+2))x_2x_3x_5 + x_3^2x_5 + (2c/(c+2))x_1x_4x_5 + (2c/(c+2))x_2x_4x_5 + \\
& (2c/(c+2))x_3x_4x_5 + x_4^2x_5 + x_0x_5^2 - x_1x_5^2 - x_2x_5^2 - x_3x_5^2 - x_4x_5^2 + ((c+1)/c)x_5^3 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_0x_2x_6 + \\
& (c/(c+2))x_0x_3x_6 + (c/(c+2))x_0x_4x_6 + (2c/(c+2))x_1x_5x_6 + (2c/(c+2))x_2x_5x_6 + (2c/(c+2))x_3x_5x_6 + \\
& (2c/(c+2))x_4x_5x_6 - x_5^2x_6 - x_0x_6^2 + x_5x_6^2 + x_0^2x_7 + (c/(c+2))x_0x_1x_7 + (c/(c+2))x_0x_2x_7 + (c/(c+2))x_0x_3x_7 + \\
& (c/(c+2))x_0x_4x_7 + (2c/(c+2))x_1x_5x_7 + (2c/(c+2))x_2x_5x_7 + (2c/(c+2))x_3x_5x_7 + (2c/(c+2))x_4x_5x_7 - x_5^2x_7 + \\
& (c/(c+2))x_0x_6x_7 + (2c/(c+2))x_5x_6x_7 - x_0x_7^2 + x_5x_7^2 + x_0^2x_8 + (c/(c+2))x_0x_1x_8 + (c/(c+2))x_0x_2x_8 + (c/(c+2))x_0x_3x_8 + \\
& (c/(c+2))x_0x_4x_8 + (2c/(c+2))x_1x_5x_8 + (2c/(c+2))x_2x_5x_8 + (2c/(c+2))x_3x_5x_8 + (2c/(c+2))x_4x_5x_8 - x_5^2x_8 + (c/(c+2))x_0x_6x_8 + \\
& (2c/(c+2))x_5x_6x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_5x_7x_8 - x_0x_8^2 + x_5x_8^2
\end{aligned}$$

$$\begin{aligned}
& ((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (c/(c+2))x_0x_2x_3 - \\
& x_0x_3^2 - x_0^2x_4 + x_1^2x_4 + (2c/(c+2))x_1x_2x_4 + x_2^2x_4 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_2x_3x_4 + x_3^2x_4 + x_0x_4^2 - \\
& x_1x_4^2 - x_2x_4^2 - x_3x_4^2 + ((c+1)/c)x_4^3 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (c/(c+2))x_0x_3x_5 + (2c/(c+2))x_1x_4x_5 + \\
& (2c/(c+2))x_2x_4x_5 + (2c/(c+2))x_3x_4x_5 - x_4^2x_5 - x_0x_5^2 + x_4x_5^2 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_0x_2x_6 + (c/(c+2))x_0x_3x_6 + \\
& (2c/(c+2))x_1x_4x_6 + (2c/(c+2))x_2x_4x_6 + (2c/(c+2))x_3x_4x_6 - x_4^2x_6 + (c/(c+2))x_0x_5x_6 + (2c/(c+2))x_4x_5x_6 - x_0x_6^2 + x_4x_6^2 + \\
& x_0^2x_7 + (c/(c+2))x_0x_1x_7 + (c/(c+2))x_0x_2x_7 + (c/(c+2))x_0x_3x_7 + (2c/(c+2))x_1x_4x_7 + (2c/(c+2))x_2x_4x_7 + (2c/(c+2))x_3x_4x_7 - \\
& x_4^2x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_4x_5x_7 + (c/(c+2))x_0x_6x_7 + (2c/(c+2))x_4x_6x_7 - x_0x_7^2 + x_4x_7^2 + x_0^2x_8 + (c/(c+2))x_0x_1x_8 + \\
& (c/(c+2))x_0x_2x_8 + (c/(c+2))x_0x_3x_8 + (2c/(c+2))x_1x_4x_8 + (2c/(c+2))x_2x_4x_8 + (2c/(c+2))x_3x_4x_8 - x_4^2x_8 + (c/(c+2))x_0x_5x_8 + (2c/(c+2))x_4x_5x_8 + \\
& (c/(c+2))x_0x_6x_8 + (2c/(c+2))x_4x_6x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_4x_7x_8 - x_0x_8^2 + x_4x_8^2
\end{aligned}$$

$$\begin{aligned}
& ((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 + x_0^2x_2 + (c/(c+2))x_0x_1x_2 - x_0x_2^2 - x_0^2x_3 + x_1^2x_3 + (2c/(c+2))x_1x_2x_3 + x_2^2x_3 + \\
& x_0x_3^2 - x_1x_3^2 - x_2x_3^2 + ((c+1)/c)x_3^3 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (c/(c+2))x_0x_2x_4 + (2c/(c+2))x_1x_3x_4 + (2c/(c+2))x_2x_3x_4 - \\
& x_3^2x_4 - x_0x_4^2 + x_3x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (c/(c+2))x_0x_2x_5 + (2c/(c+2))x_1x_3x_5 + (2c/(c+2))x_2x_3x_5 - x_3^2x_5 + \\
& (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_3x_4x_5 - x_0x_5^2 + x_3x_5^2 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (c/(c+2))x_0x_2x_6 + (2c/(c+2))x_1x_3x_6 + \\
& (2c/(c+2))x_2x_3x_6 - x_3^2x_6 + (c/(c+2))x_0x_4x_6 + (2c/(c+2))x_3x_4x_6 + (c/(c+2))x_0x_5x_6 + (2c/(c+2))x_3x_5x_6 - x_0x_6^2 + x_3x_6^2 + \\
& x_0^2x_7 + (c/(c+2))x_0x_1x_7 + (c/(c+2))x_0x_2x_7 + (2c/(c+2))x_1x_3x_7 + (2c/(c+2))x_2x_3x_7 - x_3^2x_7 + (c/(c+2))x_0x_4x_7 + \\
& (2c/(c+2))x_3x_4x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_3x_5x_7 + (c/(c+2))x_0x_6x_7 + (2c/(c+2))x_3x_6x_7 - x_0x_7^2 + x_3x_7^2 + x_0^2x_8 + \\
& (c/(c+2))x_0x_1x_8 + (c/(c+2))x_0x_2x_8 + (2c/(c+2))x_1x_3x_8 + (2c/(c+2))x_2x_3x_8 - x_3^2x_8 + (c/(c+2))x_0x_4x_8 + (2c/(c+2))x_3x_4x_8 + \\
& (c/(c+2))x_0x_5x_8 + (2c/(c+2))x_3x_5x_8 + (c/(c+2))x_0x_6x_8 + (2c/(c+2))x_3x_6x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_3x_7x_8 - x_0x_8^2 + x_3x_8^2
\end{aligned}$$

$$\begin{aligned}
& ((2c+2)/c)x_0^3 + x_0^2x_1 - x_0x_1^2 - x_0^2x_2 + x_1^2x_2 + x_0x_2^2 - x_1x_2^2 + ((c+1)/c)x_2^3 + x_0^2x_3 + (c/(c+2))x_0x_1x_3 + (2c/(c+2))x_1x_2x_3 - \\
& x_2^2x_3 - x_0x_3^2 + x_2x_3^2 + x_0^2x_4 + (c/(c+2))x_0x_1x_4 + (2c/(c+2))x_1x_2x_4 - x_2^2x_4 + (c/(c+2))x_0x_3x_4 + (2c/(c+2))x_2x_3x_4 - \\
& x_0x_4^2 + x_2x_4^2 + x_0^2x_5 + (c/(c+2))x_0x_1x_5 + (2c/(c+2))x_1x_2x_5 - x_2^2x_5 + (c/(c+2))x_0x_3x_5 +
\end{aligned}$$

$$(2c/(c+2))x_2x_3x_5 + (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_2x_4x_5 - x_0x_5^2 + x_2x_5^2 + x_0^2x_6 + (c/(c+2))x_0x_1x_6 + (2c/(c+2))x_1x_2x_6 - x_2^2x_6 + (c/(c+2))x_0x_3x_6 + (2c/(c+2))x_2x_3x_6 + (c/(c+2))x_0x_4x_6 + (2c/(c+2))x_2x_4x_6 + (c/(c+2))x_0x_5x_6 + (2c/(c+2))x_2x_5x_6 - x_0x_6^2 + x_2x_6^2 + x_0^2x_7 + (c/(c+2))x_0x_1x_7 + (2c/(c+2))x_1x_2x_7 - x_2^2x_7 + (c/(c+2))x_0x_3x_7 + (2c/(c+2))x_2x_3x_7 + (c/(c+2))x_0x_4x_7 + (2c/(c+2))x_2x_4x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_2x_5x_7 + (c/(c+2))x_0x_6x_7 + (2c/(c+2))x_2x_6x_7 - x_0x_7^2 + x_2x_7^2 + x_0^2x_8 + (c/(c+2))x_0x_1x_8 + (2c/(c+2))x_1x_2x_8 - x_2^2x_8 + (c/(c+2))x_0x_3x_8 + (2c/(c+2))x_2x_3x_8 + (c/(c+2))x_0x_4x_8 + (2c/(c+2))x_2x_4x_8 + (c/(c+2))x_0x_5x_8 + (2c/(c+2))x_2x_5x_8 + (c/(c+2))x_0x_6x_8 + (2c/(c+2))x_2x_6x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_2x_7x_8 - x_0x_8^2 + x_2x_8^2$$

$$((2c+2)/c)x_0^3 - x_0^2x_1 + x_0x_1^2 + ((c+1)/c)x_1^3 + x_0^2x_2 - x_1^2x_2 - x_0x_2^2 + x_1x_2^2 + x_0^2x_3 - x_1^2x_3 + (c/(c+2))x_0x_2x_3 + (2c/(c+2))x_1x_2x_3 - x_0x_3^2 + x_1x_3^2 + x_0^2x_4 - x_1^2x_4 + (c/(c+2))x_0x_2x_4 + (2c/(c+2))x_1x_2x_4 + (c/(c+2))x_0x_3x_4 + (2c/(c+2))x_1x_3x_4 - x_0x_4^2 + x_1x_4^2 + x_0^2x_5 - x_1^2x_5 + (c/(c+2))x_0x_2x_5 + (2c/(c+2))x_1x_2x_5 + (c/(c+2))x_0x_3x_5 + (2c/(c+2))x_1x_3x_5 + (c/(c+2))x_0x_4x_5 + (2c/(c+2))x_1x_4x_5 - x_0x_5^2 + x_1x_5^2 + x_0^2x_6 - x_1^2x_6 + (c/(c+2))x_0x_2x_6 + (2c/(c+2))x_1x_2x_6 + (c/(c+2))x_0x_3x_6 + (2c/(c+2))x_1x_3x_6 + (c/(c+2))x_0x_4x_6 + (2c/(c+2))x_1x_4x_6 + (c/(c+2))x_0x_5x_6 + (2c/(c+2))x_1x_5x_6 - x_0x_6^2 + x_1x_6^2 + x_0^2x_7 - x_1^2x_7 + (c/(c+2))x_0x_2x_7 + (2c/(c+2))x_1x_2x_7 + (c/(c+2))x_0x_3x_7 + (2c/(c+2))x_1x_3x_7 + (c/(c+2))x_0x_4x_7 + (2c/(c+2))x_1x_4x_7 + (c/(c+2))x_0x_5x_7 + (2c/(c+2))x_1x_5x_7 + (c/(c+2))x_0x_6x_7 + (2c/(c+2))x_1x_6x_7 - x_0x_7^2 + x_1x_7^2 + x_0^2x_8 - x_1^2x_8 + (c/(c+2))x_0x_2x_8 + (2c/(c+2))x_1x_2x_8 + (c/(c+2))x_0x_3x_8 + (2c/(c+2))x_1x_3x_8 + (c/(c+2))x_0x_4x_8 + (2c/(c+2))x_1x_4x_8 + (c/(c+2))x_0x_5x_8 + (2c/(c+2))x_1x_5x_8 + (c/(c+2))x_0x_6x_8 + (2c/(c+2))x_1x_6x_8 + (c/(c+2))x_0x_7x_8 + (2c/(c+2))x_1x_7x_8 - x_0x_8^2 + x_1x_8^2$$

conjecture: x_0^9

8 Conjecture for $p = 3, 3 \mid n$

Variables are x_0, \dots, x_{n-1} .

Generators are:

x_0^9 in degree 9, and $\sum x_i^3$ in degree 3. There are $n - 2$ remaining generators in degree 3, each with the following form:

$$\frac{c+1}{c}(x_1^3 - x_0^3) + (x_1 - x_0)(x_0x_1) + (x_1 - x_0) \left(\sum_{i \geq 2} x_i^2 - x_i(x_1 + x_0) \right) + \frac{2c}{c+2}(x_1 - x_0) \left(\sum_{i,j \geq 2; i \neq j} x_i x_j \right).$$

(The other generators are created from this one by switching x_1 with x_k for some $k \geq 2$.)

Alternate forms:

$$(x_1 - x_0) \left(\frac{c+1}{c}x_1^2 + \frac{c+1}{c}x_0x_1 + \frac{c+1}{c}x_0^2 + x_0x_1 + \left(\sum_{i \geq 2} x_i^2 - x_i(x_1 + x_0) \right) + \frac{2c}{c+2} \left(\sum_{i,j \geq 2; i \neq j} x_i x_j \right) \right).$$

$$(x_1 - x_0) \left(\frac{c+1}{c}x_1^2 + \frac{2c+1}{c}x_0x_1 + \frac{c+1}{c}x_0^2 + \left(\sum_{i \geq 2} x_i^2 - x_i x_1 + x_i x_0 \right) + \frac{2c}{c+2} \left(\sum_{i,j \geq 2; i \neq j} x_i x_j \right) \right)$$