Dharmit Shah SYIT 330

Create a Form with Validation – FOOTBALL TURF

Code:-

```html
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Football Turf</title>
  <script src="https://ajax.googleapis.com/ajax/libs/angularjs/1.6.9/angular.min.js"></script>
  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    body {
      background: url(https://images.unsplash.com/photo-1536122985607-
4fe00b283652?ixid=MnwxMjA3fDB8MHxzZWFyY2h8MzZ8fHR1cmZ8ZW58MHx8MHx8&ixlib=rb-
1.2.1&auto=format&fit=crop&w=500&q=60) center center/cover fixed no-repeat;
      display: flex;
      flex-direction: column;
      align-items: center;
      justify-content: center;
    }

    .main-div {
      color: black;
      background-color: rgb(247, 247, 8);
      margin-top: 100px;
      padding: 20px;
      border: 2px solid rgb(0, 0, 0);
      border-radius: 19px;
    }

    .main-div,
    h1 {
      margin-bottom: 20px;
    }
```

```css
.main-div,
h3 {
    margin-bottom: 10px;
}

.main-div-label {
    padding: 10px;
    font-weight: bold;
}

.main-div>span {
    margin-top: 10px;
    font-size: 20px;
    display: block;
    background-color: white;
}

.reg-form {
    background-color: white;
    color: black;
    display: flex;
    border-radius: 10px;
    align-items: center;
    justify-content: center;
    margin: 40px 0px 0px 0px;
}

.inputs {
    margin: 8px;
    width: 100%;
    padding: 3px;
}

#reg-button {
    background-color: #198754;
    padding: 4px;
    border-radius: 10px;
    border: none;
    color: white;
    font-weight: bold;
}

#reg-button:hover,
#reg-button:active {
    background-color: white;
    border: 2px solid #198754;
    color: rgb(10, 10, 10);
    font-weight: bold;
```

```html
      }
    </style>
</head>

<body ng-app="app" ng-controller="RadioController">
    <div class="main-div">
        <h1>Football Turf Registration</h1>
        <h3>Select Location</h3>
        <label class="main-div-label"><input type="radio" name="station" ng-change="RadioChange('Borivali')"
            ng-model="station" value="Borivali" ng-click="myFunc()" /> Borivali </label>
        <label class="main-div-label"><input type="radio" name="station" ng-change="RadioChange('Kandivali')"
            ng-model="station" value="Kandivali" ng-click="myFunc()" /> Kandivali </label>
        <label class="main-div-label"><input type="radio" name="station" ng-change="RadioChange('Malad')"
            ng-model="station" value="Malad" ng-click="myFunc()" /> Malad </label>

        <span>
            You selected : {{ station }}
        </span>


        <div class="reg-form" ng-show="showMe">
            <form action="">
                <h2>Fill the Form</h2>
                Name: <input type="text" placeholder="Enter your name" required class="inputs" ng-model="username"><br>
                Date: <input type="date" required class="inputs" ng-model="Date"><br>
                <p>Select your time:</p>
                <input type="radio" name="fav_language" value="9:00am to 11:00am" ng-model="Time">
                 <label for="9:00am to 11:00am">9:00am to 11:00am</label>
                 <input type="radio" name="fav_language" value="5:00pm to 7:00pm" ng-model="Time">
                 <label for="95:00pm to 7:00pm">5:00pm to 7:00pm</label><br>
                Contact: <input type="tel" placeholder="Enter your number " required class="inputs" ng-model="Tel"><br>
                <input type="submit" value="Register" id="reg-button" class="inputs" ng-click="showalertmessage()"><br>
            </form>
        </div>

    </div>


    <script>

        var app = angular.module("app", []);
        app.controller("RadioController", function ($scope) {

            $scope.station = "Borivali";

            $scope.RadioChange = function (s) {
```

```
                    $scope.stationSelected = s;
          };
      });
      var vapp = angular.module('app', []);
      vapp.controller('RadioController', function ($scope) {
        $scope.showMe = false;
        $scope.myFunc = function () {
            $scope.showMe = !$scope.showMe;
        };

        $scope.showalertmessage = function () {

            alert("Hello, " + $scope.username + " " + "\nDate is : " + $scope.Date + " " + " \nTime is : " + $scope.Ti
me + " " + " \nContact is : " + $scope.Tel)
        };

      });

   </script>
</body>

</html>
```

Output:-