



GROOT* User's Guide

*GRaphics for OSEs & OSSEs on TCs

Created by Sarah D. Ditchek^{1,2}

¹Cooperative Institute for Marine and Atmospheric Studies (CIMAS) | University of Miami (UM)

²Hurricane Research Division (HRD) | Atlantic Oceanographic and Meteorological Laboratory (AOML)



*If using this graphics package in publications or presentations,
please see the last slide for acknowledgement wording.*





Capabilities Overview

GROOT

(GRaphics for OSEs & OSSEs on TCs)

Hurricane Component: GROOT-H

Error Statistics

individual storms, composites, various subsets
(editverif.m, runverif.ksh)

Assimilated Observations

individual storms, storm-centered composites
(editverif.m, runverif.ksh)

GRB Graphics

plan-view and azimuthally-averaged graphics for
individual storms for each experiment and
difference graphics between experiments
(editgrb.m, rungrb.ksh)

Retrieval Scripts

all required files for error statistics, assimilated
observations, and GRB graphics
(retrievalsheets/)

Verification Capability

GRB Capability

Global Component: GROOT-G

Error Statistics

individual storms, composites, various subsets
(editverif.m, runverif.ksh)

Assimilated Observations (FUTURE WORK)

individual storms, storm-centered composites
(editverif.m, runverif.ksh)

GRB Graphics (FUTURE WORK)

plan-view and azimuthally-averaged graphics for
individual storms for each experiment and
difference graphics between experiments
(editgrb.m, rungrb.ksh)

Retrieval Scripts (FUTURE WORK)

all required files for error statistics, assimilated
observations, and GRB graphics
(retrievalsheets/)



Why Use GROOT?

Benefits

Comprehensive

- results for both individual storms and composite studies are generated
- retrieval scripts to grab GROOT-required files from HPSS are provided
 - capabilities are continuously being added

Project Flexibility

- user input is confined to a brief namelist
- any number of experiments can be compared (recommended maximum: 6)
 - customization of colors and of baseline model available in the namelist
 - it works with model output from HWRF, the basin-scale HWRF, and FV3GFS
- user can switch between GROOT-H and GROOT-G with ease – same way to run both components!

Uniformity

- uniform, publication-ready graphics are generated
- graphics generated are those that are often needed in OS(S)E studies that evaluate TC performance

WHAT WILL THIS USER'S GUIDE GO OVER?

Graphics types created by GROOT-H for experiments run with the basin-scale HWRF and HWRF, followed by step-by-step instructions of how to get and run the package. Again, all graphics shown will eventually be generated by GROOT-G unless otherwise indicated, but currently only error statistics graphics are available for GROOT-G.



*For GROOT-G, for each experiment, place your atcf files for all cycles desired in 1 folder, named according to the experiment run.

High-Level Verification Capability Overview

NAMELIST OVERVIEW (*editverif.m – edit this*)

- SECTION 1: Set directories of the package, where the graphics go, and model properties (4)
- SECTION 2: Identify experiments and associated colors (4)
- SECTION 3: Case Study Options (3)
- SECTION 4: Error Graphics Options (4)
- SECTION 5: Conventional Graphics Options (6)
- SECTION 6: Satellite Graphics Options (6)

RUN OVERVIEW (*runverif.ksh – edit this*)

- SECTION 1: Set Folders (4|5)
- SECTION 2: Identify Experiments (3|4)
- SECTION 3: Account Information (4|4)
- SECTION 4: Date Range of Files (0|2)
(GROOT-H|GROOT-G*)

MAIN VERIFICATION SCRIPT OVERVIEW (*scripts/runverif.m – no need to edit*)

```

load namelist settings
for run the package
    for each individual storm (each storm submitted as separate batch scripts so clock won't run out)
        set up directories and naming conventions; find common cycles across experiments
        grabs and processes the bdeck
        plots the track of the storm
        runs assimilated obs capability script – conv: processes files and makes graphics (namelist switch)
        runs assimilated obs capability script – sat: processes files and makes graphics (namelist switch)
        runs error statistics capability script: processes files and makes graphics – full storm → NHC verification → subsets
    end
    for all storms combined - only if there is more than 1 storm in your sample! (submitted as separate batch scripts)
        identify how many basins are in the sample & get stratifications and consistent y-axes for each graphic
        run error statistics capability script: processes files and makes graphics – NHC verification → subsets
        runs assimilated obs capability script – conv: processes files and makes graphics
        runs assimilated obs capability script – sat: processes files and makes graphics
    end
end (batch script cleans up files created and emails you when it's done – SUBMISSION_FINISHED.txt appears in your directory)

```

High-Level GRB Capability Overview

NAMELIST OVERVIEW (*editgrb.m – edit this*)

SECTION 1: Choose storm, experiments, and associated colors (12)

SECTION 2: Set directories (3)

SECTION 3: Set switches (8)

SECTION 4: Choose variables (misc)

RUN OVERVIEW (*rungrb.ksh – edit this*)

SECTION 1: Account Information (4)

MAIN GRB SCRIPT OVERVIEW (*scripts/rungrb.m – no need to edit*)

for run the package (*submits various batch scripts to ensure the clock doesn't run out*)

set up directories and naming conventions; find common cycles across experiments

grabs and processes the bdeck

runs the HWRFDA component (*storm and synoptic grids; namelist switch*)

generates error statistics for later use (*no graphics are generated – this is all done in the verification capability*)

creates .mat files of chosen variables (*storm and/or synoptic grids; namelist switch*)

if selected in namelist, converts u/v to radial/tangential wind and windspeed (*storm and synoptic grids; namelist switch*)

if selected in namelist, converts absolute vorticity to relative vorticity (*storm and synoptic grids; namelist switch*)

creates storm-centered graphics and difference graphics (*storm and synoptic grids; namelist switch*)

creates shear graphics (*for synoptic grid, only; only if corresponding u/v files are generated*)

clean up .mat files to save space

end

*Generation of these graphics can be turned off in the namelist by setting identgraphicsbycycle=0




One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Raw Value Graphics


The below graphics as well as graphics for Along-Track Error, Across-Track Error, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW are generated* for each cycle.





One Storm: All Cycles

Best Track Graphic








One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Raw Value Graphics

The below graphics as well as graphics for Along-Track Error, Across-Track Error, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants), PO, RO, and RMW are generated for each experiment.



oooo

ooo●oooooooooooo

oooo

oooooo

oooooo

oooo

*Since these fields are "bias" fields, only E and I are calculated, as B would be redundant.





One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Errors, Improvement, Bias, & FSP By Forecast Lead Time

The below graphics are generated for Track, Along-Track Error*, Across-Track Error*, Wind Speed, Pressure, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW.



Error (E) is defined as the absolute value of the difference between the forecast and best track at the forecast verifying time.

$$E = \text{abs}(\exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}})$$

Improvement (I), compares how much better (or worse) an experiment performed over a baseline experiment.

$$I = 100 * (1 - \frac{\exp}{\text{baseline}})$$

Bias (B) is defined as the difference between the forecast and best track at the forecast verifying time.

$$B = \exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}}$$

Frequency of Superior Performance (FSP) indicates how often an experiment performed better over a baseline experiment.

$$\text{FSP}_{\exp_{t=\text{fhr}}} = 100 * \sum_{n=1}^{\# \text{fcsts}} \begin{cases} 1, & \text{if } \exp_E < \text{baseline}_E \\ .5, & \text{if } \exp_E = \text{baseline}_E \\ 0, & \text{if } \exp_E > \text{baseline}_E \end{cases}$$

■: 95% sig. | ●: 90% sig. | Paired t-test w/ serial correlation

Also included is a combined error/improvement graphic!

Last Updated: August 6, 2021

oooo

oooo ● oooooo oooooo oooooo oooooo oooooo

ooooo

oooooo

oooooo

oooo

*Since these fields are "bias" fields, only E and I are calculated, as B would be redundant.





One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Errors, Improvement, Bias, & FSP By Cycle

The below graphics are generated for Track, Along-Track Error*, Across-Track Error*, Wind Speed, Pressure, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW.



Error (E) is defined as the absolute value of the difference between the forecast and best track at the forecast verifying time.

$$E = \text{abs}(\exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}})$$

Improvement (I), compares how much better (or worse) an experiment performed over a baseline experiment.

$$I = 100 * (1 - \frac{\text{exp}}{\text{baseline}})$$

Bias (B) is defined as the difference between the forecast and best track at the forecast verifying time.

$$B = \exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}}$$

Frequency of Superior Performance (FSP) indicates how often an experiment performed better over a baseline experiment.

$$\text{FSP}_{\exp_{t=\text{fhr}}} = 100 * \frac{\sum_{n=1}^{\# \text{fcsts}} \begin{cases} 1, & \text{if } \exp_E < \text{baseline}_E \\ .5, & \text{if } \exp_E = \text{baseline}_E \\ 0, & \text{if } \exp_E > \text{baseline}_E \end{cases}}{\# \text{fcsts}}$$



One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

Percent Contribution to Error

By Forecast Lead Time

The below graphic is generated for each experiment and variable so the user can gauge each cycle's contribution to the errors and, therefore, which cycles might be dominating the sample.



Rounded to the nearest integer – while most columns add up to 100%, some will add up to $100 \pm 1\text{--}5\%$.

oooo

oooo ooooo ● ooooo ooooo ooooo ooooo

oooo

oooo

oooo

oooo


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Lagged Correlation

The below graphic is generated for each experiment and variable so the user can gauge lagged correlation in the full sample.



Lagged correlation of a given cycle to subsequent cycles at each forecast hour.



One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

Scorecard Graphic

The below graphic is generated for each experiment to give an overall snapshot of the model performance.

Scorecard
INIT: 2019082306–2019090900

ALL
05L (DORIAN)



0 12 24 36 48 60 72 84 96 108 120 Forecast Lead Time (h)

Credit: Idea & Base Code by Dr. Peter Marinescu

oooo

oooooooooooo●oooooooooooooooo

oooo

oooooo

oooooo

oooo

Verification: Consistent with NHC

One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Subsets Currently Available

Consistent with NHC Verification

#	SUBSET	DEFINITION
0	NONE	Perform no subsets other than NHC verification
1-2	OBS NOOBS	keeps only the cycles where the obs in question (was was not) assimilated
3-4	RECON PRERECON	keeps (from before) the 1 st cycle where the obs in question was assimilated to the (end beginning) of the storm
5-8	TD TS H12 H345	cycles with best track intensity of (TD TS H12 H345) at t=0
9-13	RI IN SS WK RW	For the best track of a storm, calculate the running ± 6 h intensity change to capture what type of intensity change the storm is currently undergoing. Then, for cycles t=0, categorize as follows: (RI: $x \geq 15$ kt IN: $5 \leq x < 15$ kt SS: $-5 < x < 5$ kt WK: $-15 < x \leq -5$ kt RW: $x \leq -15$ kt)
14-16	LOW MOD HIGH	cycles with SHIPS shear* of (LOW MOD HIGH) at t=0
17-18	N30 S30	cycles with best track latitude (≥ 30 N < 30 N) at t=0
19	CUSTOM	you can input a list of cycles for your own custom subset in the namelist

NOTE: #1-4 are run, and #5-8, #14-16, & #17-18 are further subset into OBS and NOOBS *only if* identconv=1 or identsatobs=1 in the namelist which lets the package know that you retrieved the required files and are running the assimilated obs component of the package.

* Shear: 850-200 hPa mag (kt) | vortex removed | averaged 0-500 km relative to 850 hPa center



Verification: Consistent with NHC

*Since these fields are "bias" fields, only E and I are calculated, as B would be redundant.





One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Subsets of Error, Improvement, Bias, & FSP By Forecast Lead Time

The below graphics are generated for Track, Along-Track Error*, Across-Track Error*, Wind Speed, Pressure, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW.



Error (E) is defined as the absolute value of the difference between the forecast and best track at the forecast verifying time.

$$E = \text{abs}(\exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}})$$

Improvement (I), compares how much better (or worse) an experiment performed over a baseline experiment.

$$I = 100 * (1 - \frac{\exp}{\text{baseline}})$$

Bias (B) is defined as the difference between the forecast and best track at the forecast verifying time.

$$B = \exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}}$$

Frequency of Superior Performance (FSP) indicates how often an experiment performed better over a baseline experiment.

$$\text{FSP}_{\exp_{t=fhr}} = 100 * \frac{\sum_{n=1}^{\# \text{fcsts}} \begin{cases} 1, & \text{if } \exp_E < \text{baseline}_E \\ .5, & \text{if } \exp_E = \text{baseline}_E \\ 0, & \text{if } \exp_E > \text{baseline}_E \end{cases}}{\# \text{fcsts}}$$

■: 95% sig. | ●: 90% sig. | Paired t-test w/ serial correlation

Also included is a combined error/improvement graphic!

Last Updated: August 6, 2021

oooo

oooooooooooo●oooooooooooo

oooo

oooooo

oooooo

oooo

Verification: Consistent with NHC

*Since these fields are "bias" fields, only E and I are calculated, as B would be redundant.





One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Subsets of Error, Improvement, Bias, & FSP By Cycle

The below graphics are generated for Track, Along-Track Error*, Across-Track Error*, Wind Speed, Pressure, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW.



Error (E) is defined as the absolute value of the difference between the forecast and best track at the forecast verifying time.

$$E = \text{abs}(\exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}})$$

Improvement (I), compares how much better (or worse) an experiment performed over a baseline experiment.

$$I = 100 * (1 - \frac{\overline{\exp}_E}{\overline{\text{baseline}}})$$

Bias (B) is defined as the difference between the forecast and best track at the forecast verifying time.

$$B = \exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}}$$

Frequency of Superior Performance (FSP) indicates how often an experiment performed better over a baseline experiment.

$$\text{FSP}_{\exp_{t=\text{fhr}}} = 100 * \frac{\sum_{n=1}^{\# \text{fcsts}} \begin{cases} 1, & \text{if } \exp_E < \text{baseline}_E \\ .5, & \text{if } \exp_E = \text{baseline}_E \\ 0, & \text{if } \exp_E > \text{baseline}_E \end{cases}}{\# \text{fcsts}}$$



Verification: Consistent with NHC


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Percent Contribution to Error By Forecast Lead Time

The below graphic is generated for each experiment, subset, and variable so the user can gauge each cycle's contribution to the errors and, therefore, which cycles might be dominating the sample.





Verification: Consistent with NHC

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

Relative Contribution to Improvement

By Forecast Lead Time

The below graphic is generated for each experiment, subset, and variable so the user can gauge each cycle's contribution to the improvement and, therefore, which cycles might be dominating the sample.



oooo

oooooooooooooooooooo●oooooooooooo

oooo

oooo

oooo

oooo

Verification: Consistent with NHC


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Lagged Correlation

The below graphic is generated for each experiment, subset, and variable so the user can gauge lagged correlation in the full sample.



Lagged correlation of a given cycle to subsequent cycles at each forecast hour.



Verification: Consistent with NHC

One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Scorecard Graphic

The below graphic is generated for each experiment and subset to give an overall snapshot of the model performance.

Scorecard

SUBSET: OBS | CYCLES: 46/68

ALL
05L (DORIAN)

0

12

24

36

48

60

72

84

96

108

120

Forecast Lead Time (h)

Credit: Idea & Base Code by Dr. Peter Marinescu

Last Updated: August 6, 2021



Basin: Individual | Verification: Consistent with NHC

* There is a switch in the namelist to indicate if the model is a basin-scale model.

One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Subsets Currently Available

Consistent with NHC Verification

All OS(S)Es

#	SUBSET	DEFINITION
0	NONE	Perform no subsets other than NHC verification
1-2	OBS NOOBS	keeps only the cycles where the obs in question (was was not) assimilated
3-4	RECON PRERECON	keeps (from before) the 1 st cycle where the obs in question was assimilated to the (end beginning) of the storm
5-8	TD TS H12 H345	cycles with best track intensity of (TD TS H12 H345) at t=0
9-13	RI IN SS WK RW	For the best track of a storm, calculate the running ± 6 h intensity change to capture what type of intensity change the storm is currently undergoing. Then, for cycles t=0, categorize as follows: (RI: $x \geq 15$ kt IN: $5 \leq x < 15$ kt SS: $-5 < x < 5$ kt WK: $-15 < x \leq -5$ kt RW: $x \leq -15$ kt)
14-16	LOW MOD HIGH	cycles with SHIPS shear* of (LOW MOD HIGH) at t=0
17-18	N30 S30	cycles with best track latitude (≥ 30 N < 30 N) at t=0
19	CUSTOM	you can input a list of cycles for your own custom subset in the namelist
20	YYYY	cycles that occur in a single year (only runs if > 1 year)

Same as before other than this additional subset!

NOTE: #1-4 are run, and #5-8, #14-16, & #17-18 are further subset into OBS and NOOBS only if identconv=1 or identsatobs=1 in the namelist which lets the package know that you retrieved the required files and are running the assimilated obs component of the package.

Basin-Scale* OS(S)Es

#	SUBSET	DEFINITION
1	OBS-I	cycles from storms with obs, where that storm was the only one with obs in the parent domain
2	OBS-T	cycles from storms with obs, where that storm was not the only one with obs in the parent domain
3	OBS-O	cycles from storms without obs, where there were other storms with obs in the parent domain
4	OBS-P	cycles where there were obs somewhere in the parent domain (OBS-P=OBS-I+OBS-T+OBS-O OBS-P=OBS+OBS-O)
5	NOOBS-P	cycles where there were no obs anywhere in the parent domain
6	RECON-I	cycles from storms with recon, where that storm was the only one with recon in the parent domain
7	RECON-T	cycles from storms with recon, where that storm was not the only one with recon in the parent domain
8	RECON-O	cycles from storms without recon, where there were other storms with recon in the parent domain
9	RECON-P	cycles where there were recon somewhere in the parent domain (RECON-P=RECON-I+RECON-T+RECON-O RECON-P=RECON+RECON-O)
10	PRERECON-P	cycles where there were no recon anywhere in the parent domain

NOTE: #1-10 are run only if identconv=1 or identsatobs=1 in the namelist which lets the package know that you retrieved the required files and are running the assimilated obs component of the package. Also, #1-5 are further subset by year (YYYY).

* Shear: 850-200 hPa mag (kt) | vortex removed | averaged 0-500 km relative to 850 hPa center

oooo

oooooooooooooooooooo●ooooooo

oooo

ooooooo

ooooooo

oooo

Basin: Individual | Verification: Consistent with NHC

*Since these fields are "bias" fields, only E and I are calculated, as B would be redundant.





One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Subsets of Error, Improvement, Bias, & FSP By Forecast Lead Time

The below graphics are generated for Track, Along-Track Error*, Across-Track Error*, Wind Speed, Pressure, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW.



Error (E) is defined as the absolute value of the difference between the forecast and best track at the forecast verifying time.

$$E = \text{abs}(\exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}})$$

Improvement (I), compares how much better (or worse) an experiment performed over a baseline experiment.

$$I = 100 * (1 - \frac{\exp}{\text{baseline}})$$

Bias (B) is defined as the difference between the forecast and best track at the forecast verifying time.

$$B = \exp_{t=BT_{t=\text{verif}}} - BT_{t=\text{verif}}$$

Frequency of Superior Performance (FSP) indicates how often an experiment performed better over a baseline experiment.

$$\text{FSP}_{\exp_{t=\text{fhr}}} = 100 * \sum_{n=1}^{\# \text{fcsts}} \begin{cases} 1, & \text{if } \exp_E < \text{baseline}_E \\ .5, & \text{if } \exp_E = \text{baseline}_E \\ 0, & \text{if } \exp_E > \text{baseline}_E \end{cases}$$

■: 95% sig. | ●: 90% sig. | Paired t-test w/ serial correlation

Also included is a combined error/improvement graphic!

Last Updated: August 6, 2021

oooo

oooooooooooooooooooo●oooo

oooo

oooooo

oooooo

oooo

Basin: Individual | Verification: Consistent with NHC

One Storm: Each Cycle



One Storm: All Cycles

Composite Graphics

Raw Value Comparison

At Forecast Initialization

The below graphics are generated for Track, Along-Track Error*, Across-Track Error*, Wind Speed, Pressure, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW.



oooo

oooooooooooooooooooo●oooo

oooo

oooooo

oooooo

oooo

Basin: Individual | Verification: Consistent with NHC

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

Percent Contribution to Error


By Forecast Lead Time

The below graphic is generated for each experiment, subset, and variable so the user can gauge each storm's contribution to the errors and, therefore, which storms might be dominating the sample.



Sorted by Year then Alphabetical

Rounded to the nearest integer – while most columns add up to 100%, some will add up to $100 \pm 1\text{--}5\%$.




One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Number of Forecasts Contributing to The Error By Forecast Lead Time

The below graphic is generated for each experiment, subset, and variable so the user can gauge each storm's contribution to the errors and, therefore, which storms might be dominating the sample.



Sorted by Year then Alphabetical

oooo

oooooooooooooooooooo●○○

oooo

oooooo

oooooo

oooo

Basin: Individual | Verification: Consistent with NHC

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

Relative Contribution to Improvement

By Forecast Lead Time

The below graphic is generated for each experiment, subset, and variable so the user can gauge each storm's contribution to the errors and, therefore, which storms might be dominating the sample.



Composite 0.2% 4.4% 5.4% 4.5% 2% 2.8% 3.4% 6.8% 11.1% 10.2% 4.5% 6.1% 12.2% 11.3% 12% 6.2% 7.1% 13.4% 6.6% 9.5% 8.7% 12%

oooo

oooooooooooooooooooo

oooo

oooo

oooo

oooo

Basin: Individual | Verification: Consistent with NHC


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Lagged Correlation

The below graphic is generated for each experiment, subset, and variable so the user can gauge lagged correlation in the full sample.



Lagged correlation of a given cycle to subsequent cycles at each forecast hour.



Basin: Individual | Verification: Consistent with NHC

One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

Scorecard Graphic

The below graphic is generated for each experiment and subset to give an overall snapshot of the model performance.

Scorecard
STORMS: 5(2017) | 7(2019)

ALL
SUBSET: OBS



Forecast Lead Time (h)

0 12 24 36 48 60 72 84 96 108 120

Credit: Idea & Base Code by Dr. Peter Marinescu

Last Updated: August 6, 2021




*Works with observation subtypes – each get their own color/name in namelist

One Storm: Each Cycle**One Storm: All Cycles****Composite Graphics**

Basin View

The below graphic is generated for each experiment. It shows the number of storms run at each cycle time. For HWRF, this graphic will show only 1 storm. For the basin-scale HWRF and the global component, this graphic will show all storms run at this cycle time.





*Works with observation subtypes – each get their own color/name in namelist

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics


Plan View & Radial View

The below graphics are generated for each experiment and each storm

Plan View



Radial View





*Works with observation subtypes – each get their own color/name in namelist


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

Best Track Graphic

The below graphic is generated for each experiment and shows the along-track assimilated observations.





*Works with observation subtypes – each get their own color/name in namelist


One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

Plan, Radius-Pressure, & Radial View


Plan View



Radius-Pressure View



Radial View





*Works with observation subtypes – each get their own color/name in namelist


One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

Plan, Radius-Pressure, & Radial View


Plan View



Radius-Pressure View



Radial View



oooo

oooooooooooooooooooo

oooo

●oooo


oooo

oooo

One Storm: Each Cycle**One Storm: All Cycles****Composite Graphics**

Basin View

The below graphic is generated for each experiment. It shows the number of storms run at each cycle time. For HWRF, this graphic will show only 1 storm. For the basin-scale HWRF and the global component, this graphic will show all storms run at this cycle time.



oooo

oooooooooooooooooooo

oooo


o●oooo

oooo

oooo

One Storm: Each Cycle**One Storm: All Cycles****Composite Graphics**

Best Track Graphic







One Storm: Each Cycle **One Storm: All Cycles** **Composite Graphics**

Plan View & Radial View

Plan View



Radial View






One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

Specific Channel & Profiles by Channel

Specific Channel



Profiles by Channel



oooo

oooooooooooooooooooo

oooo

oooo●○

ooooo

oooo


One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

Plan, Radius-Pressure, & Radial View


Plan View



Radius-Pressure View



Radial View



oooo

oooooooooooooooooooo

oooo

oooo●

ooooo

oooo


One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

Plan, Radius-Pressure, & Radial View


Plan View



Radius-Pressure View



Radial View





Storm Grid & Synoptic Grid Graphics

Variables Available

User Options & Guidance

Full List of Available Variables

Absolute Vorticity (Isobaric) | Cloud Ice (Isobaric) | Cloud Mixing Ratio (Isobaric) | Maximum/Composite Radar Reflectivity (2D) | Convective Available Potential Energy (Surface) | Convective Inhibition (Surface) | Convective Accumulated Precipitation (Water; Surface) | 2 Metre Dewpoint Temperature (2D) | Dew Point Temperature (Isobaric) | Downward Long-Wave Radiation Flux (Surface) | Downward Long-Wave Radiation Flux Hour Average (Surface) | Downward Short-Wave Radiation Flux (Surface) | Downward Short-Wave Radiation Flux Hour Average (Surface) | Drag Coefficient | Geopotential Height (Isobaric) | Geopotential Height (Surface) | Orography (2D) | Land-Sea Mask (Surface) | Non-Convective Accumulated Precipitation (Large-Scale; Surface) | Latent Heat Net Flux (Surface) | Momentum Flux, U Component (Surface) | Momentum Flux, V Component (Surface) | Planetary Boundary Layer Height (2D) | Potential Temperature (Tropopause) | Precipitable Water (2D) | Precipitation Rate (Surface) | Pressure Reduced To MSL (Surface) | Surface Pressure (Surface) | Pressure (Tropopause) | Rain Mixing Ratio (Isobaric) | Radar Reflectivity (Isobaric), | Relative Humidity (2D) | Relative Humidity (Isobaric) | Rime Factor (Isobaric) | Sensible Heat Net Flux (Surface) | Snow Mixing Ratio (Isobaric) | Specific Humidity (2D) | Specific Humidity (Isobaric) | Storm Relative Helicity (2D) | Surface Roughness (Surface) | Temperature (2D) | Temperature (Isobaric) | Temperature (Surface) | 2 Metre Temperature (2D) | Total Column Integrated Rain (2D) | Total Column Integrated Snow (2D) | Total Column-Integrated Cloud Ice (2D) | Total Column-Integrated Cloud Water (2D) | Total Column-Integrated Condensate (2D) | Total Condensate (Isobaric) | Total Accumulated Precipitation (Surface) | Upward Long-Wave Radiation Flux (Surface) | Upward Long-Wave Radiation Flux Hour Average (Surface) | Upward Short-Wave Radiation Flux (Surface) | Upward Short-Wave Radiation Flux Hour Average (Surface) | Heat Exchange Coefficient (2D) | Vertical Speed Shear (Tropopause) | Vertical Velocity (Isobaric) | Sea Surface Temperature (Surface) | 10 Metre U/V Wind Component (2D) | U/V Component Of Wind (Isobaric) | U/V Component Of Wind (Tropopause)

Commonly-Selected Variables

Absolute Vorticity (Isobaric) | Geopotential Height (Isobaric) | Precipitable Water (2D)
Pressure Reduced to MSL (Surface) | Relative Humidity (Isobaric) | U/V Component of Wind (Isobaric)

Additional Variables Computed

Relative Vorticity (Isobaric): from absolute vorticity, if selected
Radial & Tangential Wind (Isobaric): from u/v component of wind, if selected
Wind Speed (Isobaric): from u/v component of wind, if selected




*These graphics are not generated for zonal, meridional, radial, or tangential wind.

Storm Grid

Plan View


2D Field

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM




3D Field*

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



Layered Field

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment. Difference graphics are also created.

This graphic is generated for every cycle and forecast hour for every experiment for user-specified PLEVS. You can turn off 3D plan-view graphics in the namelist to save time. Difference graphics are also created.

When GPH or U/V is chosen, this graphic depicting wind speed (shading according to intensity), wind direction (vectors), and GPH (white contours) is created. Difference graphics are also created.

Range Rings: every 100 km from 100-500 km




*These graphics are not generated for zonal or meridional wind.

Storm Grid

Azimuthal Averages


Radius-Pressure*

1 CYCLE | 1 FHR | ALL PLEV | ALL RAD | 1 STORM




FHR-Radius*

1 CYCLE | ALL FHR | 1 PLEV | ALL RAD | 1 STORM



FHR-Pressure*

1 CYCLE | ALL FHR | ALL PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment. Difference graphics are also created.

This graphic is generated for every cycle for every experiment for user-specified PLEVS. Difference graphics are also created.

This graphic is generated for every cycle for every experiment for the Inner-Core region (0-75 km), TS Gales region (0-250 km) and the Outer Vortex (250-500 km) region. Difference graphics are also created.

Range Rings: every 100 km from 100-500 km




*These graphics are not generated for zonal, meridional, radial, or tangential wind.

Synoptic Grid

Plan View


2D Field

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM




3D Field*

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



Layered Field

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment. Difference graphics are also created.

This graphic is generated for every cycle and forecast hour for every experiment for user-specified PLEVS. You can turn off 3D plan-view graphics in the namelist to save time. Difference graphics are also created.

When GPH or U/V is chosen, this graphic depicting wind speed (shading according to intensity), wind direction (vectors), and GPH (white contours) is created. Difference graphics are also created.

Range Rings: every 250 km from 250-2000 km




*These graphics are not generated for zonal or meridional wind.

Synoptic Grid

Azimuthal Averages

Radius-Pressure*


1 CYCLE | 1 FHR | ALL PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment.
Difference graphics are also created.

FHR-Radius*


1 CYCLE | ALL FHR | 1 PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle for every experiment for user-specified PLEVS.
Difference graphics are also created.

FHR-Pressure*

1 CYCLE | ALL FHR | ALL PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle for every experiment for only the 250-1000 km region (Outer Vortex). Difference graphics are also created.

oooo

oooooooooooooooooooo

oooo

oooooo


ooooo●

oooo

Synoptic Grid

Vertical Wind Shear

1 CYCLE | ALL FHR | 200-850 hPa PLEV | 200-800 km RAD | 1 STORM



This graphic is generated for every cycle for every experiment. It depicts the vertical wind shear magnitude (line) and direction (arrow).



Edit this text to point to the top-level directory where you want GROOT/ to sit!

Do you want GROOT-H or GROOT-G? Edit all instances with H or G.

*For GROOT-G, for each experiment, place your atcf files for all cycles desired in 1 folder, named according to the experiment run.

Getting Started

Follow Along

Step 1: Which component do you need, GROOT-H or GROOT-G?

```
cd /scratch1/AOML/aoml-osse/Sarah.D.Ditchek/ && mkdir -p GROOT/GROOT-H/ && cp /scratch1/BMC/qosap/Sarah.D.Ditchek/GROOT/package/GROOT-H_graphicspackage-Jul-26-21.tar.gz GROOT/GROOT-H/ && cd GROOT/GROOT-H/ && gunzip GROOT-H_graphicspackage-Jul-26-21.tar.gz && tar -xvf GROOT-H_graphicspackage-Jul-26-21.tar && rm GROOT-H_graphicspackage-Jul-26-21.tar
```

Not in GROOT-G

Step 2: View Your Files

ls

```
README bdeck editgrb.m editverif.m nctoolbox-1.1.3 retrievalsheets rungrb.ksh runverif.ksh scripts
```

Not in GROOT-G

Step 3: Read the README!

Step 4: Steps to Run

VERIFICATION CAPABILITY: FULL-STORM GRAPHICS & GRAPHICS THAT ARE CONSISTENT WITH NHC VERIF | VARIOUS STRATIFICATIONS ARE ALSO TAKEN.

- 1) If you had scrubbing turned ON, run the retrieval scripts in retrievalsheets/ directory to download files needed by the package (read the README)
 - 2) Edit the user settings section of editverif.m for the cases you want to include
 - 3) Edit the user settings section of runverif.ksh - follow the instructions carefully or it won't run
- 4) Load the matlab module (module load matlab) - this isn't included in the batch scripts in case there is an issue/conflict with your other loaded modules
 - 5) Submit runverif.ksh to batch: sbatch ./runverif.ksh

Step 5: Be Patient!

Kick back and relax – a watched script never finishes! If something fails, you will get an email.

Thousands (tens of thousands if many storms) of graphics are being generated.

Step 6: View Your Results

When the package finishes, you'll receive an email. Go to your directory and there will be a new text file pointing you to the finished results!

NOTE: Script Updates/Bugs

- When there are major script updates, I will let you know.
- If I (or you!) find a bug, I will send an email out to let you know that you should grab down those files that need changing.



The README

Sections

Summary

Description of the package

Files and Directories

Describes the files included in the package

How To Run The Package

Description of the steps you need to take to run the package

Location and Description of Various Results

Details the directory structure of where results are located

Key Points

A few key points that you should be aware of

New Additions

A history of new additions to the package starting from today onward

Issues

My contact information in case you have difficulty running or find any bugs!

Required Files By Component

GROOT-H: scripts in the `retrievalsheets/` directory are set up to retrieve all required files

GROOT-G: only the Error Statistics component is working currently; ATCF files for all cycles should be placed in 1 folder, named according to the experiment run

Component	GROOT-H (for each cycle)	GROOT-G (for each cycle)
Error Statistics	*trak.hwrf.atcfunix	*atcfunixp.gfs* <i>(Note: if you run your global experiments without archiving *atcfunixp.gfs* files, you will not be able to run this component)</i>
Assimilated Observations	*storm_vit	*storm_vit <i>(Note: if you run your global experiments without archiving *storm_vit files, you will not be able to run this component)</i>
	*gsi_d02.diag_conv_anl.gz	gdas.t*z.cnvstat
GRB Graphics	*hwrfprs.storm.Op015.f*.grb2	*hwrfprs.storm.Op015.f*.grb2
	hwrfprs.synoptic.Op125.f.grb2	*hwrfprs.synoptic.Op125.f*.grb2



Acknowledgements

Publications

If using output from this graphics package in PUBLICATIONS,
please include the following in the acknowledgements section:

"The GRaphics for OSEs and OSSEs on TCs (GROOT) verification package developed by Dr. Sarah Ditchek and funded by the Quantitative Observing System Assessment Program (QOSAP) and the FY18 Hurricane Supplemental (NOAA Award ID #NA19OAR0220188) was used to generate graphics for this publication."

Presentations

If using output from this graphics package in PRESENTATIONS,
please indicate the following verbally:

"Graphics were made using GROOT – a verification package developed by Dr. Sarah Ditchek and funded by QOSAP and the FY18 Hurricane Supplemental."

oooo

oooooooooooooooooooo

oooo

oooooo

oooooo

oooo

THANK YOU FOR YOUR INTEREST IN GROOT!



Dr. Sarah D. Ditchek
Email: sarah.d.ditchek@noaa.gov