

oooo

oooooooooooooooooooo

oooo

oooooo

ooooooo

oooo

# GROOT\* User's Guide

\*Graphics for OS(S)Es and Other modeling applications on TCs

Created by Sarah D. Ditchek<sup>1,2</sup>

<sup>1</sup>Cooperative Institute for Marine and Atmospheric Studies (CIMAS) | University of Miami (UM)

<sup>2</sup>Hurricane Research Division (HRD) | Atlantic Oceanographic and Meteorological Laboratory (AOML)




If using this graphics package in publications or presentations,  
please see the last slide for acknowledgement wording.



# Capabilities Overview

## GROOT





# Why Use GROOT?

## Benefits

### Comprehensive

- results for both individual storms and composite studies are generated
- retrieval scripts to grab GROOT-required files from HPSS are provided
  - capabilities are continuously being added

### Project Flexibility

- user input is confined to a brief namelist
- any number of experiments can be compared (recommended maximum: 6)
  - customization of colors and of baseline model available in the namelist
  - it works with model output from HWRF, the basin-scale HWRF, and FV3GFS
- user can switch between GROOT-H and GROOT-G with ease – same way to run both components!

### Uniformity

- uniform, publication-ready graphics are generated
- graphics generated are those that are often needed in OS(S)E studies that evaluate TC performance

## WHAT WILL THIS USER'S GUIDE GO OVER?

**Graphics types created by GROOT-H for experiments run with the basin-scale HWRF and HWRF, followed by step-by-step instructions of how to get and run the package. Again, all graphics shown will eventually be generated by GROOT-G unless otherwise indicated, but currently only error statistics and assimilated observations graphics are available for GROOT-G.**



\*For GROOT-G, for each experiment, place your atcf files for all cycles desired in 1 folder, named according to the experiment run.

# High-Level Verification Capability Overview

## NAMELIST OVERVIEW (*editverif.m – edit this*)

- SECTION 1: Set directories of the package, where the graphics go, and model properties
- SECTION 2: Identify experiments and associated colors
- SECTION 3: Case Study Options
- SECTION 4: Error Graphics Options
- SECTION 5: Conventional Graphics Options
- SECTION 6: Satellite Graphics Options

## RUN OVERVIEW (*runverif.ksh – edit this*)

- SECTION 1: Set Folders
- SECTION 2: Identify Experiments
- SECTION 3: Account Information
- SECTION 4: Date Range of Files

## MAIN VERIFICATION SCRIPT OVERVIEW (*scripts/runverif.m – no need to edit*)

```

load namelist settings
for run the package
    for each individual storm (each storm submitted as separate batch scripts so clock won't run out)
        set up directories and naming conventions; find common cycles across experiments
        grabs and processes the bdeck
        plots the track of the storm
        runs assimilated obs capability script – conv: processes files and makes graphics (namelist switch)
        runs assimilated obs capability script – sat: processes files and makes graphics (namelist switch)
        runs error statistics capability script: processes files and makes graphics – full storm → NHC verification → subsets
    end
    for all storms combined - only if there is more than 1 storm in your sample! (submitted as separate batch scripts)
        identify how many basins are in the sample & get stratifications and consistent y-axes for each graphic
        run error statistics capability script: processes files and makes graphics – NHC verification → subsets
        runs assimilated obs capability script – conv: processes files and makes graphics
        runs assimilated obs capability script – sat: processes files and makes graphics
    end
end (batch script cleans up files created and emails you when it's done – SUBMISSION_FINISHED.txt appears in your directory)

```



# High-Level GRB Capability Overview

## NAMELIST OVERVIEW (*editgrb.m – edit this*)

**SECTION 1:** Choose storm, experiments, and associated colors

**SECTION 2:** Set directories

**SECTION 3:** Set switches

**SECTION 4:** Choose variables

## RUN OVERVIEW (*rungrb.ksh – edit this*)

**SECTION 1:** Account Information

## MAIN GRB SCRIPT OVERVIEW (*scripts/rungrb.m – no need to edit*)

for run the package (*submits various batch scripts to ensure the clock doesn't run out*)

set up directories and naming conventions; find common cycles across experiments

grabs and processes the bdeck

runs the HWRFDA component (*storm and synoptic grids; namelist switch*)

generates error statistics for later use (*no graphics are generated – this is all done in the verification capability*)

creates .mat files of chosen variables (*storm and/or synoptic grids; namelist switch*)

if selected in namelist, converts u/v to radial/tangential wind and windspeed (*storm and synoptic grids; namelist switch*)

if selected in namelist, converts absolute vorticity to relative vorticity (*storm and synoptic grids; namelist switch*)

creates storm-centered graphics and difference graphics (*storm and synoptic grids; namelist switch*)

creates shear graphics (*for synoptic grid, only; only if corresponding u/v files are generated*)

clean up .mat files to save space

end



\*Generation of these graphics can be turned off in the namelist by setting identgraphicsbycycle=0




**One Storm: Each Cycle**

**One Storm: All Cycles**

**Composite Graphics**

# Raw Value Graphics

The below graphics as well as graphics for Along-Track Error, Across-Track Error, R34/R50/R64 (for the NE, SE, SW, and NW quadrants), PO, RO, and RMW are generated\* for each cycle.






One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

# Best Track Graphic



File: DORIAN19\_track






One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

# Raw Value Graphics

The below graphics as well as graphics for Along-Track Error, Across-Track Error, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants), PO, RO, and RMW are generated for each experiment.



oooo

ooo●oooooooooooo

oooo

oooo

oooo

oooo


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

# Lagged Correlation

The below graphic is generated for Track, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each experiment so the user can gauge how many cycles it takes for errors to decorrelate in the full sample. (NOT CURRENTLY ACTIVE: It was also used to calculate the effective sample size for statistical significance tests through a user-defined variance and lag threshold in the namelist (*editverif.m*). Divisors were calculated from the first experiment listed in the namelist. For example, DORIAN19\_scfactor.txt includes details on the divisors for each variable. Due to the introduction of the consistency metric (which has no assumptions), statistical significance is no longer needed/used.



File: DORIAN19\_spderr\_LAGCORR\_ALL

oooo

oooo ● oooooo oooooo oooooo oooooo

oooo

oooooo

ooooooo

oooo

\*For track, both the along-track and across-track bias are generated.

One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

# Verification Metrics

## By Forecast Lead Time

The below graphics are generated for Track\*, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW.


### MAE, MAE Skill, & CM



$$I = 100 * (1 - \frac{\text{exp}}{\text{baseline}})$$


File: DORIAN19\_spderrskill\_mean

### Mean Bias



File: DORIAN19\_spdbias


### FSP



$$\text{FSP}_{\text{exp}t-\text{fr}} = 100 * \frac{\sum_{n=1}^{\# \text{fcsts}} \begin{cases} 1, & \text{if } \text{exp}_E < \text{baseline}_E \\ .5, & \text{if } \text{exp}_E = \text{baseline}_E \\ 0, & \text{if } \text{exp}_E > \text{baseline}_E \end{cases}}{\# \text{fcsts}}$$

File: DORIAN19\_spdfsp

### MDAE & MDAE Skill



File: DORIAN19\_spderrskill\_median

Details on the consistency metric will be provided in Ditchek et al. (2022, *in review at WAF*). For now, details can be found on the [README](#) within the Post-TC Verification Tab of the [AOML Hurricane Model Viewer](#).

oooo

ooooo

●

ooooooo

oooo

oooooo

ooooooo

oooo

\*For track, both the along-track and across-track bias are generated.

One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

# Verification Metrics


## By Cycle

The below graphics are generated for Track\*, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW.


MAE




MAE Skill



Mean Bias



FSP



File: DORIAN19\_spderr\_cycles

File: DORIAN19\_spdskill\_cycles

File: DORIAN19\_spdbias\_cycles

File: DORIAN19\_spdfsp\_cycles



One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

# PPC to MAE Skill

## By Forecast Lead Time

The below graphic is generated for Track, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each experiment so the user can gauge each cycle's percentage point contribution (PPC) to the MAE skill and, therefore, which cycles might be dominating the sample.





One Storm: Each Cycle



One Storm: All Cycles

Composite Graphics

# Cycle-By-Cycle AE Skill

## By Forecast Lead Time

The below graphic is generated for Track, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each experiment so the user can see each cycle's actual skill based on the absolute errors (AE).



File: DORIAN19\_spderr\_contr\_All

oooo

oooooooooooo●oooooooooooo

ooooo

oooooo

oooooooo

oooo

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

# Scorecard Graphic

The below graphic is generated for each experiment to give an overall snapshot of the model performance.

Scorecard  
INIT: 2019082306–2019090900



Credit: Idea & Base Code by Dr. Peter Marinescu | Note: Stat. Sig. is no longer included - the consistency metric will be added in a future update! File: DORIAN19\_SCORECARD\_NONE\_All

Forecast Lead Time (h)

Last Updated: October 26, 2022

oooo

oooooooooooo●oooo

oooo

oooo

ooooooo

oooo

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

# Consistency Scorecard

## By Forecast Lead Time

This graphic is generated for each experiment and stratification. details can be found on the [README](#) within the Post-TC Verification Tab of the [AOML Hurricane Model Viewer](#).



File: DORIAN19\_CONSISTENCYSCORECARD\_NONE\_ALL



Verification: Consistent with NHC

One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

# NHC Verification & Stratifications

Graphics on the last 7 slides are also generated for an NHC-Verification-Rules sample (NONE) and the stratifications below based on switches in the namelist.

#	STRATIFICATION	DEFINITION
0	NONE	Perform no subsets other than NHC verification
1-2	OBS   NOOBS	keeps only the cycles where the obs in question (was   was not) assimilated in a storm
3-4	RECON   PRERECON	keeps (from   before) the 1 <sup>st</sup> cycle where the obs in question was assimilated to the (end   beginning) of the storm
5-8	TD   TS   H12   H345	cycles with best track intensity of (TD   TS   H12   H345) at t=0
9-13	RI   IN   SS   WK   RW	For the best track of a storm, calculate the running $\pm 6$ h intensity change to capture what type of intensity change the storm is currently undergoing. Then, for cycles t=0, categorize as follows: (RI: $x \geq 15$ kt   IN: $5 < x < 15$ kt   SS: $-5 \leq x \leq 5$ kt   WK: $-15 < x < -5$ kt   RW: $x \leq -15$ kt)
14-16	LOW   MOD   HIGH	cycles with SHIPS shear* of (LOW   MOD   HIGH) at t=0
17-18	N30   S30	cycles with best track latitude ( $\geq 30$ N   $< 30$ N) at t=0
19-20	ENKF   GDAS	Cycles that used ENKF or GDAS covariances on D03 (for HWRF and basin-scale HWRF, only)
21	CUSTOM	you can input a list of cycles for your own custom subset in the namelist

NOTE: #1-4 are run, and #5-8, #14-16, #17-18, & #19-20 are further subset into OBS and NOOBS only if identconv=1 or identsatobs=1 in the namelist which lets the package know that you retrieved the required files and are running the assimilated obs component of the package.

#### FOR GROOT-G, ONLY

- An additional subset called OBS-G is included that includes cycles where the obs in question was assimilated anywhere in the global domain
- Other than OBS-G, any OBS-related subset considers only the near-storm environment (R<2000 km)

\* Shear: 850-200 hPa mag (kt) | vortex removed | averaged 0-500 km relative to 850 hPa center

0000

0 0 0 0 0 0 0 0 0 0 0 0 ● 0 0 0 0 0 0 0 0

0 0 0 0 0

0 0 0 0 0

0 0 0 0 0 0

0 0 0 0

Basin: Individual | Verification: Consistent with NHC

\* There is a switch in the namelist to indicate if the model is a basin-scale model.

One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

# NHC Verification & Stratifications

All OS(S)Es

#	STRATIFICATION	DEFINITION
0	NONE	Perform no subsets other than NHC verification
1-2	OBS   NOOBS	keeps only the cycles where the obs in question (was   was not) assimilated in a storm
3-4	RECON   PRERECON	keeps (from   before) the 1 <sup>st</sup> cycle where the obs in question was assimilated to the (end   beginning) of the storm
5-8	TD   TS   H12   H345	cycles with best track intensity of (TD   TS   H12   H345) at t=0
9-13	RI   IN   SS   WK   RW	For the best track of a storm, calculate the running ±6 h intensity change to capture what type of intensity change the storm is currently undergoing. Then, for cycles t=0, categorize as follows: (RI: x≥15 kt   IN: 5<x<15 kt   SS: -5≤x≤5 kt   WK: -15<x<-5 kt   RW: x≤-15 kt)
14-16	LOW   MOD   HIGH	cycles with SHIPS shear* of (LOW   MOD   HIGH) at t=0
17-18	N30   S30	cycles with best track latitude (≥30 N   <30 N) at t=0
19-20	ENKF   GDAS	Cycles that used ENKF or GDAS covariances on D03 (for HWRF and basin-scale HWRF, only)
20	CUSTOM	you can input a list of cycles for your own custom subset in the namelist
21	YYYY	cycles that occur in a single year (only runs if >1 year)

Same as "One Storm: All Cycles" other than this additional subset!



NOTE: #1-4 are run, and #5-8, #14-16, #17-18, & 19-20 are further subset into OBS and NOOBS only if identconv=1 or identsatobs=1 in the namelist which lets the package know that you retrieved the required files and are running the assimilated obs component of the package.

For GROOT-G, an additional subset called OBS-G is included that includes cycles where the obs in question was assimilated anywhere in the global domain. Other than OBS-G, any OBS-related subset considers only the near-storm environment (R<2000 km)

Basin-Scale\* OS(S)Es

#	STRATIFICATION	DEFINITION
1	OBS-I	cycles from storms with obs, where that storm was the only one with obs in the parent domain
2	OBS-T	cycles from storms with obs, where that storm was not the only one with obs in the parent domain
3	OBS-O	cycles from storms without obs, where there were other storms with obs in the parent domain
4	OBS-P	cycles where there were obs in a storm somewhere in the parent domain (OBS-P=OBS-I+OBS-T+OBS-O   OBS-P=OBS+OBS-O)
5	NOOBS-P	cycles where there were no obs in any storm anywhere in the parent domain
6	RECON-I	cycles from storms with recon, where that storm was the only one with recon in the parent domain
7	RECON-T	cycles from storms with recon, where that storm was not the only one with recon in the parent domain
8	RECON-O	cycles from storms without recon, where there were other storms with recon in the parent domain
9	RECON-P	cycles where there were recon somewhere in the parent domain (RECON-P=RECON-I+RECON-T+RECON-O   RECON-P=RECON+RECON-O)
10	PRERECON-P	cycles where there were no recon anywhere in the parent domain

NOTE: #1-10 are run only if identconv=1 or identsatobs=1 in the namelist which lets the package know that you retrieved the required files and are running the assimilated obs component of the package. Also, #1-5 are further subset by year (YYYY).

\* Shear: 850-200 hPa mag (kt) | vortex removed | averaged 0-500 km relative to 850 hPa center

oooo

oooooooooooo●oooo

oooo

oooo

ooooooo

oooo

Basin: Individual | Verification: Consistent with NHC


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

# Lagged Correlation

The below graphic is generated for Track, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each experiment so the user can gauge how many cycles it takes for errors to decorrelate in the full sample. (NOT CURRENTLY ACTIVE: It was also used to calculate the effective sample size for statistical significance tests through a user-defined variance and lag threshold in the namelist (*editverif.m*). Divisors were calculated from the first experiment listed in the namelist. For example, *COMP\_sfactor.txt* includes details on the divisors for each variable. Due to the introduction of the consistency metric (which has no assumptions), statistical significance is no longer needed/used.



File: COMP\_spderr\_NONE\_LAGCORR\_ALL

Last Updated: October 26, 2022



\*For track, both the along-track and across-track bias are generated.

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics


# Subsets of Error, Improvement, Bias, & FSP By Forecast Lead Time

The below graphics are generated for Track\*, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each stratification.


## MAE, MAE Skill, & CM




## Mean Bias



## FSP



## MDAE & MDAE Skill



Details on the consistency metric will be provided in Ditchek et al. (2022, *in review at WAF*). For now, details can be found on the [README](#) within the Post-TC Verification Tab of the [AOML Hurricane Model Viewer](#).

Not shown: Separate graphics for MAE (File: COMP\_spderr\_NONE) and MAE Skill (File: COMP\_spdskill\_NONE)



Basin: Individual | Verification: Consistent with NHC



One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

# Raw Value Comparison At Forecast Initialization

The below graphics are generated for Track, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each stratification.



File: COMP\_spdval\_NONE

0000

0000000000000000●0000

00000

000000

0000000

0000

Basin: Individual | Verification: Consistent with NHC


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

# Number of Forecasts Contributing to The Error By Forecast Lead Time

The below graphic is generated for Track, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each experiment and stratification so the user can know how many cycles/TC are contributing to the errors.



File: COMP\_spderr\_fcst\_NONE

oooo

oooooooooooooooooooo●ooo

ooooo

ooooooo

oooo

Basin: Individual | Verification: Consistent with NHC

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

# PPC to MAE Skill

## By Forecast Lead Time

The below graphic is generated for Track, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each experiment and stratification so the user can gauge each TC's percentage point contribution (PPC) to the MAE skill and, therefore, which TCs might be dominating the sample.





Basin: Individual | Verification: Consistent with NHC

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics


# TC-by-TC MAE Skill

## By Forecast Lead Time

The below graphic\* is generated for Track, VMAX, PMIN, R34/R50/R64 (for each the NE, SE, SW, and NW quadrants as well as overall), PO, RO, and RMW for each experiment, and stratification so the user can see each TC's actual skill based on the absolute errors (AE).



File: COMP\_spderr\_contr\_NONE\_ALL\_mean



\*Also generated for TC-by-TC MDAE Skill (File: COMP\_spderr\_contr\_NONE\_ALL\_median), FSP (File: COMP\_spderr\_contr\_NONE\_ALL\_fsp), and CM (File: COMP\_spderr\_contr\_NONE\_ALL\_commetric)!



oooo

oooooooooooooooooooo

oooo

oooo

ooooooo

oooo

Basin: Individual | Verification: Consistent with NHC

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics

# Consistency Scorecard

## By Forecast Lead Time

This graphic is generated for each experiment and stratification. details can be found on the [README](#) within the Post-TC Verification Tab of the [AOML Hurricane Model Viewer](#).



File: COMP\_CONSISTENCYSCORECARD\_NONE\_ALL



\*Works with observation subtypes – each get their own color/name in namelist


**One Storm: Each Cycle**

**One Storm: All Cycles**

**Composite Graphics**

# Basin View

The below graphic is generated for each experiment. It shows the number of storms run at each cycle time. For HWRF, this graphic will show only 1 storm. For the basin-scale HWRF and the global component, this graphic will show all storms run at this cycle time.





\*Works with observation subtypes – each get their own color/name in namelist

**One Storm: Each Cycle**


**One Storm: All Cycles**

**Composite Graphics**


# Plan View & Radial View

The below graphics are generated for each experiment and each storm. For OBS-related subsets in GROOT-G (other than OBS-G) it will take into account observations within 2000 km of the storm – this will be indicated on the graphic.

## Plan View



## Radial View



oooo

oooooooooooooooooooo

oo●oo

oooooo

ooooooo

oooo

\*Works with observation subtypes – each get their own color/name in namelist


One Storm: Each Cycle

One Storm: All Cycles

Composite Graphics

# Best Track Graphic

The below graphic is generated for each experiment and shows the along-track assimilated observations. For OBS-related subsets in GROOT-G (other than OBS-G) it will take into account observations within 2000 km of the storm – this will be indicated on the graphic.





\*Works with observation subtypes – each get their own color/name in namelist

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics


# Plan, Radius-Pressure, & Radial View

The below graphic is generated for each experiment. For OBS-related subsets in GROOT-G (other than OBS-G) it will take into account observations within 2000 km of the storm – this will be indicated on the graphic.


Plan View



Radius-Pressure View



Radial View





\*Works with observation subtypes – each get their own color/name in namelist

One Storm: Each Cycle


One Storm: All Cycles

Composite Graphics


# Plan, Radius-Pressure, & Radial View

The below graphic is generated for each experiment. For OBS-related subsets in GROOT-G (other than OBS-G) it will take into account observations within 2000 km of the storm – this will be indicated on the graphic.


Plan View



Radius-Pressure View




Radial View



**One Storm: Each Cycle****One Storm: All Cycles****Composite Graphics**

# Basin View

The below graphic is generated for each experiment. It shows the number of storms run at each cycle time. For HWRF, this graphic will show only 1 storm. For the basin-scale HWRF and the global component, this graphic will show all storms run at this cycle time.



oooo

oooooooooooooooooooo

oooo


o●oooo

ooooooo

oooo

**One Storm: Each Cycle****One Storm: All Cycles****Composite Graphics**

# Best Track Graphic



0000

00000000000000000000000000

00000

00●000


0000000

0000


**One Storm: Each Cycle****One Storm: All Cycles****Composite Graphics**

# Plan View & Radial View

## Plan View




## Radial View




**One Storm: Each Cycle****One Storm: All Cycles****Composite Graphics**

# Specific Channel & Profiles by Channel

## Specific Channel



## Profiles by Channel



oooo

oooooooooooooooooooo

oooo

oooo●○

ooooooo

oooo


One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

# Plan, Radius-Pressure, & Radial View


## Plan View



## Radius-Pressure View



## Radial View



0000

00000000000000000000000000

00000

00000●

0000000

0000


One Storm: Each Cycle

One Storm: All Cycles


Composite Graphics

# Plan, Radius-Pressure, & Radial View


## Plan View



## Radius-Pressure View



## Radial View





\*Only for GROOT-H


# Pre- and Post- GSI Graphics\*

If you want to plot pre- and post- GSI fields to further understand the impact of your observations, you need to setup the HWRFDA.ksh script in the retrievalsscripts/ folder *before* starting your experiments, since HWRF doesn't save the pre- and post- GSI files.


## Plan View

The below graphics are generated for Divergence, Pressure, Specific Humidity, Relative Humidity, Relative Vorticity, Temperature, Zonal Wind, Meridional Wind, and Wind Speed at 850 hPa, 500 hPa, and 200 hPa for both D02 and D03.


Background (B)




Experiment 2




Experiment 1-2




Analysis (A)




Experiment 2




Experiment 1-2




Increments (A-B)



Experiment 2




Experiment 1-2




## Azimuthal Averages

The below graphics are generated for Divergence, Specific Humidity, Radial Wind, Relative Humidity, Relative Vorticity, Tangential Wind, Temperature, and Wind Speed for both D02 and D03


Background (B)




Experiment 1




Experiment 2




Analysis (A)




Experiment 2




Experiment 1-2




Increments (A-B)



Experiment 2



Experiment 1-2



Credit: Idea by Dr. Peter Marinescu

0000

00000000000000000000000000

00000

000000

0●00000

0000

# Storm Grid & Synoptic Grid Graphics

## Variables Available

### User Options & Guidance

#### Full List of Available Variables

Absolute Vorticity (Isobaric) | Cloud Ice (Isobaric) | Cloud Mixing Ratio (Isobaric) | Maximum/Composite Radar Reflectivity (2D) | Convective Available Potential Energy (Surface) | Convective Inhibition (Surface) | Convective Accumulated Precipitation (Water; Surface) | 2 Metre Dewpoint Temperature (2D) | Dew Point Temperature (Isobaric) | Downward Long-Wave Radiation Flux (Surface) | Downward Long-Wave Radiation Flux Hour Average (Surface) | Downward Short-Wave Radiation Flux (Surface) | Downward Short-Wave Radiation Flux Hour Average (Surface) | Drag Coefficient | Geopotential Height (Isobaric) | Geopotential Height (Surface) | Orography (2D) | Land-Sea Mask (Surface) | Non-Convective Accumulated Precipitation (Large-Scale; Surface) | Latent Heat Net Flux (Surface) | Momentum Flux, U Component (Surface) | Momentum Flux, V Component (Surface) | Planetary Boundary Layer Height (2D) | Potential Temperature (Tropopause) | Precipitable Water (2D) | Precipitation Rate (Surface) | Pressure Reduced To MSL (Surface) | Surface Pressure (Surface) | Pressure (Tropopause) | Rain Mixing Ratio (Isobaric) | Radar Reflectivity (Isobaric), | Relative Humidity (2D) | Relative Humidity (Isobaric) | Rime Factor (Isobaric) | Sensible Heat Net Flux (Surface) | Snow Mixing Ratio (Isobaric) | Specific Humidity (2D) | Specific Humidity (Isobaric) | Storm Relative Helicity (2D) | Surface Roughness (Surface) | Temperature (2D) | Temperature (Isobaric) | Temperature (Surface) | 2 Metre Temperature (2D) | Total Column Integrated Rain (2D) | Total Column Integrated Snow (2D) | Total Column-Integrated Cloud Ice (2D) | Total Column-Integrated Cloud Water (2D) | Total Column-Integrated Condensate (2D) | Total Condensate (Isobaric) | Total Accumulated Precipitation (Surface) | Upward Long-Wave Radiation Flux (Surface) | Upward Long-Wave Radiation Flux Hour Average (Surface) | Upward Short-Wave Radiation Flux (Surface) | Upward Short-Wave Radiation Flux Hour Average (Surface) | Heat Exchange Coefficient (2D) | Vertical Speed Shear (Tropopause) | Vertical Velocity (Isobaric) | Sea Surface Temperature (Surface) | 10 Metre U/V Wind Component (2D) | U/V Component Of Wind (Isobaric) | U/V Component Of Wind (Tropopause)

#### Commonly-Selected Variables

Absolute Vorticity (Isobaric) | Geopotential Height (Isobaric) | Precipitable Water (2D)  
Pressure Reduced to MSL (Surface) | Relative Humidity (Isobaric) | U/V Component Of Wind (Isobaric)

#### Additional Variables Computed

Relative Vorticity (Isobaric): from absolute vorticity, if selected  
Radial & Tangential Wind (Isobaric): from u/v component of wind, if selected  
Wind Speed (Isobaric): from u/v component of wind, if selected




\*These graphics are not generated for zonal, meridional, radial, or tangential wind.

# Storm Grid

## Plan View


### 2D Field

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM




### 3D Field\*

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



### Layered Field

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment. Difference graphics are also created.

This graphic is generated for every cycle and forecast hour for every experiment for user-specified PLEVS. You can turn off 3D plan-view graphics in the namelist to save time. Difference graphics are also created.

When GPH or U/V is chosen, this graphic depicting wind speed (shading according to intensity), wind direction (vectors), and GPH (white contours) is created. Difference graphics are also created.

Range Rings: every 100 km from 100-500 km




\*These graphics are not generated for zonal or meridional wind.

# Storm Grid

## Azimuthal Averages


### Radius-Pressure\*

1 CYCLE | 1 FHR | ALL PLEV | ALL RAD | 1 STORM




### FHR-Radius\*

1 CYCLE | ALL FHR | 1 PLEV | ALL RAD | 1 STORM



### FHR-Pressure\*

1 CYCLE | ALL FHR | ALL PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment. Difference graphics are also created.

This graphic is generated for every cycle for every experiment for user-specified PLEVS. Difference graphics are also created.

This graphic is generated for every cycle for every experiment for the Inner-Core region (0-75 km), TS Gales region (0-250 km) and the Outer Vortex (250-500 km) region. Difference graphics are also created.

**Range Rings: every 100 km from 100-500 km**




\*These graphics are not generated for zonal, meridional, radial, or tangential wind.

# Synoptic Grid

## Plan View

### 2D Field


1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment. Difference graphics are also created.

### 3D Field\*


1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment for user-specified PLEVS. You can turn off 3D plan-view graphics in the namelist to save time. Difference graphics are also created.

### Layered Field

1 CYCLE | 1 FHR | 1 PLEV | ALL RAD | 1 STORM



When GPH or U/V is chosen, this graphic depicting wind speed (shading according to intensity), wind direction (vectors), and GPH (white contours) is created. Difference graphics are also created.

Range Rings: every 250 km from 250-2000 km




\*These graphics are not generated for zonal or meridional wind.

# Synoptic Grid

## Azimuthal Averages


### Radius-Pressure\*

1 CYCLE | 1 FHR | ALL PLEV | ALL RAD | 1 STORM




### FHR-Radius\*

1 CYCLE | ALL FHR | 1 PLEV | ALL RAD | 1 STORM



### FHR-Pressure\*

1 CYCLE | ALL FHR | ALL PLEV | ALL RAD | 1 STORM



This graphic is generated for every cycle and forecast hour for every experiment. Difference graphics are also created.

This graphic is generated for every cycle for every experiment for user-specified PLEVS. Difference graphics are also created.


This graphic is generated for every cycle for every experiment for only the 250-1000 km region (Outer Vortex). Difference graphics are also created.



# Synoptic Grid

## Vertical Wind Shear

1 CYCLE | ALL FHR | 200-850 hPa PLEV | 200-800 km RAD | 1 STORM



This graphic is generated for every cycle for every experiment. It depicts the vertical wind shear magnitude (line) and direction (arrow).



\*For GROOT-G, place your atcf files for all cycles desired in 1 folder, named according to the experiment run. Do the same treatment for all assimilated observations files for the variable you're testing.

# Getting Started

## Follow Along

### Step 1: Checkout the code from GitHub

You can checkout the code from GitHub (<https://github.com/sditchek/GROOT>)

Not in GROOT-G

### Step 2: View Your Files

Not in GROOT-G

README bdeck editgrb.m editverif.m nctoolbox-1.1.3 retrievalsheets rungrb.ksh runverif.ksh scripts

### Step 3: Read the README!

### Step 4: Steps to Run

VERIFICATION CAPABILITY: FULL-STORM GRAPHICS & GRAPHICS THAT ARE CONSISTENT WITH NHC VERIF | VARIOUS STRATIFICATIONS ARE ALSO TAKEN.

- 1) For GROOT-H: If you had scrubbing ON, run retrieval scripts in retrievalsheets/ directory to download files needed by the package (read the README)
  - 2) Edit the user settings section of editverif.m for the cases you want to include - follow the instructions carefully or it won't run
  - 3) Edit the user settings section of runverif.ksh - follow the instructions carefully or it won't run
- 4) Load the matlab module (module load matlab) - this isn't included in the batch scripts in case there is an issue/conflict with your other loaded modules
- 5) Submit runverif.ksh to batch: sbatch ./runverif.ksh

### Step 5: Be Patient!

Kick back and relax – a watched script never finishes! Thousands (tens of thousands if many storms) of graphics are being generated.

If something is not working, do a cat slurm\* in your GROOT-H/ or GROOT-G/ directory. Failures typically occur due to user errors in the namelist or since the required files were not retrieved. These slurm files will be deleted next time you run the code so you can start fresh.

### Step 6: View Your Results

When the package finishes, you'll receive an email. Go to your directory and there will be a new text file pointing you to the finished results!

#### NOTE: Script Updates/Bugs

When there are major script updates, I'll push them to GitHub, so be sure to check for updates before running!



# The README

## Sections

### **Summary**

Description of the package

### **Files and Directories**

Describes the files included in the package

### **How To Run The Package**

Description of the steps you need to take to run the package

### **Location and Description of Various Results**

Details the directory structure of where results are located

### **Key Points**

A few key points that you should be aware of

### **New Additions**

A history of new additions to the package starting from the first internal release to my group

### **Issues**

My contact information in case you have difficulty running or find any bugs!



# Required Files By Component

**GROOT-H:** scripts in the `retrievalsheets/` directory are set up to retrieve all required files

**GROOT-G:** only the Error Statistics and Assimilated Observations component are available currently; ATCF files for all cycles should be placed in 1 folder, named according to the experiment run, which you will point to in `runverif.ksh`; do the same treatment for all assimilated observations files for the variable you're testing.

Component	GROOT-H (for each cycle)	GROOT-G (for each cycle)
Error Statistics	*atcfunix* <i>(Note: atcf files must have this text in the file name for GROOT to grab it)</i>	*atcfunixp.gfs* <i>(Note: if you run your global experiments without archiving *atcfunixp.gfs* files, you will not be able to run this component)</i>
Assimilated Observations	*storm_vit	*storm_vit <i>(Note: GROOT-G has code to extract tcvitals files since some global workflows do not archive *storm_vit files – so if you don't have these, don't worry, GROOT will still work!)</i>
	*gsi_d02.diag_conv_anl.gz	*anl*.gz or already-unzipped *anl*.nc4 files – either work!
GRB Graphics	*hwrfrprs.storm.0p015.f*.grb2	*hwrfrprs.storm.0p015.f*.grb2
	*hwrfrprs.synoptic.0p125.f*.grb2	*hwrfrprs.synoptic.0p125.f*.grb2



# Acknowledgements

## Publications

If using output from this graphics package in PUBLICATIONS,  
please include the following in the acknowledgements section:

"The "Graphics for OS(S)Es and Other modeling applications on TCs" verification package developed by Dr. Sarah Ditchek and funded by the Quantitative Observing System Assessment Program (QOSAP) and the FY18 Hurricane Supplemental (NOAA Award ID #NA19OAR0220188) was used to generate graphics for this publication."

## Presentations

If using output from this graphics package in PRESENTATIONS,  
please indicate the following verbally:

"Graphics were made using GROOT – a verification package developed by Dr. Sarah Ditchek and funded by QOSAP and the FY18 Hurricane Supplemental."

# THANK YOU FOR YOUR INTEREST IN GROOT!



**Dr. Sarah D. Ditchek**  
Email: [sarah.d.ditchek@noaa.gov](mailto:sarah.d.ditchek@noaa.gov)