Bibliography

- Adcock, R. J. (1878). A problem in least squares. Analyst, 5, 53-54.
- Adichie, J. N. (1967). Estimates of regression parameters based on rank test. Annals of Mathematical Statistics, 38, 894–904.
- Aia, M. A., Goldsmith, R. L., and Mooney, R. W. (1961). Predicting stoichiometric CaHPO₄ · 2H₂O. *Industrial and Engineering Chemistry*, **53**, January, 55–57.
- Aitken, M., D. Anderson, B. Francis, and J. Hinds (1989). Statistical Modelling in GLIM. Oxford, UK: Clarendon Press.
- Albert, J., and M. Berliner (1994). Review of the "Resampling Stats" computer package. The American Statistician, 48, 129–131.
- Amer, F. A., and W. T. Williams (1957). Leaf-area growth in *Pelargonium zonale. Annals of Botany, New Series*, **21**, 339–342.
- Anderson, D. A., and R. G. Scott (1974). The application of ridge regression analysis to a hydrologic target-control model. *Water Resources Bulletin*, **10**, 680–690.
- Anderson-Sprecher, R. (1994). Model comparisons and R². The American Statistician, 48, 113-117.
- Andrews, D. F. (1974). A robust method for multiple linear regression. Technometrics, 16, 523-531.
- Andrews, D. F., P. J. Bickel, F. R. Hampel, P. J. Huber, W. H. Rogers, and J. W. Tukey (1972). *Robust Estimates of Location*. Princeton, NJ: Princeton University Press.
- Andrews, D. F., and D. Pregibon (1978). Finding the outliers that matter. *Journal of the Royal Statistical Society, Series B*, **4**, 84–93.
- Anscombe, F. J., and J. W. Tukey (1963). The examination and analysis of residuals. *Technometrics*, **5**, 141–160.
- Arthanari, T. S., and Y. Dodge (1981). Mathematical Programming in Statistics. New York: Wiley.
- Askin, R. G., and D. C. Montgomery (1980). Augmented robust estimators. Technometrics, 22, 333-341.
- Atkinson, A. C. (1985). Plots, Transformations and Regression. Oxford, UK: Clarendon Press.
- Atkinson, A. C. (1994). Fast very robust methods for the detection of multiple outliers. *Journal of the American Statistical Association*, **89**, 1329–1339.
- Barker, F., Y. C. Soh, and R. J. Evans (1988). Properties of the geometric mean functional relationship. *Biometrics*, **44**, 279–281.
- Barnett, V. D. (1967). A note on linear structural relationships when both residual variances are known. *Biometrika*, **54**, 670–672.
- Barnett, V. D. (1975). Probability plotting methods and order statistics. Applied Statistics, 24, 95-108.
- Barnett, V. D., and T. Lewis (1994). Outliers in Statistical Data, 3rd ed. New York: Wiley.
- Barrodale, I., and F. D. K. Roberts (1974). Algorithm 478: solution of an overdetermined system of equations in the l_1 -norm. Communications of the Association for Computing Machinery, 17, 319–320.
- Bartlett, M. S. (1947). The use of transformations. Biometrics, 3, 39-52.
- Bartlett, M. S. (1949). Fitting a straight line when both variables are subject to error. Biometrics, 5, 207-212.
- Bates, D. M., and D. G. Watts (1988). Nonlinear Regression Analysis and Its Applications. New York: Wiley.
- Bauer, F. L. (1971). Elimination with weighted row combinations for solving linear equations and least squares problems. In J. H. Wilkinson and C. Reisch (Eds.). Handbook for Automatic Computation Volume II: Linear Algebra. New York: Springer Verlag.
- Becker, W., and P. Kennedy (1992). A lesson in least squares and R squared. The American Statistician, 46, 282-283.
- Beaton, A. E., and J. W. Tukey (1974). The fitting of power series, meaning polynomials, illustrated on band spectroscopic data. *Technometrics*, **16**, 147–185.

Belsley, D. A. (1991). Conditioning Diagnostics, Collinearity and Weak Data in Regression, New York: Wiley. (This book is a revision of the following book.)

- Belsley, D. A., E. Kuh, and R. E. Welsch (1980). Regression Diagnostics, New York: Wiley.
- Berk, K. N., and D. E. Booth (1995). Seeing a curve in multiple regression. Technometrics, 37, 385-398.
- Berkson, J. (1950). Are there two regressions? Journal of the American Statistical Association, 45, 164-180.
- Bing, J. (1994). How to standardize regression coefficients. The American Statistician, 48, 209-213.
- Birch, J. B., and D. B. Agard (1993). Robust inferences in regression: a comparative study. *Communications in Statistics, Simulation and Computation*, **22**(1), 217–244.
- Birkes, D., and Y. Dodge (1993). Alternative Methods of Regression. New York: Wiley.
- Bisgaard, S., and H. T. Fuller (1994-95). Analysis of factorial experiments with defects or defectives as the response. *Quality Engineering*, 7(2), 429-443.
- Bloomfield, P., and W. Steiger (1983). Least Absolute Deviations: Theory, Applications, and Algorithms. Boston: Birkhäuser.
- Box, G. E. P. (1966). Use and abuse of regression. Technometrics. 8, 625-629.
- Box, G. E. P., and G. A. Coutie (1956). Application of digital computers in the exploration of functional relationships. *Proceeding of the Institution of Electrical Engineers*, 103, Part B, Suppl. No. 1, 100–107.
- Box, G. E. P., and D. R. Cox (1964). An analysis of transformations. *Journal of the Royal Statistical Society*, *Series B*, **26**, 211–243 (discussion pp. 244–252).
- Box, G. E. P., and N. R. Draper (1965). The Bayesian estimation of common parameters from several responses. *Biometrika*, **52**, 355–365.
- Box, G. E. P., and N. R. Draper (1987). Empirical Model-Building and Response Surfaces. New York: Wiley.
- Box, G. E. P., and J. S. Hunter (1954). A confidence region for the solution of a set of simultaneous equations with an application to experimental design. *Biometrika*, **41**, 190–199.
- Box, G. E. P., and W. G. Hunter (1962). A useful method for model building. Technometrics, 4, 301-318.
- Box, G. E. P., and W. G. Hunter (1965). Sequential design of experiment for nonlinear models. *Proceedings of the IBM Scientific Computing Symposium on Statistics*, October 21–23, 1963, pp. 113–137.
- Box, G. E. P., W. G. Hunter, and J. S. Hunter (1978). Statistics for Experimenters. New York: Wiley.
- Box, G. E. P., G. M. Jenkins, and G. C. Reinsel (1994). *Time Series Analysis, Forecasting and Control*, 3rd ed. Englewood Cliffs, NJ: Prentice Hall.
- Box, G. E. P., and H. L. Lucas (1959). Design of experiments in non-linear situations. Biometrika, 46, 77-90.
- Box, G. E. P., and J. Wetz (1973). Criteria for judging adequacy of estimation by an approximating response function. University of Wisconsin Statistics Department Technical Report No. 9.
- Box, J. F. (1978). R. A. Fisher: The Life of a Scientist. New York: Wiley.
- Breiman, L. (1995). Better subset regression using the nonnegative garrote. Technometrics, 37, 373-384.
- Breiman, L. (1996). Heuristics of instability and stabilization in model selection. *Annals of Statistics*, **24**, 2350–2383
- Brieman, L., and J. H. Friedman (1997). Predicting multivariate responses in multiple linear regression. *Journal of the Royal Statistical Society, Series B*, **59**(1), 3–37 (discussion pp. 37–54).
- Bright, J. W., and G. S. Dawkins (1965). Some aspects of curve fitting using orthogonal polynomials. *Industrial and Engineering Chemistry Fundamentals*, **4**, February, 93–97.
- Bring, J. (1994). How to standardize regression coefficients. The American Statistician, 48, 209-213.
- Brown, P. J., and C. Payne (1975). Election night forecasting. *Journal of the Royal Statistical Society, Series A.* **138**, 463–483 (discussion pp. 483–498).
- Brownlee, K. A. (1965). Statistical Theory and Methodology in Science and Engineering, 2nd ed. New York: Wiley.
- Bunke, H., and O. Bunke (1989). *Nonlinear Regression, Functional Relations and Robust Methods*. New York: Wiley.
- Bunke, O. (1975). Minimax linear, ridge and shrunken estimators for linear parameters. *Mathematische Operationsforchung und Statistiks*, **6**, 697–701.
- Carroll, R. J., and D. Ruppert (1988). *Transformations and Weighting in Regression*. London: Chapman and Hall.
- Carroll, R. J., and H. Schneider (1985). A note on Levene's tests for equality of variances. *Statistics and Probability Letters*, **3**, 191–194.

Chappell, R. (1994). Presenting the coefficients of the linear quadratic formula for clinical use. *International Journal of Radiation Oncology, Biology, Physics*, **29**(1), 191–193.

- Chatterjee, S., and A. S. Hadi (1988). Sensitivity Analysis in Linear Regression. New York: Wiley.
- Chaturvedi, A. (1993). Ridge regression estimators in the linear regression models with non-spherical errors. Communications in Statistics, Theory and Methods, 22(8), 2275-2284.
- Clayton, D. G. (1971). Gram-Schmidt orthogonalization. Applied Statistics, 20, 335-338 (Fortran algorithm).
- Cleveland, W. S., and B. Kleiner (1975). A graphical technique for enhancing scatter plots with moving statistics. *Technometrics*, 17, 447-454.
- Collett, D. (1991). Modelling Binary Data. London: Chapman and Hall.
- Coniffe, D., and J. Stone (1973). A critical view of ridge regression. The Statistician, 22, 181-187.
- Cook, R. D. (1977). Detection of influential observations in linear regression. *Technometrics*, 19, 15-18.
- Cook, R. D., and S. Weisberg (1982). Residuals and Influence in Regression. London: Chapman and Hall.
- Cook, R. D., and S. Weisberg (1994). Transforming a response variable for linearity. Biometrika, 81, 731-737.
- Cooper, B. E. (1971). The use of orthogonal polynomials with equal x-values. Applied Statistics, 20, 209-213.
- Copas, J. B. (1983). Regression, prediction and shrinkage. *Journal of the Royal Statistical Society, Series B*, **45**, 311-335 (discussion pp. 335-354).
- Cornell, J. A. (1990). Experiments with Mixtures, 2nd ed. New York: Wiley.
- Cox, D. R., and E. J. Snell (1989). Analysis of Binary Data. London: Chapman and Hall.
- Creasy, M. A. (1956). Confidence limits for the gradient in the linear functional relationship. *Journal of the Royal Statistical Society, Series B*, **18**, 65-69.
- Crouse, R. H., C. Jin, and R. C. Hanumara (1995). Unbiased ridge estimation with prior information and ridge trace. *Communications in Statistics, Theory and Methods*, **24**(9), 2341–2354.
- Daniel, C., and F. S. Wood, assisted by J. W. Gorman. (1980) Fitting Equations to Data, 2nd ed. New York: Wiley
- Davies, P. L. (1987). Asymptotic behaviour of S-estimates of multivariate location parameters and dispersion matrices. Annals of Statistics, 15, 1269–1292.
- Davies, L. (1990). The asymptotics of S-estimators in the linear regression model. Annals of Statistics, 18, 1651–1675.
- Davies, L. (1992). The asymptotics of Rousseeuw's minimum volume ellipsoid estimator. *Annals of Statistics*, **20**, 1828–1843.
- De Lury, D. B. (1960). Values and Integrals of the Orthogonal Polynomials up to n = 26. Toronto: University of Toronto Press.
- Derringer, G. C. (1974). An empirical model for viscosity of filled and plasticized elastomer products. *Journal of Applied Polymer Science*, **18**, 1083-1101.
- Dielman, T., and R. Pfaffenberger (1982). LAV (least absolute value) estimation in linear regression: a review. In S. H. Zanakis and J. S. Rustagi (eds.). *Optimization in Statistics*. New York: North-Holland.
- Dielman, T., and R. Pfaffenberger (1990). Tests of linear hypotheses and LAV estimation: a Monte Carlo comparison. *Communications in Statistics, Simulation and Computation*, 19, 1179-1199.
- Diggle, P. J. (1990). Time Series, A Biostatistical Introduction. Oxford, UK: Clarendon Press/Oxford Science Publications.
- Ding, C. G., and R. E. Bargmann (1991). Statistical algorithms AS 260 and AS 261, concerning the distribution of R². Applied Statistics, 40, 195–198.
- Dixon, W. J. (chief ed.). *Biomedical Computer Programs, P-Series*. Berkeley: University of California Press. (Seek the most recent update.)
- Dobson, A. J. (1990). Introduction to Generalized Linear Models. London: Chapman and Hall.
- Dodge, Y. (ed.) (1987a). Statistical Data Analysis Based on the L₁-Norm and Related Methods. New York: North-Holland.
- Dodge, Y. (ed.) (1987b). Special Issue on Statistical Data Analysis Based on the L₁ Norm and Related Methods. Computational Statistics & Data Analysis, 5, 237-450.
- Dodge, Y. (ed.) (1992). L₁-Statistical Analysis and Related Methods. Amsterdam: North-Holland.
- Dodge, Y. (1996). The guinea pig of multiple regression. In H. Rieder (ed.). *Lecture Notes in Statistics*, No. 109, see pp. 91–118. New York: Springer.
- Dolby, J. L. (1963). A quick method for choosing a transformation. Technometrics, 5, 317-325.

Donoho, D. L., and P. J. Huber (1983). The notion of breakdown point. In P. J. Bickel, K. Doksum and J. L. Hodges, Jr. (eds.). A Festschrift for Erich Lehmann, pp. 157-184. Belmont, CA: Wadsworth.

- Draper, N. R. (1984). The Box-Wetz criterion versus R^2 . Journal of the Royal Statistical Society, Series A, 147, 100-103. Also (1985), 148, 357.
- Draper, N. R. (1992). Straight line regression when both variables are subject to error. *Proceedings of the* 1991 Kansas State University Conference on Applied Statistics in Agriculture, pp. 1-18.
- Draper, N. R., P. Prescott, S. M. Lewis, A. M. Dean, P. W. M. John, and M. G. Tuck (1993). Mixture designs for four components in orthogonal blocks. *Technometrics*, 35, 268-276. Also see (1995), 37, 131-132.
- Draper, N. R., and I. Guttman (1995). Confidence intervals versus regions. The Statistician, 44, 399-403.
- Draper, N. R., and A. M. Herzberg (1987). A ridge-regression sidelight. The American Statistician, 41, 282-283.
- Draper, N. R., and W. G. Hunter (1969). Transformations: some examples revisited. *Technometrics*, 11, 23-40.
- Draper, N. R., and R. C. Van Nostrand (1979). Ridge regression and James-Stein estimation: review and comments. *Technometrics*, 21, 451-466.
- Draper, N. R., and Y. (Fred) Yang (1997). Generalization of the geometric mean functional relationship. Computational Statistics and Data Analysis, 23, 355-372.
- Dressler, A. (1984). International kinematics of galaxies in cluster, I. Velocity dispersions for elliptical galaxies in Coma and Virgo. *Astrophysical Journal*, **281**, 512–524.
- Driscoll, M. F., and D. J. Anderson (1980). Point-of-expansion, structure and selection in multivariate polynomial regression. *Communications in Statistics, Theory and Methods*, **A9**, 821–836.
- Durbin, J. (1969). Tests for serial correlation in regression analysis based on the periodogram of least squares residuals. *Biometrika*, **56**, 1–15.
- Durbin, J. (1970). An alternative to the bounds test for testing for serial correlation in least squares regression. *Econometrica*, **38**, 422–429.
- Durbin, J., and G. S. Watson (1950). Testing for serial correlation in least squares regression, I. *Biometrika*, 37, 409-428.
- Durbin, J., and G. S. Watson (1951). Testing for serial correlation in least squares regression, II. *Biometrika*, **38**, 159-178.
- Durbin, J., and G. S. Watson (1971). Testing for serial correlation in least squares regression, III. *Biometrika*, **58**, 1–19.
- Dutter, R. (1977). Numerical solution of robust regression problems: computational aspects, a comparison. *Journal of Statistical Computing and Simulation*, **5**, 207–238.
- Edgington, E. (1980). Randomization Tests, 2nd ed. New York: Marcel Dekker.
- Efron, B. (1982). The Jackknife, the Bootstrap, and Other Resampling Procedures. Philadelphia: SIAM Publications.
- Efron, B., and R. Tibshirani (1993). Introduction to the Bootstrap. London: Chapman and Hall.
- Egerton, G. M., and P. J. Laycock (1981). Some criticisms of stochastic shrinkage and ridge regression, with counterexamples. *Technometrics*, 23, 155–159. (Also see letter, 25, 1983, 303–304 and correction, 304.)
- Eisenhart, C. (1964). The meaning of "least" in least squares. *Journal of the Washington Academy of Sciences*, **54**, 24-33.
- Ellerton, R. R. W. (1978). Is the regression equation adequate—a generalization. Technometrics, 20, 313-315.
- Erjavec, J., G. E. P. Box, W. G. Hunter, and J. F. MacGregor (1973). Some problems associated with the analysis of multiresponse data. *Technometrics*, **15**, 33-51.
- Fahrmeir, L., and G. Tutz (1994). Multivariate Statistical Modelling Based on Generalized Linear Models. New York: Springer-Verlag.
- Farebrother, R. W. (1974). Gram-Schmidt regression. Applied Statistics, 23, 470-476 (Algol 60 algorithm).
- Farebrother, R. W. (1988). Algorithm AS 238: a simple recursive procedure for the L_1 norm fitting of a straight line. *Applied Statistics*, 37, 457–465.
- Feller, W. (1957). An Introduction to Probability Theory and Its Applications, Volume 1, 2nd ed. New York: Wiley.
- Fisher, R. A., and F. Yates (1964). Statistical Tables for Biological, Agricultural and Medical Research, 6th ed. New York: Hafner Publishing.

Forsythe, A. B. (1972). Robust estimation of straight line regression coefficients by minimizing *p*th power deviations. *Technometrics*, **14**, 159–166.

- Francis, B., M. Green, and C. Payne (1993). *The GLIM System: Release 4 Manual*. New York: Oxford University Press.
- Frank, I., and J. Friedman (1993). A statistical view of some chemometrics regression tools. *Technometrics*, **35**, 109–135 (discussion pp. 136–148). See p. 124.
- Freeman, M. F., and J. W. Tukey (1950). Transformations related to the angular and the square root. *Annals of Mathematical Statistics*, **21**(4), 607–611.
- Freund, R. J. (1988). When is $R^2 > r_{vx}^2 + r_{vx}^2$? (Revisited). The American Statistician, 42, 89–90.
- Freund, R., and R. Littell (1991). SAS System for Regression, 2nd ed. Cary, NC: SAS Institute.
- Füle, E. (1995). On ecological regression and ridge estimation. *Communications in Statistics, Simulation and Computation*, **24**(2), 385–398.
- Furnival, G. M., and R. W. Wilson (1974). Regression by leaps and bounds. Technometrics, 16, 499-511.
- Gallant, A. R. (1987). Nonlinear Statistical Models. New York: Wiley.
- Galton, F. (1877). Typical laws of heredity in man. Address to the Royal Institution, England.
- Galton, F. (1885). Regression towards mediocrity in hereditary stature. Journal of the Anthropological Institute, 15, 246–263.
- Galton, F. (1885). Presidential address to Section H of the British Association, printed in *Nature*, September, 507–510.
- Gentle, J. E., S. C. Narula, and V. A. Sposito (1987). Algorithms for unconstrained L_1 linear regression. In Y. Dodge (ed.). Statistical Data Analysis Based on the L_1 -Norm and Related Methods. New York: North-Holland.
- Gibbons, D. G. (1981). A simulation study of some ridge estimators. *Journal of the American Statistical Association*, **76**, 131–139.
- Gibson, W. M., and G. H. Jowett (1957). Three-group regression analysis, Part I. Applied Statistics, 6, 114-122.
- Gilmour, S. G. (1996). The interpretation of Mallows C_p -statistic. The Statistician, 45, 49–56.
- Goldstein, M., and A. F. M. Smith (1974). Ridge-type estimators for regression analysis. *Journal of the Royal Statistical Society, Series B*, **36**, 284–291.
- Good, P. (1994). Permutation Tests: A Practical Guide to Resampling Methods for Testing Hypotheses. New York: Springer-Verlag.
- Gorman, J. W., and R. J. Toman (1966). Selection of variables for fitting equations to data. *Technometrics*, **8**, 27–51.
- Gray, J. B., and W. H. Woodall (1994). The maximum size of standardized and internally studentized residuals in regression analysis. *The American Statistician*, **48**, 111-113.
- Graybill, F. A. (1961). An Introduction to Linear Statistical Models. New York: McGraw-Hill.
- Grechanovsky, E., and I. Pinsker (1995). Conditional p-values for the F-statistic in a forward selection procedure. Computational Statistics and Data Analysis, 20, 239–263.
- Green, P. J., and B. W. Silverman (1994). Nonparametric Regression and Generalized Linear Models: A Roughness Penalty Approach. London: Chapman and Hall.
- Gregory, F. G. (1928). Studies in the energy relations of plants, II. Annals of Botany, 42, 469-507.
- Hadi, A. S. (1992). A new measure of overall potential influence in linear regression. *Computational Statistics and Data Analysis*, 14, 1–27.
- Hald, A. (1952). Statistical Theory with Engineering Applications. New York: Wiley.
- Hall, P. (1995). The Bootstrap and Edgeworth Expansion. New York: Springer-Verlag.
- Hamilton, D. (1987a). Sometimes $R^2 > r_{vx}^2 + r_{yx}^2$. The American Statistician, 41, 129–132.
- Hamilton, D. (1987b). Reply to Freund and Mitra. The American Statistician, 42, 90-91.
- Hampel, F. R. (1971). A general qualitative definition of robustness. *Annals of Mathematical Statistics*, **42**, 1887–1896.
- Hampel, F. R. (1974). The influence curve and its role in robust estimation. *Journal of the American Statistical Association*, **69**, 383–393.
- Hampel, F. R. (1975). Beyond location parameters: robust concepts and methods. *Proceedings of the 40th Session of the ISI*, **46**, 375–391.
- Hampel, F. R. (1978). Optimally bounding the gross-error-sensitivity and the influence of position in

factor space. Proceedings of the Statistical Computing Section, pp. 59-64. Washington, DC: American Statistical Association.

- Hampel, F. R., E. M. Ronchetti, P. J. Rousseeuw, and W. A. Stahel (1986). Robust Statistics: The Approach Based on Influence Functions. New York: Wiley.
- Hartley, H. O. (1961). The modified Gauss-Newton method for the fitting of non-linear regression functions by least squares. *Technometrics*, **3**, 269–280.
- Harvey, P. H., and G. M. Mace (1982). Comparison between taxa and adaptive trends: problems of methodology. In *Current Problems in Sociobiology*. New York: Cambridge University Press.
- Harville, D. A. (1997). Matrix Algebra From a Statistician's Perspective. New York: Springer-Verlag.
- Hawkins, D. M. (1980). Identification of Outliers. London: Chapman and Hall.
- Healy, M. J. R. (1984). The use of R² as a measure of goodness of fit. *Journal of the Royal Statistical Society*, Series A, 147, 608–609.
- Healy, M. J. R. (1988). GLIM: An Introduction. Oxford, UK: Oxford University Press.
- Herschel, J. F. W. (1849). Outliers of Astronomy. Philadelphia: Lee & Blanchard.
- Hettmansperger, T. P., and S. J. Sheather (1992). A cautionary note on the method of least median squares. *The American Statistician*, **46**, 79–83.
- Hilbe, J. M. (1994). Generalized linear models. *The American Statistician*, **48**, 255–265. This article reviews seven software packages: GAIM (Version 1.1), GENSTAT 5 (Release 2), GLIM (Release 4.0), SAS 6.08 for Windows, S-Plus for Windows (Version 3.1), XLISP-Stat (Version 2.1R3), and XploRe (Version 3.1).
- Hill, R. W. (1979). On estimating the covariance matrix of robust regression *M*-estimates. *Communications in Statistics*, **A8**, 1183–1196.
- Hill, R. W., and P. W. Holland (1977). Two robust alternatives to least squares regression. *Journal of the American Statistical Association*, **72**, 828-833.
- Hines, R. J. O., and W. G. S. Hines (1995). Exploring Cook's statistic graphically. *The American Statistician*, 49, 389–394.
- Hjorth, J. S. U. (1994). Computer Intensive Statistical Methods. London: Chapman and Hall.
- Hocking, R. R. (1996). Methods and Applications of Linear Models. New York: Wiley.
- Hoerl, A. E. (1954). Fitting curves to data. Chemical Business Handbook. New York: McGraw-Hill.
- Hoerl, A. E., and R. W. Kennard (1970a). Ridge regression: biased estimation for non-orthogonal problems. *Technometrics*, **12**, 55–67.
- Hoerl, A. E., and R. W. Kennard (1970b). Ridge regression: applications to non-orthogonal problems. *Technometrics*, **12**, 69–82 (correction, **12**, 723).
- Hoerl, A. E., and R. W. Kennard (1975). A note on a power generalization of ridge regression. *Technometrics*, 17, 269.
- Hoerl, A. E., and R. W. Kennard (1976). Ridge regression: iterative estimation of the biasing parameter. *Communications in Statistics*, **A5**, 77–88.
- Hoerl, A. E., and R. W. Kennard (1981). Ridge Regression 1980, Advances, Algorithms, and Applications. Columbus, OH: American Sciences Press.
- Hoerl, A. E., R. W. Kennard, and K. F. Baldwin (1975). Ridge regression, some simulations. Communications in Statistics, A4, 105-123.
- Hogg, R. V. (1979a). Statistical robustness: one view of its use in applications today. *The American Statistician*, 33, 108–115.
- Hogg, R. V. (1979b). An introduction to robust estimation. In R. L. Launer and G. N. Wilkinson (eds.). Robustness in Statistics, pp. 1–18. New York: Academic Press.
- Hogg, R. V., and R. H. Randles (1975). Adaptive distribution-free regression methods and their applications. *Technometrics*, **17**, 399–407.
- Holland, P. W., and R. E. Welsch (1977). Robust regression using iteratively reweighted least-squares. *Communications in Statistics*, **A6**, 813–888.
- Hosmer, D. W. Jr., and S. Lemeshow (1989). Applied Logistic Regression. New York: Wiley.
- Huber, P. (1964). Robust estimation of a location parameter. Annals of Mathematical Statistics, 35, 73-101.
- Huber, P. J. (1972). Robust statistics: a review. Annals of Mathematical Statistics, 43, 1041-1067.
- Huber, P. J. (1973). Robust regression: asymptotics, conjectures, and Monte Carlo. Annals of Statistics, 1, 799–821.

Huber, P. J. (1975). Robustness and designs. A Survey of Statistical Design and Linear Models. Amsterdam: North-Holland.

- Huber, P. (1981). Robust Statistics. New York: Wiley.
- Huber, P. J. (1983). Minimax aspects of bounded-influence regression (with discussion). Journal of the American Statistical Association, 78, 66-80.
- Huff, D. (1954). How to Lie with Statistics. New York: W. W. Norton.
- Hunter, W. G., and R. Mezaki (1964). A model-building technique for chemical engineering kinetics. *American Institute of Chemical Engineering Journal*, 10, 315-322. [But note error in text below Table 4, p. 320; if the sixth residual were positive (it is just negative) the pattern would be obvious.]
- Jackson, J. E., and W. H. Lawton (1967). Answer to Query 22. Technometrics, 9(2), 339-340.
- Jaske, D. R. (1994). Illustrating the Gauss-Markov theorem. The American Statistician, 48, 237-238.
- Jefferys, W. H. (1990). Robust estimation when more than one variable per equation of condition has error. *Biometrika*, 77, 597–607.
- John, J. A., and N. R. Draper (1980). An alternative family of transformations. Applied Statistics, 29, 190-197.
- Joiner, B. L., and J. R. Rosenblatt (1971). Some properties of the range in samples from Tukey's symmetric λ distributions. *Journal of the American Statistical Association*, **66**, 394–399.
- Judge, G. G., and T. Takayama (1966). Equality restrictions in regression analysis. *Journal of the American Statistical Association*, **61**, 166–181.
- Jureckova, J., and S. Portnoy (1987). Asymptotics for one-step M-estimators with application to combining efficiency and high breakdown point. Communications in Statistics, Theory & Methods, 16, 2187–2199.
- Kelly, G. (1984). The influence function in the errors in variables problem. Annals of Statistics, 12, 87-100.
- Kelly, G. (1996). Adaptive choice of tuning constant for robust regression analysis. The Statistician, 45, 35-40.
- Kendall, M. G., and A. Stuart (1961). *The Advanced Theory of Statistics*, Vol. 2. New York: Hafner Publishing. Kennard, R. W. (1971). A note on the C_p statistic. *Technometrics*, **13**, 899–900.
- Koenker, R., and G. Bassett (1982). Tests of linear hypothesis and l_1 estimation. Econometrica, **50**, 1577–1583.
- Kozumi, H., and K. Ohtani (1994). The general expressions for the moments of Lawless and Wang's ordinary ridge regression estimator. *Communications in Statistics, Theory & Methods*, **23**(10), 2755–2774.
- Krasker, W. S. (1980). Estimation in the linear regression model with disparate data points. *Econometrica*, **48**, 1333–1346.
- Krasker, W. S., and R. E. Welsch (1982). Efficient bounded-influence regression estimation. *Journal of the American Statistical Association*, 77, 595-604.
- Kronmal, R. A. (1993). Spurious correlation and the fallacy of the ratio standard revisited. *Journal of the Royal Statistical Society, Series A*, 156, 379–392.
- Kurotori, I. S. (1966). Experiments with mixtures of components having lower bounds. *Industrial Quality Control*, **22**, 592–596.
- Kvalseth, T. O. (1985). Cautionary note about R². The American Statistician, 39, 279-285.
- LaMotte, L. R. (1994). A note on the role of independence in t statistics constructed from linear statistics in regression models. The American Statistician, 48, 238–240.
- Largey, A., and J. E. Spencer (1996). F- and t-tests in multiple regression: the possibility of conflicting outcomes. The Statistician, 45, 105–109.
- Lawless, J. F., and P. Wang (1976). A simulation study of ridge and other regression estimators. Communications in Statistics, Theory & Methods, A5, 307-323.
- le Cessie, S., and J. C. van Houwelingen (1992). Ridge estimators in logistic regression. *Applied Statistics*. **41**, 191–201.
- Levenberg, K. (1944). A method for the solution of certain non-linear problems in least squares. *Quarterly of Applied Mathematics*, **11**, 164–168.
- Lim, T.-S., and W.-Y. Loh (1996). A comparison of tests of equality of variances. *Computational Statistics and Data Analysis*, 22, 287-301.
- Lindley, D. V., and W. F. Scott (1984; 2nd ed., 1995). New Cambridge Elementary Statistical Tables. New York: Cambridge University Press.
- Littell, R., R. Freund, and P. Spector (1991). SAS System for Linear Models, 3rd ed. Cary, NC: SAS Institute.
- Lopuhaä, H. P. (1989). On the relation between S-estimators and M-estimators of multivariate location and covariance. Annals of Statistics, 17, 1662–1683.

Lopuhaä, H. P., and P. J. Rousseeuw (1991). Breakdown points of affine equivariant estimators of multivariate location and covariance matrices. *Annals of Statistics*, **19**, 229–248.

- Magee, L. (1990). R² measures based on Wald and likelihood ratio joint significance tests. *The American Statistician*, **44**, 250–253.
- Mallows, C. L. (1973). Some comments on C_p . Technometrics, 15, 661–675.
- Mallows, C. L. (1995). More comments on C_p . Technometrics, 37, 362–372. See also (1997), 39, 115–116.
- Manley, B. (1992). Randomization and Monte Carlo Methods in Biology. London: Chapman and Hall.
- Marazzi, A. (1987). Solving bounded influence regression problems with ROBSYS, In: Y. Dodge (ed.), Statistical Data Analysis Based on the L₁-Norm and Related Methods. New York: North-Holland.
- Maritz, J. S. (1994). Distribution Free Statistical Methods. London: Chapman and Hall.
- Maronna, R. A. (1976). Robust *M*-estimators of multivariate location and scatter. *Annals of Statistics*, **4**, 51-67.
- Maronna, R. A., O. Bustos, and V. Yohai (1979). Bias- and efficiency-robustness of general *M*-estimators for regression with random carriers. In T. Gasser and M. Rosenblatt (eds.). *Smoothing Techniques for Curve Estimation*, pp. 91–116. New York: Springer.
- Maronna, R. A., and V. J. Yohai (1981). Asymptotic behaviour of general *M*-estimates for regression and scale with random carriers. *Z. Wahrsch. Verw. Gebiete*, **58**, 7–20.
- Maronna, R. A., and V. J. Yohai (1991). The breakdown point of simultaneous general M estimates of regression and scale. *Journal of the American Statistical Association*, **86**, 699–703.
- Marquardt, D. W. (1963). An algorithm for least squares estimation of nonlinear parameters. *Journal of the Society for Industrial and Applied Mathematics*, 11, 431-441.
- Marquardt, D. W. (1970). Generalized inverses, ridge regression, biased linear estimation, and nonlinear estimation. *Technometrics*, **12**, 591–612.
- Marquardt, D. W., and R. D. Snee (1975). Ridge regression in practice. The American Statistician, 29, 3-19.
- McCullagh, P., and J. A. Nelder (1989). Generalized Linear Models, 2nd ed. London: Chapman and Hall.
- McDonald, G. C. (1980). Some algebraic properties of ridge coefficients. *Journal of the Royal Statistical Society, Series B*, **42**, 31–34.
- McKean, J. W., and R. M. Schrader (1987). Least absolute errors analysis of variance. In Y. Dodge (ed.). Statistical Data Analysis Based on the L₁-Norm and Related Methods. New York: North-Holland.
- McKean, J. W., and T. J. Vidmar (1994). A comparison of two rank-based methods for the analysis of linear models. *The American Statistician*, **48**, 220–229.
- Mead, R. (1970). Plant density and crop yield. Applied Statistics, 19, 64-81.
- Medawar, P. B. (1940). Growth, growth energy, and ageing of the chicken's heart. *Proceedings of the Royal Society of London*, **B-129**, 332–355.
- Meeter, D. A. (1964). Problems in the Analysis of Nonlinear Models by Least Squares. University of Wisconsin Ph.D. Thesis.
- Mickey, M. R., O. J. Dunn, and V. Clark (1967). Note on the use of stepwise regression in detecting outliers. *Computers and Biomedical Research*, 1, 105–111.
- Miller, A. J. (1990). Subset Selection in Regression. London: Chapman and Hall.
- Miller, R. G. (1980). Kanamycin levels in premature babies. *Biostatistics Casebook*, Vol. III, 127–142. (Technical Report No. 57, Division of Biostatistics, Stanford University.)
- Miller, R. G. (1981). Simultaneous Statistical Inference, 2nd ed. New York: Springer-Verlag.
- Mitra, S. (1988). The relationship between the multiple and the zero-order correlation coefficients. *The American Statistician*, **42**, 89.
- Morgenthaler, S. (1989). Comment on Yohai and Zamar. *Journal of the American Statistical Association*, **84**, 636.
- Nagelkerke, N. J. D. (1991). A note on general definition of the coefficient of determination. *Biometrika*, **78**, 691–692.
- Nelder, J. A. (1961). The fitting of a generalization of the logistic curve. Biometrics, 17, 89-110.
- Nelder, J. A., and R. W. M. Wedderburn (1972). Generalized linear models. *Journal of the Royal Statistical Society, Series A*, **135**, 370–384.
- Nelson, L. S. (1980). The mean square successive difference test. Journal of Quality Technology, 12, 174-175.
- Nickerson, D. M. (1994). Construction of a conservative confidence region from projections of an exact confidence region in multiple linear regression. *The American Statistician*, **48**, 120–124.

- Noreen, E. (1989). Computer-Intensive Methods for Testing Hypotheses. New York: Wiley.
- Nyquist, H. (1988). Applications of the jackknife procedure in ridge regression. *Computational Statistics & Data Analysis*, **6**, 177-183.
- Obenchain, R. L. (1978). Good and optimal ridge estimators. Annals of Statistics, 6, 1111-1121.
- Oman, S. D. (1981). A confidence bound approach to choosing the biasing parameter in ridge regression. *Journal of the American Statistical Association*, **76**, 452-461.
- Panopoulos, P. (1989). Ridge regression: discussion and comparison of seven ridge estimators. *Statistica*, 49, 265–275.
- Park, S. H. (1981). Collinearity and optimal restrictions on regression parameters in ridge regression. Technometrics, 23, 289-295.
- Pearson, E. S., and H. O. Hartley (1958). *Biometrika Tables for Statisticians*, *Volume I*. New York: Cambridge University Press.
- Peixoto, J. L. (1987). Hierarchical variable selection in polynomial regression models. *The American Statistician*, **41**, 311–313.
- Peixoto, J. L. (1990). A property of well-formulated polynomial regression models. *The American Statistician*. **44**, 26–30. Also see (1991), **45**, 82.
- Plackett, R. L. (1960). Regression Analysis. Oxford, UK: Clarendon Press.
- Plackett, R. L. (1972). Studies in the history of probability and statistics. XXIX. The discovery of the method of least squares. *Biometrika*, **59**, 239–251.
- Ralston, A., and H. S. Wilf (eds.) (1962). *Mathematical Methods for Digital Computers*. New York: Wiley. (See the article "Multiple regression analysis," by M. A. Efroymson.)
- Ramsay, J. O. (1977). A comparative study of several robust estimates of slope, intercept, and scale in linear regression. *Journal of the American Statistical Association*, **72**, 608-615.
- Rao, C. R. (1973). Linear Statistical Inference and Its Applications, 2nd ed. New York: Wiley.
- Ratkowsky, D. A. (1983). Nonlinear Regression Modeling. New York: Marcel Dekker.
- Ratkowsky, D. A. (1990). Handbook of Nonlinear Regression Models. New York: Marcel Dekker.
- Rayner, R. K. (1994). The small-sample power of Durbin's h test revised. Computational Statistics and Data Analysis, 17, 87–94.
- Richards, F. J. (1959). A flexible growth function for empirical use. *Journal of Experimental Botany*, **10**, 290-300.
- Riedel, M. (1989). On the bias robustness in the location model. I. Statistics, 20, 223-233. II. Statistics, 20, 235-246.
- Riedel, M. (1991). Bias-robustness in parametric models generated by groups. Statistics, 22, 559-578.
- Riggs, D. A., J. A. Guarnieri, and S. Addelman (1978). Fitting straight lines when both variables are subject to error. *Life Sciences*, 22, 1305–1360.
- Robson, D. S. (1959). A simple method for constructing orthogonal polynomials when the independent variable is unequally spaced. *Biometrics*, **15**, 187–191.
- Rocke, D. M., and D. F. Shanno (1986). The scale problem in robust regression *M*-estimates. *Journal of Statistical Computing and Simulation*, **24**, 47–69.
- Ronchetti, E., and P. J. Rousseeuw (1985). Change-of-variance sensitivities in regression analysis. Z. Wahrsch. Verw. Gebiete, 68, 503-519.
- Ross, G. J. S. (1990). Nonlinear Estimation. New York: Springer-Verlag.
- Rousseeuw, P. J. (1984). Least median of squares regression. *Journal of the American Statistical Association*, **79**, 871–880.
- Rousseeuw, P. J. (1986). Multivariate estimation with high breakdown point. In W. Grossmann, G. Pflug, I. Vincze, and W. Wertz (eds.). *Mathematical Statistics and Application, Vol. B.* Dordrecht: Reidel.
- Rousseeuw, P. J., and A. M. Leroy (1987). Robust Regression and Outlier Detection. New York: Wiley.
- Rousseeuw, P. J., and B. C. van Zomeren (1990). Unmasking multivariate outliers and leverage points. Journal of the American Statistical Association, 85, 633-651.
- Rousseeuw, P. J., and V. Yohai (1984). Robust regression by means of S-estimators. Robust and Nonlinear Time Series Analysis. Lecture Notes in Statistics, 26, 256–272. New York: Springer.
- Roy, S. N., and A. E. Sarhan (1956). On inverting a class of patterned matrices. Biometrika, 43, 227-231.
- Royston, J. P. (1995). A remark on Algorithm AS181: the W-test for normality. Applied Statistics. 44. 547-551.

Sadovski, A. N. (1974). Algorithm AS 74: L₁-norm fit of a straight line. Applied Statistics, 23, 244-248.

Saleh, A. K. M. E., and B. M. G. Kibria (1993). Performance of some new preliminary test ridge regression estimators and their properties. Communications in Statistics, Theory & Methods, 22(10), 2747–2764.

SAS Institute Inc. (1990). SAS/STAT User's Guide, Version 6, 4th ed., Vol. 2, Cary, NC: SAS Institute.

Saville, D. J., and G. R. Wood (1996). Statistical Methods: A Geometric Primer. New York: Springer-Verlag.

Savin, N. E., and K. J. White (1977). The Durbin-Watson test for serial correlation with extreme sample sizes or many regressors. *Econometrica*, 45, 1989-1996.

Scheffé, H. (1958). Experiments with mixtures. Journal of the Royal Statistical Society Series B, 20, 344-360.

Scheffé, H. (1963). The simplex-centroid design for experiments with mixtures. Journal of the Royal Statistical Society Series B, 25, 235–263.

Schemper, M. (1990). The explained variation in proportional hazards regression. Biometrika, 77, 216-218.

Schey, H. M. (1993). The relationship between the magnitudes of $SSR(x_2)$ and $SSR(x_2|x_1)$: a geometric description. The American Statistician, 47, 26–30.

Schneider, H., and G. P. Barker (1973). *Matrices and Linear Algebra*, 2nd ed. New York: Holt, Reinhart and Winston. (Also reprinted by Dover Books.)

Schrader, R. M., and T. P. Hettmansperger (1980). Robust analysis of variance based on a likelihood criterion. *Biometrika*, 67, 93-101.

Schrader, R. M., and J. W. McKean (1987). Small sample properties of least absolute errors analysis of variance. In Y. Dodge (ed.). *Statistical Data Analysis Based on the L*₁-*Norm and Related Methods*. New York: North-Holland.

Scott, A., and C. Wild (1991). Transformations and R². The American Statistician, 45, 127-129.

Searle, S. R. (1971). Linear Models. New York: Wiley.

Searle, S. R. (1987). Linear Models for Unbalanced Data. New York: Wiley.

Searle, S. R. (1988). Parallel lines in residual plots. The American Statistician, 42(3), 211.

Searle, S. R., G. Casella, and C. E. McCulloch (1992). Variance Components. New York: Wiley.

Seber, G. A. F. (1977). Linear Regression Analysis. New York: Wiley.

Seber, G. A. F., and C. J. Wild (1989). Nonlinear Regression. New York: Wiley.

Segerstedt, B. (1992). On ordinary ridge regression in generalized linear models. *Communications in Statistics*, *Theory & Methods*, **21**(8), 2227–2246.

Shah, A. K. (1991). Relationship between the coefficients of determination of algebraically related models. *The American Statistician*, **45**, 300–301.

Shanno, D. F., and D. M. Rocke (1986). Numerical methods for robust regression: linear models. *SIAM Journal of Scientific and Statistical Computing*, **7**, 86–97.

Simpson, D. G., D. Ruppert, and R. J. Carroll (1992). On one-step GM-estimates and stability of inferences in linear regression. *Journal of the American Statistical Association*, 87, 439–450.

Smith, G. (1980). An example of ridge regression difficulties. Canadian Journal of Statistics, 8, 217-225.

Smith. H. (1969). The analysis of data from a designed experiment. Journal of Quality Technology, 1, 259-263.

Smith, H., and S. D. Dubey (1964). Some reliability problems in the chemical industry. *Industrial Quality Control*, 22, 64–70.

Snee, R. D. (1973). Some aspects of non-orthogonal data analysis. Part I. Developing prediction equations. Journal of Quality Technology, 5, 67–79.

Spang, H. A. (1962). A review of minimization techniques for non-linear functions. *Society for Industrial and Applied Mathematics Review*, **4**, 343–365.

Sprent, P., and G. R. Dolby (1980). The geometric mean functional relationship. *Biometrics*, **36**, 547–550. (see also, **38**, 859–860.)

Srivastava, V. K., and D. E. A. Giles (1991). Unbiased estimation of the mean squared error of the feasible generalised ridge regression estimator. Communications in Statistics. Theory & Methods, 20, 2357–2386.

Stahel, W. A. (1981). Robuste Schätzungen: Infinitesimale Optimalität und Schätzungen von Kovarianzmatrizen. Ph.D. dissertation, Dept. Statistics. ETH, Zürich.

Stapleton, J. H. (1995). Linear Statistical Models. New York: Wiley.

Staudte, R. G., and S. J. Sheather (1990). Robust Estimation and Testing. New York: Wiley.

Steele, J. M., and W. L. Steiger (1986). Algorithms and complexity for least median of squares regression. *Discrete Applied Mathematics*, **14**, 93–100.

Stefanski, L. A. (1991). A note on high breakdown estimators. Statistics and Probability Letters, 11, 353–358.
Stigler, S. M. (1974). Gergonne's 1815 paper on the design and analysis of polynomial regression experiments. Historia Mathematica, 1, 431–447.

- Stigler, S. M. (1986). The History of Statistics. Boston: Harvard University/Belknap Press.
- Swed, F. S., and C. Eisenhart (1943). Tables for testing randomness of grouping in a sequence of alternatives. Annals of Mathematical Statistics, 14, 66–87.
- Swindel, B. F. (1981). Geometry of ridge regression. *The American Statistician*, **35**, 12–15. (See, also, pp. 268–269.)
- Teissier, G. (1948). La relation d'allometrie sa signification statistique et biologiques. *Biometrics*, **4**, 14–48 (discussion, pp. 48–53).
- Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society, Series B*, **58**, 267–288.
- Tukey, J. W. (1957). On the comparative anatomy of transformations. *Annals of Mathematical Statistics*, **28**, 602-632.
- von Bertalanffy, L. (1941). Stoffwechseltypen und Wachstumstypen. Biologisches Zentralblatt, 61, 510-532.
- von Bertalanffy, L. (1957). Quantitative laws in metabolism and growth. *Quarterly Review of Biology*, 32, 218-231.
- Wald, A. (1940). The fitting of straight lines if both variables are subject to error. *Annals of Mathematical Statistics*, 11, 284–300.
- Walker, E., and J. B. Birch (1988). Influence measures in ridge regression. Technometrics, 30, 221-227.
- Waterman, M. S. (1974). A restricted least squares problem. Technometrics, 16, 135-136.
- Wei, W. S. (1990). Time Series Analysis, Univariate and Multivariate Methods. Reading, MA: Addison-Wesley.
- Weisberg, S. (1985). Applied Linear Regression. New York: Wiley.
- Welsch, R. E. (1975). Confidence regions for robust regression. Statistical Computations Section Proceedings of the American Statistical Association, Washington, DC.
- Westfall, P., and S. Yound (1992). Resampling-Based Multiple Testing. New York: Wiley.
- Wilkie, D. (1965). Complete set of leading coefficients, $\lambda(r, n)$ for orthogonal polynomials up to n = 26. Technometrics, 7, 644–648.
- Wilkinson, J. H., and C. Reisch (eds.) (1971). *Handbook for Automatic Computation, Volume II: Linear Algebra.* New York: Springer Verlag. (For article by F. L. Bauer, see pp. 119–133.)
- Willan, A. R., and D. G. Watts (1978). Meaningful multicollinearity measures. Technometrics, 20, 407-412.
- Willett, J. B., and J. D. Singer (1988). Another cautionary note about R²: its use in weighted least-squares regression analysis. *The American Statistician*, **42**, 236–238.
- Williams, E. J. (1959). Regression Analysis. New York: Wiley.
- Wishart, J., and T. Metakides (1953). Orthogonal polynomial fitting. Biometrika, 40, 361-369.
- Wong, M. Y. (1989). Likelihood estimation of a simple linear regression model when both variables have error. *Biometrika*, **76**, 141–148.
- Woods, H., H. H. Steinour, and H. R. Starke (1932). Effect of composition of Portland cement on heat evolved during hardening. *Industrial and Engineering Chemistry*, 24, 1207-1214.
- Yohai, V. J. (1987). High breakdown point and high efficiency robust estimators for regression. Annals of Statistics, 15, 642-656.
- Yohai, V. J., and R. H. Zamar (1988). High breakdown point estimates of regression by means of the minimization of an efficient scale. *Journal of the American Statistical Association*, **83**, 406–413.
- Yound, G. A. (1994). Bootstrap: more than a stab in the dark? Statistical Science, 9, 382-415.