

# WinWebApps Functional Test Report

31 Aug 2022, 07:37:11

**Start : Aug 31, 7:33:37.384 am**

**End : Aug 31, 7:37:02.442 am**

**Duration : 3 m 25.058 s**

Features







PASSED - 1  
FAILED - 3  
SKIPPED - 0

Scenarios

PASSED - 10  
FAILED - 3  
SKIPPED - 0


Steps

PASSED - 70  
FAILED - 3  
SKIPPED - 0




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<i>This is to test calculation feature of the Windows Calculator App</i>	1 m 56.874 s	8	7	1	0	44	43	1	0
<i>This is to test Notepad features</i>	5.180 s	1	1	0	0	6	6	0	0
<i>Login page feature</i>	17.874 s	2	1	1	0	5	4	1	0
<i>This is to test calculation feature of the Windows Calculator App and verifying the result in a web app</i>	1 m 5.081 s	2	1	1	0	18	17	1	0


<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@WinApp		11	9	2	0	3	1	2	0
@Calculator		10	8	2	0	2	0	2	0
@multiple		4	3	1	0	1	0	1	0
@regression		4	3	1	0	1	0	1	0
@divide		1	1	0	0	1	0	1	0
@add		1	1	0	0	1	0	1	0
@smoke		1	1	0	0	1	0	1	0
@multiply		1	1	0	0	1	0	1	0
@subtract		1	1	0	0	1	0	1	0
@Notepad		2	2	0	0	1	1	0	0
@WebApp		4	2	2	0	2	0	2	0
@addwinweb		2	1	1	0	1	0	1	0
@madetopass		1	1	0	0	1	0	1	0
@madetofail		1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>This is to test calculation feature of the Windows Calculator App</u>	8	7	1	0	1 m 56.874 s
2	<u>This is to test Notepad features</u>	1	1	0	0	5.180 s
3	<u>Login page feature</u>	2	1	1	0	17.874 s
4	<u>This is to test calculation feature of the Windows Calculator App and verifying the result in a web app</u>	2	1	1	0	1 m 5.081 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>This is to test calculation feature of the Windows Calculator App</u>	<u>Basic test of "+" operation using data table</u>	5	5	0	0	11.417 s
2	<u>This is to test calculation feature of the Windows Calculator App</u>	<u>Basic test of "x" operation using data table</u>	5	4	1	0	10.565 s
3	<u>This is to test calculation feature of the Windows Calculator App</u>	<u>Basic test of "÷" operation using data table</u>	5	5	0	0	11.828 s
4	<u>This is to test calculation feature of the Windows Calculator App</u>	<u>Basic test of "-" operation using data table</u>	5	5	0	0	13.288 s
5	<u>This is to test calculation feature of the Windows Calculator App</u>	<u>Division of two numbers</u>	6	6	0	0	15.379 s
6	<u>This is to test calculation feature of the Windows Calculator App</u>	<u>Addition of two numbers</u>	6	6	0	0	15.395 s
7	<u>This is to test calculation feature of the Windows Calculator App</u>	<u>Multiplication of two numbers</u>	6	6	0	0	17.950 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>This is to test calculation feature of the Windows Calculator App</u>	<u>Subtraction of two numbers</u>	6	6	0	0	20.801 s
9	<u>This is to test Notepad features</u>	<u>Launch notepad, verify "About Notepad" option, enter some text in notepad and save the file.</u>	6	6	0	0	5.180 s
10	<u>Login page feature</u>	<u>Login page title</u>	3	2	1	0	8.958 s
11	<u>Login page feature</u>	<u>Forgot Password link</u>	2	2	0	0	8.904 s
12	<u>This is to test calculation feature of the Windows Calculator App and verifying *</u>	<u>Addition of two numbers - To test pass on web</u>	9	9	0	0	32.588 s
13	<u>This is to test calculation feature of the Windows Calculator App and verifying *</u>	<u>Addition of two numbers - To test failure on web</u>	9	8	1	0	32.476 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

## This is to test calculation feature of the Windows Calculator App


FAILED	DURATION - 1 m 56.874 s	Scenarios Total - 8 Pass - 7 Fail - 1 Skip - 0		Steps Total - 44 Pass - 43 Fail - 1 Skip - 0	
/ 7:33:37.384 am // 7:35:34.258 am /	@WinApp @Calculator				

## Basic test of "+" operation using data table

PASSED	DURATION - 11.417 s	Scenarios Total - 8 Pass - 7 Fail - 1 Skip - 0		Steps Total - 44 Pass - 43 Fail - 1 Skip - 0	
/ 7:33:37.384 am // 7:33:48.801 am /	This is to test calculation feature of the Windows Calculator App				


#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	1.191 s
1	Given I have keyed "20" into the calculator	PASSED	0.709 s
2	And I have clicked on "+" button	PASSED	2.296 s
3	And I have keyed "30" into the calculator	PASSED	0.569 s
4	When I press on "=" button to get the calculation result	PASSED	2.291 s
5	Then "50" should be displayed on the result screen	PASSED	2.354 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.002 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s

## Basic test of "x" operation using data table





#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.503 s
1	Given I have keyed "2" into the calculator	PASSED	0.346 s
2	And I have clicked on "x" button	PASSED	2.297 s
3	And I have keyed "5" into the calculator	PASSED	0.286 s
4	When I press on "=" button to get the calculation result	PASSED	2.293 s
5	Then "7" should be displayed on the result screen  java.lang.AssertionError: Values don't match: Expected value of element is 'Display is 7' but actual value of element is 'Display is 10' at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.assertTrue(Assert.java:42) at com.winwebapps.stepdefs.sample.calculator.StandardCalcStepDefinitions. shouldBeDisplayedOnTheResultScreen(StandardCalcStepDefinitions.java:67) at ?.7" should be displayed on the result screen(file:///D:/myProjects/winwebapps-bdd-java-framework/src/test/resources/features/sample/calculator/standardcalculator.feature:11) * Not displayable characters are replaced by '?'.	FAILED	2.276 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.514 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.047 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s

Basic test of "÷" operation using data table

PASSED	DURATION - 11.828 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 7:33:59.538 am // 7:34:11.366 am /				
This is to test calculation feature of the Windows Calculator App				
@WinApp @Calculator @multiple @regression				

#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.887 s
1	Given I have keyed "100" into the calculator	PASSED	1.423 s
2	And I have clicked on "÷" button	PASSED	2.298 s
3	And I have keyed "40" into the calculator	PASSED	0.563 s
4	When I press on "=" button to get the calculation result	PASSED	2.297 s
5	Then "2.5" should be displayed on the result screen	PASSED	2.344 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.011 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s


### Basic test of "-" operation using data table

PASSED	DURATION - 13.288 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 7:34:11.387 am // 7:34:24.675 am /				
This is to test calculation feature of the Windows Calculator App				
@WinApp @Calculator @multiple @regression				

#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.859 s
1	Given I have keyed "675.86" into the calculator	PASSED	1.749 s



#	Step / Hook Details	Status	Duration
2	And I have clicked on "-" button	PASSED	2.291 s
3	And I have keyed "46.897" into the calculator	PASSED	1.765 s
4	When I press on "=" button to get the calculation result	PASSED	2.287 s
5	Then "628.963" should be displayed on the result screen	PASSED	2.322 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.012 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s

## Division of two numbers





#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.863 s
1	Given I am on standard calculator screen	PASSED	5.044 s
2	When I clicked "3" into the calculator	PASSED	0.280 s
3	And I clicked on "÷" button	PASSED	2.295 s
4	And I clicked "2" into the calculator	PASSED	0.282 s
5	And I clicked on "=" button	PASSED	2.297 s
6	Then "1.5" should be displayed on the result screen	PASSED	2.304 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.007 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.001 s

## Addition of two numbers

PASSED	DURATION - 15.395 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 7:34:40.084 am // 7:34:55.479 am /				
This is to test calculation feature of the Windows Calculator App				
@WinApp @Calculator @add @smoke				

#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.863 s
1	Given I am on standard calculator screen	PASSED	5.043 s
2	When I clicked "3" into the calculator	PASSED	0.301 s
3	And I clicked on "+" button	PASSED	2.293 s
4	And I clicked "9" into the calculator	PASSED	0.296 s
5	And I clicked on "=" button	PASSED	2.291 s
6	Then "12" should be displayed on the result screen	PASSED	2.295 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.011 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s


## Multiplication of two numbers

PASSED	DURATION - 17.950 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 7:34:55.492 am // 7:35:13.442 am /				
This is to test calculation feature of the Windows Calculator App				
@WinApp @Calculator @multiply				

#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.857 s

#	Step / Hook Details	Status	Duration
1	Given I am on standard calculator screen	PASSED	5.046 s
2	When I keyed "56523" into the calculator	PASSED	1.453 s
3	And I clicked on "x" button	PASSED	2.297 s
4	And I keyed "876.59" into the calculator	PASSED	1.720 s
5	And I clicked on "=" button	PASSED	2.292 s
6	Then "49,547,496.57" should be displayed on the result screen	PASSED	2.281 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.002 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s

## Subtraction of two numbers

PASSED	DURATION - 20.801 s	 <p>A bar chart with 6 bars representing step durations. The x-axis is labeled 1 through 6. The y-axis ranges from 0 to 6. The bars have heights approximately at (1, 5), (2, 4), (3, 2.5), (4, 2.5), (5, 2.5), and (6, 2.5).</p>	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 7:35:13.457 am // 7:35:34.258 am /				
This is to test calculation feature of the Windows Calculator App				
@WinApp @Calculator @subtract				

#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.859 s
1	Given I am on standard calculator screen	PASSED	5.046 s
2	When I keyed "5897547878623" into the calculator	PASSED	3.719 s
3	And I clicked on "-" button	PASSED	2.297 s
4	And I keyed "2758.578" into the calculator	PASSED	2.264 s
5	And I clicked on "=" button	PASSED	2.296 s
6	Then "5,897,547,875,864.422" should be displayed on the result screen	PASSED	2.308 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.005 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.001 s

## This is to test Notepad features



PASSED	DURATION - 5.180 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 7:35:34.274 am // 7:35:39.454 am /					
@WinApp @Notepad					

Launch notepad, verify "About Notepad" option, enter some text in notepad and save the file.

PASSED	DURATION - 5.180 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 7:35:34.274 am // 7:35:39.454 am /					
This is to test Notepad features					
@WinApp @Notepad @Notepad					

#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startNotepadApp(io.cucumber.java.Scenario)	PASSED	0.271 s
1	Given I have launched Notepad application	PASSED	2.008 s
2	When I click on "Help" menu option	PASSED	0.286 s
3	And I select "About Notepad" option	PASSED	0.249 s
4	Then I view "Microsoft Windows" text appearing on screen	PASSED	0.029 s
5	When I click on "OK" button	PASSED	0.282 s
6	Then Mouse cursor goes to the "Text Editor" window on notepad application	PASSED	0.011 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.039 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s


## Login page feature

**Login page title**

#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.launchWebBrowser(io.cucumber.java.Scenario)	PASSED	1.004 s
1	Given user is on login page	PASSED	5.373 s
2	When user gets the title of the page	PASSED	0.007 s
3	Then page title should be "Login - My Store1"  java.lang.AssertionError at org.junit.Assert.fail Assert.java:87) at org.junit.Assert.assertTrue Assert.java:42) at org.junit.Assert.assertTrue Assert.java:53) at com.winwebapps.stepdefs.sample.web.LoginPageStep.page_title_should_be(LoginPageStep.java:29) at ?.page title should be "Login - My Store1"(file:///D:/myProjects/winwebapps-bdd-java-framework/src/test/resources/features/sample/web/web.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.421 s

#	Step / Hook Details	Status	Duration
			
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWebBrowser(io.cucumber.java.Scenario)	PASSED	2.150 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s

### Forgot Password link




#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.launchWebBrowser(io.cucumber.java.Scenario)	PASSED	0.807 s
1	Given user is on login page	PASSED	5.893 s
2	Then forgot your password link should be displayed	PASSED	0.043 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWebBrowser(io.cucumber.java.Scenario)	PASSED	2.160 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s

### This is to test calculation feature of the Windows Calculator App and verifying the result in a web app




## Addition of two numbers - To test pass on web



#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.launchWebBrowser(io.cucumber.java.Scenario)	PASSED	1.203 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.515 s
1	Given I am on standard calculator screen	PASSED	5.034 s
2	When I clicked "4" into the calculator	PASSED	0.306 s
3	And I clicked on "+" button	PASSED	2.296 s
4	And I clicked "3" into the calculator	PASSED	0.280 s
5	And I clicked on "=" button	PASSED	2.290 s
6	Then "7" should be displayed on the result screen	PASSED	2.301 s
7	And I note down result and close Windows Calculator App and Open WebApp	PASSED	5.957 s
8	When I did a sum "+" operation of "4" and "3" and clicked on "=" button	PASSED	8.214 s
9	Then I get "7" as result and this is same as result shown by Windows calculator App	PASSED	0.019 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.003 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWebBrowser(io.cucumber.java.Scenario)	PASSED	2.165 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s

## Addition of two numbers - To test failure on web



#	Step / Hook Details	Status	Duration
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.logScenarioStart(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.launchWebBrowser(io.cucumber.java.Scenario)	PASSED	0.854 s
	BEFORE - com.winwebapps.apphooks.ApplicationHooks.startCalculatorApp(io.cucumber.java.Scenario)	PASSED	0.477 s
1	Given I am on standard calculator screen	PASSED	5.044 s
2	When I clicked "4" into the calculator	PASSED	0.299 s
3	And I clicked on "+" button	PASSED	2.295 s
4	And I clicked "3" into the calculator	PASSED	0.281 s
5	And I clicked on "=" button	PASSED	2.294 s
6	Then "7" should be displayed on the result screen	PASSED	2.293 s
7	And I note down result and close Windows Calculator App and Open WebApp	PASSED	5.876 s
8	When I did a sum "+" operation of "4" and "3" and clicked on "=" button	PASSED	8.218 s
9	Then I get "9" as result and this is same as result shown by Windows calculator App  org.junit.ComparisonFailure: Actual displayed value on web didn't match with expected value! expected:<Display is [9]> but was:<Display is [7]> at org.junit.Assert.assertEquals(Assert.java:117) at com.winwebapps.stepdefs.sample.winweb.OnlineBasicCalcStepDef.i_get_as_result_and_this_is_same_as_result_shown_by_windows_calculator_app(OnlineBasicCalcStepDef.java:42) at ?.I get "9" as result and this is same as result shown by Windows calculator App(file:///D:/myProjects/winwebapps-bdd-java-framework/src/test/resources/features/sample/winweb/wintoweb.feature:27) * Not displayable characters are replaced by '?'.	FAILED	0.021 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.screenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.327 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWinAppSession(io.cucumber.java.Scenario)	PASSED	2.011 s

#	Step / Hook Details	Status	Duration
	AFTER - com.winwebapps.apphooks.ApplicationHooks.closeWebBrowser(io.cucumber.java.Scenario)	PASSED	2.180 s
	AFTER - com.winwebapps.apphooks.ApplicationHooks.logScenarioEndAndStatus(io.cucumber.java.Scenario)	PASSED	0.000 s