

Supplementary Material for “Interpretable Clustering-based Unsupervised Software Defect Prediction”

1 Software Projects and Metrics

In this paper, we conduct defect prediction on 28 releases across 8 open-source software projects from the Apache community [1]. Each project consists of 65 software metrics along 3 dimensions, i.e., 54 code metrics, 5 process metrics, and 6 ownership metrics. Among them, code metrics (e.g., LOC and cyclomatic complexity) describe the relationship between code properties and software quality, process metrics (e.g., the number of added lines and deleted lines) describe the relationship between development process and software quality, and ownership metrics (e.g., the number of own commits and own lines) describe the relationship between the ownership of modules and software quality. Before model training, AutoSpearman is applied to remove redundant metrics, and the resulting feature set is used in subsequent experiments. Tables 1 and 2 separately show the statistical summary of the studied software projects and metrics.

TABLE 1 An overview of the used software projects

Project	#Metrics	#Files	#Defective files	%Defective files
activemq-5.0.0	65	1884	293	15.55%
activemq-5.1.0	65	1970	154	7.82%
activemq-5.2.0	65	2040	219	10.74%
activemq-5.3.0	65	2367	258	10.90%
activemq-5.8.0	65	3420	206	6.02%
derby-10.2.1.6	65	1963	661	33.67%
derby-10.3.1.4	65	2206	669	30.33%
derby-10.5.1.1	65	2705	383	14.16%
groovy-1_5_7	65	757	26	3.43%
groovy-1_6_BETA_1	65	821	70	8.53%
groovy-1_6_BETA_2	65	884	76	8.60%
hbase-0.94.0	65	1059	218	20.59%
hbase-0.95.0	65	1669	383	22.95%
hbase-0.95.2	65	1834	483	26.34%
hive-0.10.0	65	1560	176	11.28%
hive-0.12.0	65	2662	213	8.00%
hive-0.9.0	65	1416	283	19.99%
jruby-1.1	65	731	87	11.90%
jruby-1.4.0	65	978	180	18.40%
jruby-1.5.0	65	1131	82	7.25%
jruby-1.7.0.	65	1614	87	5.39%
lucene-2.3.0	65	805	196	24.35%
lucene-2.9.0	65	1368	273	19.96%
lucene-3.0.0	65	1337	155	11.59%
lucene-3.1	65	2806	107	3.81%
wicket-1.3.0-beta2	65	1763	130	7.37%

wicket-1.3.0-incubating-beta-1	65	1672	101	6.04%
wicket-1.5.3	65	2578	105	4.07%

TABLE 2 An overview of the used software metrics

Metric type	Metric name	Description
Code metrics (54)	CountDeclMethodPrivate	the number of local (not inherited) private methods
	AvgLineCode	the average number of lines containing source code for all nested functions or methods
	CountLine	the number of physical lines
	MaxCyclomatic	the maximum cyclomatic complexity of all nested functions or methods
	CountDeclMethodDefault	the number of local default methods
	AvgEssential	the average essential complexity for all nested functions or methods
	CountDeclClassVariable	the number of class variables
	SumCyclomaticStrict	the sum of strict cyclomatic complexity of all nested functions or methods
	AvgCyclomatic	the average cyclomatic complexity for all nested functions or methods
	AvgLine	the average number of lines for all nested functions or methods
	CountDeclClassMethod	the number of class methods
	AvgLineComment	the average number of lines containing comment for all nested functions or methods
	AvgCyclomaticModified	the modified McCabe Cyclomatic complexity
	CountDeclFunction	the number of functions
	CountLineComment	the number of lines containing comment
	CountDeclClass	the number of classes
	CountDeclMethod	the number of local (not inherited) methods
	SumCyclomaticModified	the sum of modified cyclomatic complexity of all nested functions or methods
	CountLineCodeDecl	the number of lines containing declarative source code
	CountDeclMethodProtected	the number of local protected methods
	CountDeclInstanceVariable	the number of instance variables
	MaxCyclomaticStrict	the maximum strict cyclomatic complexity of nested functions or methods
	CountDeclMethodPublic	the number of local (not inherited) public methods
	CountLineCodeExe	the number of lines containing executable source code
	SumCyclomatic	the sum of cyclomatic complexity of all nested functions or methods
	SumEssential	the sum of essential complexity of all nested functions or methods
	CountStmtDecl	the number of declarative statements
	CountLineCode	the number of lines containing source code
	CountStmtExe	the number of executable statements
	RatioCommentToCode	the ratio of comment lines to code lines
	CountLineBlank	the number of blank lines
	CountStmt	the number of statements
	MaxCyclomaticModified	the maximum modified cyclomatic complexity of nested functions or methods
	CountSemicolon	the number of semicolons
	AvgLineBlank	the average number of blank lines for all nested functions or methods
	CountDeclInstanceMethod	the number of instance methods
	AvgCyclomaticStrict	the average strict cyclomatic complexity for all nested functions or methods
	PercentLackOfCohesion	the 100% minus the average cohesion for package entities
	MaxInheritanceTree	the maximum depth of class in inheritance tree
	CountClassDerived	the number of immediate subclasses
	CountClassCoupled	the number of other classes to which a class is coupled
	CountClassBase	the number of immediate base classes
	CountInput (max, min, mean)	the number of calling subprograms plus global variables read
	CountOutput (max, min, mean)	the number of called subprograms plus global variables set
	CountPath (max, min, mean)	the number of unique paths through a body of code, not counting abnormal exits or gotos
	MaxNesting (max, min, mean)	the maximum nesting level of control constructs
Process metrics (5)	COMM	the number of Git commits
	ADEV	the number of active developers
	DDEV	the number of distinct developers
	Added_lines	the normalized number of lines added to the module
Ownership metrics (6)	Del_lines	the number normalized of lines deleted to the module
	OWN_LINE	the proportion of lines of code written by the developer who has the highest contribution of lines of code on the module
	OWN_COMMIT	the proportion of code changes (i.e., Git commits) made by the developer who has the highest contribution of code changes on the module
	MINOR_COMMIT	the number of unique developers who have contributed less than 5% of the total code changes (i.e., Git commits) on the module

MINOR_LINE	the number of unique developers who have contributed less than 5% of the total lines of code on the module
MAJOR_COMMIT	the number of unique developers who have contributed more than 5% of the total code changes (i.e., Git commits) on the module
MAJOR_LINE	the number of unique developers who have contributed more than 5% of the total lines of code on the module

2 Metrics After Correlation and Redundancy Analysis

Prior work [2] points out that correlated or redundant software metrics impact the performance and interpretation of defect prediction models. Therefore, we conduct correlation and redundancy analyses prior to building our ICUSDP models. Similar to the previous defect prediction studies [3] [4] [5], we use the *AutoSpearman* algorithm [6] to remove the correlated and redundant metrics during data preprocessing. The remaining software metrics after applying the *AutoSpearman* algorithm are shown in Table 3. From the table, we can observe that more than half of the software metrics have been removed for each project. Subsequently, we use these metrics to perform unsupervised defect prediction experiments with ICUSDP.

TABLE 3 An overview of the selected metrics used by AutoSpearman

Dataset	Metrics
activemq-5.0.0	AvgCyclomaticModified, AvgEssential, AvgLineBlank, AvgLineComment, COMM, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclClassVariable, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountOutput_Min, MAJOR_LINE, MINOR_COMMIT, MaxInheritanceTree, MaxNesting_Min, OWN_COMMIT, OWN_LINE, PercentLackOfCohesion, RatioCommentToCode
activemq-5.1.0	AvgCyclomaticModified, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclClassVariable, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountOutput_Min, MAJOR_LINE, MINOR_COMMIT, MaxInheritanceTree, MaxNesting_Min, OWN_COMMIT, OWN_LINE, PercentLackOfCohesion, RatioCommentToCode
activemq-5.2.0	AvgCyclomaticModified, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclClassVariable, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, Del_lines, MAJOR_LINE, MINOR_COMMIT, MaxInheritanceTree, MaxNesting_Min, OWN_LINE, PercentLackOfCohesion, RatioCommentToCode
activemq-5.3.0	AvgCyclomaticModified, AvgEssential, AvgLineBlank, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclClassVariable, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Mean, CountOutput_Min, MAJOR_LINE, MINOR_COMMIT, MaxInheritanceTree, MaxNesting_Min, OWN_COMMIT, OWN_LINE, PercentLackOfCohesion, RatioCommentToCode
activemq-5.8.0	AvgCyclomaticModified, AvgEssential, AvgLineBlank, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Mean, CountOutput_Min, Del_lines, MAJOR_LINE, MINOR_COMMIT, MaxInheritanceTree, MaxNesting_Min, OWN_COMMIT, OWN_LINE, PercentLackOfCohesion, RatioCommentToCode
derby-10.2.1.6	Added_lines, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclClassVariable, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MaxInheritanceTree, MaxNesting_Min, OWN_LINE, PercentLackOfCohesion, RatioCommentToCode
derby-10.3.1.4	Added_lines, AvgEssential, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclClassVariable, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MaxInheritanceTree, MaxNesting_Min, OWN_COMMIT, OWN_LINE, PercentLackOfCohesion, RatioCommentToCode
derby-10.5.1.1	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclClassVariable, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, Del_lines, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Min, MaxNesting_Mean, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
groovy-1_5_7	AvgCyclomaticStrict, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassVariable, CountDeclInstanceMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, OWN_COMMIT, RatioCommentToCode
groovy-1_6_BETA_1	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassVariable, CountDeclInstanceMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
groovy-1_6_BETA_2	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassVariable, CountDeclInstanceMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountOutput_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Min, MaxNesting_Mean, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
hbase-0.94.0	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClassMethod, CountDeclMethodDefault, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountOutput_Mean, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Min, MaxNesting_Mean, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
hbase-0.95.0	Added_lines, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclMethodDefault, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Min, MaxNesting_Mean, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
hbase-0.95.2	Added_lines, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClassVariable, CountDeclMethodDefault, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_COMMIT, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Min, MaxNesting_Mean, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
hive-0.10.0	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclInstanceVariable, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT,

	MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
hive-0.12.0	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_COMMIT, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
hive-0.9.0	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodPrivate, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
jruby-1.1	Added_lines, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
jruby-1.4.0	Added_lines, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, CountOutput_Mean, CountOutput_Min, CountPath_Min, Del_lines, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
jruby-1.5.0	Added_lines, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Mean, CountOutput_Min, CountPath_Min, Del_lines, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
jruby-1.7.0.preview1	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Mean, CountOutput_Min, CountPath_Min, Del_lines, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
lucene-2.3.0	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountOutput_Min, CountOutput_Mean, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
lucene-2.9.0	Added_lines, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountOutput_Mean, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
lucene-3.0.0	Added_lines, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Mean, CountOutput_Min, MAJOR_COMMIT, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
lucene-3.1	Added_lines, AvgEssential, AvgLineBlank, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Mean, CountOutput_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
wicket-1.3.0-beta2	AvgCyclomaticModified, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, Del_lines, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
wicket-1.3.0-incubating-beta-1	AvgCyclomaticModified, AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountInput_Mean, CountInput_Min, CountLineComment, CountOutput_Min, Del_lines, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Min, OWN_COMMIT, PercentLackOfCohesion, RatioCommentToCode
wicket-1.5.3	AvgEssential, AvgLineBlank, AvgLineComment, CountClassBase, CountClassCoupled, CountClassDerived, CountDeclClass, CountDeclClassMethod, CountDeclInstanceVariable, CountDeclMethodDefault, CountDeclMethodPrivate, CountDeclMethodProtected, CountDeclMethodPublic, CountInput_Mean, CountInput_Min, CountOutput_Min, CountOutput_Mean, CountOutput_Min, CountPath_Min, MAJOR_LINE, MINOR_COMMIT, MINOR_LINE, MaxInheritanceTree, MaxNesting_Mean, MaxNesting_Min, OWN_COMMIT, OWN_LINE, PercentLackOfCohesion, RatioCommentToCode

3 Results

3.1 Detailed Results for RQ1 and RQ2

Tables~4--7 present the median results of the evaluated methods in terms of MCC and F-measure@20%LOC across the 28 datasets. The results are subjected to the NPSKESD test.

In the unsupervised setting, ICUSDP achieves competitive performance in terms of both MCC and F-measure@20%LOC. For MCC, ICUSDP obtains a median value of 0.268, close to CLA (0.285), SC (0.270), and TCL (0.269). For F-measure@20%LOC, ICUSDP obtains a median value of 0.212, lower than TCL (0.263) and CLAMI (0.235), but higher than most of the other unsupervised methods. ICUSDP also belongs to the statistically best group on several datasets.

In the supervised setting, ICUSDP achieves lower median values than the supervised methods for both MCC and F-measure@20%LOC. Nevertheless, ICUSDP achieves statistically competitive results on several individual datasets despite requiring no historical defect labels.

Overall, these results indicate that ICUSDP provides competitive performance among unsupervised methods and remains applicable to defect prediction scenarios where historical defect labels are unavailable or limited.

TABLE 4 Comparison results of unsupervised methods using the NPSKESD test in terms of MCC.

Dataset	Unsupervised methods									Supervised methods							ICUSDP
	ONE	CLA	CLAMI	MD	MU	SC	TCL	TCLP	KMedoids	DT	GBM	linearSVI	LR	RF	XGBoost		
activemq-5.0.0	0.291	0.338	0.243	0.265	-0.271	0.360	0.352	0.296	0.184	0.520	0.489	0.477	0.490	0.570	0.510	0.365	
activemq-5.1.0	0.203	0.264	0.184	0.228	-0.232	0.242	0.296	0.277	0.116	0.194	0.206	0.194	0.276	0.284	0.261	0.247	
activemq-5.2.0	0.254	0.244	0.165	0.226	-0.226	0.240	0.255	0.217	0.108	0.432	0.362	0.240	0.289	0.431	0.406	0.232	
activemq-5.3.0	0.207	0.288	0.223	0.225	-0.229	0.293	0.301	0.223	0.127	0.283	0.291	0.294	0.335	0.350	0.317	0.295	
activemq-5.8.0	0.172	0.218	0.196	0.196	-0.202	0.235	0.235	0.232	0.037	0.252	0.236	0.288	0.315	0.290	0.263	0.242	
derby-10.2.1.6	0.339	0.402	0.394	0.347	-0.348	0.339	0.334	0.165	0.203	0.398	0.422	0.486	0.489	0.510	0.460	0.360	
derby-10.3.1.4	0.294	0.377	0.330	0.316	-0.317	0.339	0.301	0.229	0.190	0.338	0.411	0.394	0.412	0.501	0.433	0.338	
derby-10.5.1.1	0.295	0.346	0.298	0.263	-0.265	0.296	0.343	0.249	0.134	0.298	0.321	0.333	0.372	0.381	0.359	0.344	
groovy-1.5.7	0.167	0.267	0.222	0.118	-0.121	0.196	0.339	0.378	0.101	0.240	0.199	0.255	0.359	0.374	0.376	0.206	
groovy-1.6beta1	0.174	0.255	0.225	0.181	-0.186	0.236	0.242	0.229	0.134	0.215	0.271	0.192	0.231	0.306	0.316	0.225	
groovy-1.6beta2	0.174	0.214	0.222	0.169	-0.175	0.196	0.233	0.242	0.158	0.321	0.342	0.223	0.252	0.451	0.333	0.199	
hbase-0.94.0	0.279	0.296	0.274	0.311	-0.312	0.339	0.199	0.176	0.095	0.320	0.332	0.321	0.381	0.386	0.382	0.325	
hbase-0.95.0	0.235	0.207	0.212	0.212	-0.216	0.283	0.217	0.193	0.162	0.326	0.361	0.326	0.348	0.411	0.338	0.230	
hbase-0.95.2	0.269	0.271	0.278	0.278	-0.280	0.347	0.246	0.197	0.167	0.291	0.305	0.312	0.344	0.384	0.324	0.303	
hive-0.10.0	0.364	0.320	0.248	0.279	-0.279	0.325	0.299	0.289	0.126	0.276	0.308	0.276	0.289	0.357	0.339	0.303	
hive-0.12.0	0.150	0.173	0.110	0.142	-0.145	0.195	0.090	0.095	0.214	0.129	0.214	0.091	0.114	0.260	0.172	0.229	
hive-0.9.0	0.463	0.320	0.281	0.313	-0.314	0.268	0.253	0.219	0.066	0.212	0.310	0.406	0.423	0.545	0.383	0.202	
jrubby-1.1	0.444	0.375	0.405	0.302	-0.302	0.275	0.492	0.350	0.205	0.391	0.399	0.433	0.465	0.527	0.487	0.379	
jrubby-1.4.0	0.431	0.421	0.420	0.350	-0.357	0.388	0.391	0.232	0.257	0.380	0.361	0.316	0.419	0.471	0.425	0.415	
jrubby-1.5.0	0.312	0.350	0.353	0.252	-0.255	0.261	0.387	0.323	0.208	0.295	0.282	0.290	0.324	0.362	0.330	0.310	
jrubby-1.7.0	0.256	0.244	0.306	0.212	-0.212	0.209	0.305	0.284	0.134	0.191	0.197	0.213	0.295	0.222	0.212	0.273	
lucene-2.3.0	0.210	0.296	0.218	0.279	-0.281	0.302	0.191	0.182	0.210	0.601	0.625	0.547	0.589	0.703	0.537	0.276	
lucene-2.9.0	0.235	0.282	0.166	0.270	-0.273	0.277	0.237	0.215	0.170	0.266	0.320	0.208	0.254	0.387	0.316	0.260	
lucene-3.0.0	0.177	0.297	0.196	0.236	-0.236	0.280	0.111	0.109	0.121	0.282	0.336	0.238	0.254	0.365	0.284	0.293	
lucene-3.1	0.103	0.145	0.099	0.130	-0.132	0.141	0.185	0.182	0.072	0.163	0.152	0.113	0.191	0.163	0.164	0.150	
wicket-1.3.0beta2	0.236	0.304	0.194	0.230	-0.234	0.275	0.269	0.251	0.086	0.178	0.216	0.184	0.221	0.254	0.242	0.265	
wicket-1.3.0beta1	0.206	0.263	0.204	0.212	-0.216	0.246	0.307	0.286	0.062	0.238	0.243	0.220	0.290	0.287	0.308	0.241	
wicket-1.5.3	0.180	0.173	0.136	0.176	-0.179	0.176	0.199	0.168	0.059	0.087	0.095	0.065	0.156	0.107	0.151	0.163	
Median	0.244	0.285	0.229	0.238	-0.242	0.270	0.269	0.226	0.129	0.280	0.296	0.278	0.327	0.373	0.332	0.268	

(1) MD → ManualDown, and MU → ManualUp.

(2) The gray cells indicate the results that are better than others with statistical significance using the NPSKESD test in each row. If multiple treatments tie for the “best”, then there will be multiple gray cells in that row (the same below).

TABLE 5 Comparison results of supervised methods using the NPSKESD test in terms of MCC.

Dataset	Unsupervised methods									Supervised methods							ICUSDP
	ONE	CLA	CLAMI	MD	MU	SC	TCL	TCLP	KMedoids	DT	GBM	linearSVI	LR	RF	XGBoost		
activemq-5.0.0	0.291	0.338	0.243	0.265	-0.271	0.360	0.352	0.296	0.184	0.520	0.489	0.477	0.490	0.570	0.510	0.365	
activemq-5.1.0	0.203	0.264	0.184	0.228	-0.232	0.242	0.296	0.277	0.116	0.194	0.206	0.194	0.276	0.284	0.261	0.247	
activemq-5.2.0	0.254	0.244	0.165	0.226	-0.226	0.240	0.255	0.217	0.108	0.432	0.362	0.240	0.289	0.431	0.406	0.232	
activemq-5.3.0	0.207	0.288	0.223	0.225	-0.229	0.293	0.301	0.223	0.127	0.283	0.291	0.294	0.335	0.350	0.317	0.295	
activemq-5.8.0	0.172	0.218	0.196	0.196	-0.202	0.235	0.235	0.232	0.037	0.252	0.236	0.288	0.315	0.290	0.263	0.242	
derby-10.2.1.6	0.339	0.402	0.394	0.347	-0.348	0.339	0.334	0.165	0.203	0.398	0.422	0.486	0.489	0.510	0.460	0.360	
derby-10.3.1.4	0.294	0.377	0.330	0.316	-0.317	0.339	0.301	0.229	0.190	0.338	0.411	0.394	0.412	0.501	0.433	0.338	
derby-10.5.1.1	0.295	0.346	0.298	0.263	-0.265	0.296	0.343	0.249	0.134	0.298	0.321	0.333	0.372	0.381	0.359	0.344	
groovy-1.5.7	0.167	0.267	0.222	0.118	-0.121	0.196	0.339	0.378	0.101	0.240	0.199	0.255	0.359	0.374	0.376	0.206	
groovy-1.6beta1	0.174	0.255	0.225	0.181	-0.186	0.236	0.242	0.229	0.134	0.215	0.271	0.192	0.231	0.306	0.316	0.225	
groovy-1.6beta2	0.174	0.214	0.222	0.169	-0.175	0.196	0.233	0.242	0.158	0.321	0.342	0.223	0.252	0.451	0.333	0.199	
hbase-0.94.0	0.279	0.296	0.274	0.311	-0.312	0.339	0.199	0.176	0.095	0.320	0.332	0.321	0.381	0.386	0.382	0.325	
hbase-0.95.0	0.235	0.207	0.212	0.212	-0.216	0.283	0.217	0.193	0.162	0.326	0.361	0.326	0.348	0.411	0.338	0.230	
hbase-0.95.2	0.269	0.271	0.278	0.278	-0.280	0.347	0.246	0.197	0.167	0.291	0.305	0.312	0.344	0.384	0.324	0.303	
hive-0.10.0	0.364	0.320	0.248	0.279	-0.279	0.325	0.299	0.289	0.126	0.276	0.308	0.276	0.289	0.357	0.339	0.303	
hive-0.12.0	0.150	0.173	0.110	0.142	-0.145	0.195	0.090	0.095	0.214	0.129	0.214	0.091	0.114	0.260	0.172	0.229	
hive-0.9.0	0.463	0.320	0.281	0.313	-0.314	0.268	0.253	0.219	0.066	0.212	0.310	0.406	0.423	0.545	0.383	0.202	
jrubby-1.1	0.444	0.375	0.405	0.302	-0.302	0.275	0.492	0.350	0.205	0.391	0.399	0.433	0.465	0.527	0.487	0.379	
jrubby-1.4.0	0.431	0.421	0.420	0.350	-0.357	0.388	0.391	0.232	0.257	0.380	0.361	0.316	0.419	0.471	0.425	0.415	
jrubby-1.5.0	0.312	0.350	0.353	0.252	-0.255	0.261	0.387	0.323	0.208	0.295	0.282	0.290	0.324	0.362	0.330	0.310	
jrubby-1.7.0	0.256	0.244	0.306	0.212	-0.212	0.209	0.305	0.284	0.134	0.191	0.197	0.213	0.295	0.222	0.212	0.273	
lucene-2.3.0	0.210	0.296	0.218	0.279	-0.281	0.302	0.191	0.182	0.210	0.601	0.625	0.547	0.589	0.703	0.537	0.276	
lucene-2.9.0	0.235	0.282	0.166	0.270	-0.273	0.277	0.237	0.215	0.170	0.266	0.320	0.208	0.254	0.387	0.316	0.260	
lucene-3.0.0	0.177	0.297	0.196	0.236	-0.236	0.280	0.111	0.109	0.121	0.282	0.336	0.238	0.254	0.365	0.284	0.293	
lucene-3.1	0.103	0.145	0.099	0.130	-0.132	0.141	0.185	0.182	0.072	0.163	0.152	0.113	0.191	0.163	0.164	0.150	
wicket-1.3.0beta2	0.236	0.304	0.194	0.230	-0.234	0.275	0.269	0.251	0.086	0.178	0.216	0.184	0.221	0.254	0.242	0.265	
wicket-1.3.0beta1	0.206	0.263	0.204	0.212	-0.216	0.246	0.307	0.286	0.062	0.238	0.243	0.220	0.290	0.287	0.308	0.241	
wicket-1.5.3	0.180	0.173	0.136	0.176	-0.179	0.176	0.199	0.168	0.059	0.087	0.095	0.065	0.156	0.107	0.151	0.163	
Median	0.244	0.285	0.229	0.238	-0.242	0.270	0.269	0.226	0.129	0.280	0.296	0.278	0.327	0.373	0.332	0.268	

TABLE 6 Comparison results of unsupervised methods using the NPSKESD test in terms of F-measure@20%LOC.

Dataset	Unsupervised methods									Supervised methods						ICUSDP
	ONE	CLA	CLAMI	MD	MU	SC	TCL	TCLP	KMedoids	DT	GBM	linearSV	LR	RF	XGBoost	
activemq-5.0.0	0.249	0.108	0.220	0.284	0.098	0.221	0.331	0.309	0.127	0.472	0.484	0.438	0.473	0.532	0.495	0.227
activemq-5.1.0	0.162	0.047	0.175	0.158	0.041	0.130	0.277	0.227	0.077	0.221	0.260	0.190	0.167	0.199	0.281	0.145
activemq-5.2.0	0.219	0.074	0.187	0.196	0.074	0.149	0.273	0.223	0.108	0.429	0.406	0.264	0.241	0.403	0.434	0.148
activemq-5.3.0	0.202	0.076	0.223	0.140	0.076	0.206	0.290	0.161	0.111	0.308	0.322	0.279	0.314	0.328	0.341	0.207
activemq-5.8.0	0.153	0.032	0.129	0.170	0.028	0.112	0.193	0.182	0.050	0.188	0.274	0.186	0.140	0.196	0.264	0.119
derby-10.2.1.6	0.311	0.310	0.440	0.253	0.286	0.367	0.282	0.212	0.342	0.451	0.467	0.481	0.491	0.507	0.480	0.365
derby-10.3.1.4	0.283	0.296	0.359	0.166	0.267	0.344	0.256	0.170	0.316	0.391	0.450	0.402	0.410	0.486	0.445	0.332
derby-10.5.1.1	0.247	0.125	0.266	0.208	0.111	0.211	0.320	0.228	0.162	0.306	0.329	0.323	0.348	0.348	0.349	0.274
groovy-1.5.7	0.051	0.022	0.129	0.042	0.020	0.050	0.212	0.264	0.026	0.190	0.191	0.214	0.242	0.171	0.286	0.057
groovy-1.6beta1	0.153	0.106	0.214	0.083	0.097	0.172	0.234	0.171	0.133	0.268	0.313	0.218	0.233	0.274	0.343	0.165
groovy-1.6beta2	0.153	0.118	0.238	0.095	0.106	0.146	0.233	0.182	0.143	0.328	0.385	0.231	0.263	0.312	0.364	0.154
hbase-0.94.0	0.303	0.195	0.303	0.117	0.168	0.345	0.254	0.210	0.237	0.379	0.389	0.367	0.411	0.404	0.431	0.346
hbase-0.95.0	0.339	0.297	0.375	0.275	0.288	0.420	0.274	0.241	0.342	0.433	0.485	0.404	0.399	0.439	0.448	0.384
hbase-0.95.2	0.353	0.328	0.412	0.202	0.307	0.458	0.249	0.204	0.367	0.430	0.431	0.407	0.418	0.462	0.427	0.427
hive-0.10.0	0.354	0.112	0.281	0.028	0.097	0.261	0.347	0.308	0.168	0.316	0.354	0.308	0.269	0.326	0.366	0.277
hive-0.12.0	0.201	0.117	0.177	0.000	0.105	0.197	0.147	0.140	0.193	0.234	0.283	0.126	0.183	0.220	0.256	0.199
hive-0.9.0	0.393	0.178	0.326	0.233	0.176	0.249	0.298	0.222	0.226	0.299	0.364	0.381	0.403	0.510	0.399	0.271
jrubby-1.1	0.237	0.085	0.268	0.124	0.074	0.117	0.415	0.298	0.131	0.351	0.353	0.369	0.390	0.449	0.426	0.188
jrubby-1.4.0	0.342	0.177	0.336	0.162	0.158	0.306	0.322	0.153	0.242	0.361	0.357	0.314	0.357	0.396	0.374	0.327
jrubby-1.5.0	0.145	0.057	0.250	0.045	0.047	0.102	0.325	0.234	0.096	0.295	0.297	0.270	0.300	0.319	0.322	0.134
jrubby-1.7.0	0.163	0.040	0.222	0.188	0.030	0.084	0.248	0.190	0.067	0.183	0.204	0.204	0.261	0.148	0.236	0.157
lucene-2.3.0	0.276	0.268	0.318	0.112	0.226	0.341	0.233	0.183	0.301	0.638	0.657	0.586	0.619	0.721	0.584	0.336
lucene-2.9.0	0.279	0.203	0.257	0.256	0.185	0.304	0.257	0.254	0.254	0.345	0.396	0.290	0.293	0.406	0.382	0.304
lucene-3.0.0	0.256	0.132	0.249	0.282	0.105	0.276	0.183	0.189	0.170	0.360	0.400	0.331	0.335	0.335	0.405	0.296
lucene-3.1	0.084	0.036	0.076	0.046	0.029	0.089	0.190	0.190	0.056	0.099	0.156	0.063	0.059	0.112	0.159	0.094
wicket-1.3.0beta2	0.212	0.052	0.165	0.127	0.035	0.141	0.246	0.190	0.067	0.205	0.257	0.183	0.144	0.209	0.274	0.158
wicket-1.3.0beta1	0.166	0.038	0.150	0.139	0.032	0.108	0.239	0.174	0.047	0.236	0.274	0.184	0.189	0.232	0.333	0.120
wicket-1.5.3	0.137	0.022	0.069	0.167	0.022	0.061	0.181	0.133	0.039	0.093	0.136	0.084	0.058	0.091	0.165	0.060
Median	0.228	0.107	0.235	0.154	0.094	0.197	0.263	0.207	0.143	0.318	0.344	0.293	0.312	0.350	0.364	0.212

TABLE 7 Comparison results of supervised methods using the NPSKESD test in terms of F-measure@20%LOC.

Dataset	Unsupervised methods									Supervised methods						ICUSDP
	ONE	CLA	CLAMI	MD	MU	SC	TCL	TCLP	KMedoids	DT	GBM	linearSV	LR	RF	XGBoost	
activemq-5.0.0	0.249	0.108	0.220	0.284	0.098	0.221	0.331	0.309	0.127	0.472	0.484	0.438	0.473	0.532	0.495	0.227
activemq-5.1.0	0.162	0.047	0.175	0.158	0.041	0.130	0.277	0.227	0.077	0.221	0.260	0.190	0.167	0.199	0.281	0.145
activemq-5.2.0	0.219	0.074	0.187	0.196	0.074	0.149	0.273	0.223	0.108	0.429	0.406	0.264	0.241	0.403	0.434	0.148
activemq-5.3.0	0.202	0.076	0.223	0.140	0.076	0.206	0.290	0.161	0.111	0.308	0.322	0.279	0.314	0.328	0.341	0.207
activemq-5.8.0	0.153	0.032	0.129	0.170	0.028	0.112	0.193	0.182	0.050	0.188	0.274	0.186	0.140	0.196	0.264	0.119
derby-10.2.1.6	0.311	0.310	0.440	0.253	0.286	0.367	0.282	0.212	0.342	0.451	0.467	0.481	0.491	0.507	0.480	0.365
derby-10.3.1.4	0.283	0.296	0.359	0.166	0.267	0.344	0.256	0.170	0.316	0.391	0.450	0.402	0.410	0.486	0.445	0.332
derby-10.5.1.1	0.247	0.125	0.266	0.208	0.111	0.211	0.320	0.228	0.162	0.306	0.329	0.323	0.348	0.348	0.349	0.274
groovy-1.5.7	0.051	0.022	0.129	0.042	0.020	0.050	0.212	0.264	0.026	0.190	0.191	0.214	0.242	0.171	0.286	0.057
groovy-1.6beta1	0.153	0.106	0.214	0.083	0.097	0.172	0.234	0.171	0.133	0.268	0.313	0.218	0.233	0.274	0.343	0.165
groovy-1.6beta2	0.153	0.118	0.238	0.095	0.106	0.146	0.233	0.182	0.143	0.328	0.385	0.231	0.263	0.312	0.364	0.154
hbase-0.94.0	0.303	0.195	0.303	0.117	0.168	0.345	0.254	0.210	0.237	0.379	0.389	0.367	0.411	0.404	0.431	0.346
hbase-0.95.0	0.339	0.297	0.375	0.275	0.288	0.420	0.274	0.241	0.342	0.433	0.485	0.404	0.399	0.439	0.448	0.384
hbase-0.95.2	0.353	0.328	0.412	0.202	0.307	0.458	0.249	0.204	0.367	0.430	0.431	0.407	0.418	0.462	0.427	0.427
hive-0.10.0	0.354	0.112	0.281	0.028	0.097	0.261	0.347	0.308	0.168	0.316	0.354	0.308	0.269	0.326	0.366	0.277
hive-0.12.0	0.201	0.117	0.177	0.000	0.105	0.197	0.147	0.140	0.193	0.234	0.283	0.126	0.183	0.220	0.256	0.199
hive-0.9.0	0.393	0.178	0.326	0.233	0.176	0.249	0.298	0.222	0.226	0.299	0.364	0.381	0.403	0.510	0.399	0.271
jrubby-1.1	0.237	0.085	0.268	0.124	0.074	0.117	0.415	0.298	0.131	0.351	0.353	0.369	0.390	0.449	0.426	0.188
jrubby-1.4.0	0.342	0.177	0.336	0.162	0.158	0.306	0.322	0.153	0.242	0.361	0.357	0.314	0.357	0.396	0.374	0.327
jrubby-1.5.0	0.145	0.057	0.250	0.045	0.047	0.102	0.325	0.234	0.096	0.295	0.297	0.270	0.300	0.319	0.322	0.134
jrubby-1.7.0	0.163	0.040	0.222	0.188	0.030	0.084	0.248	0.190	0.067	0.183	0.204	0.204	0.261	0.148	0.236	0.157
lucene-2.3.0	0.276	0.268	0.318	0.112	0.226	0.341	0.233	0.183	0.301	0.638	0.657	0.586	0.619	0.721	0.584	0.336
lucene-2.9.0	0.279	0.203	0.257	0.256	0.185	0.304	0.257	0.254	0.254	0.345	0.396	0.290	0.293	0.406	0.382	0.304
lucene-3.0.0	0.256	0.132	0.249	0.282	0.105	0.276	0.183	0.189	0.170	0.360	0.400	0.331	0.335	0.335	0.405	0.296
lucene-3.1	0.084	0.036	0.076	0.046	0.029	0.089	0.190	0.190	0.056	0.099	0.156	0.063	0.059	0.112	0.159	0.094
wicket-1.3.0beta2	0.212	0.052	0.165	0.127	0.035	0.141	0.246	0.190	0.067	0.205	0.257	0.183	0.144	0.209	0.274	0.158
wicket-1.3.0beta1	0.166	0.038	0.150	0.139	0.032	0.108	0.239	0.174	0.047	0.236	0.274	0.184	0.189	0.232	0.333	0.120
wicket-1.5.3	0.137	0.022	0.069	0.167	0.022	0.061	0.181	0.133	0.039	0.093	0.136	0.084	0.058	0.091	0.165	0.060
Median	0.228	0.107	0.235	0.154	0.094	0.197	0.263	0.207	0.143	0.318	0.344	0.293	0.312	0.350	0.364	0.212

3.2 Results of the ICUSDP Feature Category Distribution

Figure 1 shows the category distribution of the Top-3 software metrics identified by ICUSDP. Code metrics account for the majority of the selected metrics (80%), followed by ownership metrics (15%) and process metrics (5%). Table 8 provides the Top-20 metrics together with their rankings, categories, and semantic descriptions. Consistent with the Top-3 distribution, most of the Top-20 metrics are code metrics, while ownership and process metrics account for a smaller proportion. These results provide additional details on the types and semantics of the software metrics identified by ICUSDP.




Fig1 Feature_Category_Distribution

TABLE 8 Top-20 Software Metrics Identified by ICUSDP

Rank	Metric	Category	Semantic
1	PercentLackOfCohesion	Code metrics	the 100% minus the average cohesion for package entities
2	CountClassCoupled	Code metrics	the number of other classes to which a class is coupled
3	MaxNesting_Mean	Code metrics	the maximum nesting level of control constructs
4	RatioCommentToCode	Code metrics	the ratio of comment lines to code lines
5	CountLineComment	Code metrics	the number of lines containing comment
6	AvgCyclomaticModified	Code metrics	the modified McCabe Cyclomatic complexity
7	CountOutput_Mean	Code metrics	the number of called subprograms plus global variables set
8	CountDeclClassVariable_Mean	Code metrics	the number of class methods
9	CountDeclInstanceVariable_Mean	Code metrics	the number of instance variables

10	OWN_COMMIT	Ownership metrics	the proportion of code changes (i.e., Git commits) made by the developer who has the highest contribution of code changes on the module
11	CountDeclMethodPublic	Code metrics	the number of local (not inherited) public methods
12	MAJOR_COMMIT	Ownership metrics	the number of unique developers who have contributed more than 5% of the total code changes (i.e., Git commits) on the module
13	CountDeclMethodPrivate	Code metrics	the number of local (not inherited) private methods
14	CountDeclInstanceMethod	Code metrics	the number of instance methods
15	CountClassBase	Code metrics	the number of immediate base classes
16	MAJOR_LINE	Ownership metrics	the number of unique developers who have contributed more than 5% of the total lines of code on the module
17	Added_Lines	Process metrics	the normalized number of lines added to the module
18	AvgEssential	Code metrics	the average essential complexity for all nested functions or methods
19	AvgLineBlank	Code metrics	the average number of blank lines for all nested functions or methods
20	CountDeclClassMethod	Code metrics	the number of class methods

3.3 Results of the Top-k overlap and Kendall's Tau.

Table 9 further compares the feature rankings generated by ICUSDP with those of six supervised models. The Top-1 overlap values range from 0.030 to 0.250, while the Top-3 overlap values range from 0.106 to 0.224, indicating low or negligible direct overlap between the rankings. In contrast, ICUSDP shows moderate positive Kendall's Tau correlations with DT (0.396), RF (0.566), GBM (0.491), and XGBoost (0.403), all with statistically significant p-values. The correlations with LR and linearSVM are weak and not statistically significant. These results suggest that although ICUSDP does not consistently identify exactly the same top-ranked metrics as supervised models, its overall feature-ranking patterns show partial consistency, particularly with tree-based models.

TABLE 9 Comparison of feature-ranking agreement between ICUSDP and supervised methods in terms of Top-k overlap and Kendall's Tau.

Contrast_Method	Top-1 Overlap	Top-1 Agreement	Top-3 Overlap	Top-3 Agreement	Kendall's Tau	p-value	Tau Agreement
DT	0.196	low	0.224	negligible	0.396	0.001	moderate
RF	0.250	low	0.212	negligible	0.566	1.14E-06	moderate
GBM	0.196	low	0.218	negligible	0.491	2.21E-05	moderate
XGBoost	0.125	low	0.106	negligible	0.403	4.75E-04	moderate

LR	0.074	low	0.173	negligible	0.085	0.464	weak
linearSVM	0.030	low	0.142	negligible	0.163	0.161	weak

3.4 Results of the Generalizability Evaluation for the ICUSDP Framework

Table 10 presents the generalizability evaluation of the ICUSDP framework by replacing the feature learner, clustering method, and interpreter with alternative components. The results show that different feature learners, clustering methods, and interpreters can be incorporated into the framework while still producing valid prediction results. The evaluated alternatives exhibit varying performance across G-mean, MCC, F-measure@20%LOC, and IFA, indicating that the choice of individual components can affect the resulting performance. Nevertheless, the framework remains applicable under these different component configurations. These results provide empirical evidence that ICUSDP is not tied to a specific implementation of its individual components and can be extended to alternative learning, clustering, and interpretation modules.

TABLE 10 Results of the Generalizability Evaluation for the ICUSDP Framework

Discussion: Generalizability Analysis of the Framework					
Method		G_mean	MCC	F-measure@20%LOC	IFA
OURS	ICUSDP	0.699	0.268	0.212	10.000
Feature learner	Modify into AE	0.445	0.179	0.194	8.000
	Modify into DAE	0.480	0.195	0.202	9.000
	Modify into CAE	0.701	0.272	0.202	10.000
Clustering	Modify into SC	0.680	0.237	0.176	15.000
	Modify into Agglomerative	0.595	0.200	0.184	13.000
	Modify into GMM	0.655	0.231	0.202	14.000
	Modify into K-medoids	0.557	0.077	0.130	33.000
Interpreter	Modify into RF	0.699	0.268	0.211	10.000
	Modify into GBM	0.699	0.268	0.212	10.000
	Modify into XGBoost	0.699	0.268	0.211	10.000

3.5 omparison of Top-10 Overlap Across Runs Before and After Feature Selection

Table 11 presents the Top-10 overlap among different runs before and after feature selection. Unlike the cross-project Top-1 and Top-3 overlap reported in the main paper, this analysis examines the consistency of the Top-10 feature sets across individual runs within each dataset. The average Top-10 overlap increases from 0.150 before feature selection to 0.404 after feature selection, and this increase is observed across all 28 datasets. These results provide additional evidence for the discussion of how feature selection affects the consistency of feature rankings across runs.

TABLE 11 Comparison of Top-10 Overlap Across Runs Before and After Feature Selection

Dataset	Before FS	After FS
activemq-5.0.0	0.154	0.416

activemq-5.1.0	0.157	0.419
activemq-5.2.0	0.158	0.437
activemq-5.3.0	0.184	0.435
activemq-5.8.0	0.189	0.439
derby-10.2.1.6	0.128	0.454
derby-10.3.1.4	0.164	0.385
derby-10.5.1.1	0.154	0.436
groovy-1_5_7	0.130	0.374
groovy-1_6_beta_1	0.125	0.388
groovy-1_6_beta_2	0.127	0.389
hbase-0.94.0	0.125	0.431
hbase-0.95.0	0.160	0.412
hbase-0.95.2	0.158	0.414
hive-0.10.0	0.146	0.430
hive-0.12.0	0.205	0.404
hive-0.9.0	0.155	0.384
jruby-1.1	0.124	0.336
jruby-1.4.0	0.124	0.341
jruby-1.5.0	0.128	0.379
jruby-1.7.0	0.137	0.386
lucene-2.3.0	0.122	0.364
lucene-2.9.0	0.145	0.402
lucene-3.0.0	0.139	0.360
lucene-3.1	0.175	0.456
wicket-1.3.0-beta2	0.155	0.380
wicket-1.3.0-beta1	0.144	0.384
wicket-1.5.3	0.175	0.469
Average	0.150	0.404

Reference

- [1] S. Yatish, J. Jiarpakdee, P. Thongtanunam, and C. Tantithamthavorn, "Mining software defects: Should we consider affected releases?" in ICSE'19, 2019, pp. 654–665.
- [2] J. Jiarpakdee, C. Tantithamthavorn, and A. Hassan, "The impact of correlated metrics on the interpretation of defect models," IEEE Transactions on Software Engineering, vol. 47, no. 2, pp. 320–331, 2021.
- [3] J. Jiarpakdee, C. Tantithamthavorn, H. K. Dam, and J. Grundy, "An empirical study of model-agnostic techniques for defect prediction models," IEEE Transactions on Software Engineering, vol. 48, no. 1, pp. 166–185, 2022.
- [4] C. Tantithamthavorn, S. McIntosh, A. E. Hassan, and K. Matsumoto, "The impact of automated parameter optimization on defect

prediction models,” IEEE Transactions on Software Engineering, vol. 45, no. 7, pp. 683–711, 2019.

- [5] C. Tantithamthavorn, A. E. Hassan, and K. Matsumoto, “The impact of class rebalancing techniques on the performance and interpretation of defect prediction models,” IEEE Transactions on Software Engineering, vol. 46, no. 11, pp. 1200–1219, 2020.
- [6] J. Jiarapakdee, C. Tantithamthavorn, and C. Treude, “Autospearman: Automatically mitigating correlated software metrics for interpreting defect models,” in ICSME’18. IEEE, 2018, pp. 92–103.