http://murraylake.net/ - Section 508

```
Scan completed: 03/10/2017 12:24:29 PM
Group
                                                                                                                       All issues

   Section 508

           Section 508 guidelines for web applications as described at the US Access Board web site.

    1194.22(a)

                 A text equivalent for every non-text element shall be provided (e.g., via "alt",
                 "longdesc", or in element content).
                ■a.1 All IMG elements are required to contain either the ALT or LONGDESC attribute.
                      The ALT or LONGDESC attribute is used by user agents to supply information about
                      an image when images cannot be shown.
                     IMG element contains no ALT attribute.
                         http://murraylake.net/
                              • Line 94, column 9, img element, SRC = "spacer.gif"
                               Line 95, column 761, img element, SRC = "sideshadow.png"
                              ■ Line 96, column 72, img element, SRC = "bottomshadow.png"
                               Line 97, column 72, img element, SRC = "hometop.png"
                              • Line 99, column 1, img element, SRC = "menuheadings/fishing.png"
                              Line 100, column 193, img element, SRC = "menu/walleye1.png"
                              Line 100, column 444, img element, SRC = "menu/pike1.png"
                              Line 101, column 191, img element, SRC = "menu/bass1.png"
                               Line 102, column 201, img element, SRC = "menu/laketrout1.png"
                              Line 103, column 205, img element, SRC = "menu/brooktrout1.png"
                                Line 104, column 185, img element, SRC = "menu/perch1.png"
                              Line 105, column 198, img element, SRC = "menu/icefishing1.png"
                              • Line 107, column 201, img element, SRC = "menu/walleyetips1.png"
                              Line 108, column 197, img element, SRC = "menu/piketips1.png"
                              • Line 109, column 199, img element, SRC = "menu/basstips1.png"
                               Line 110, column 209, img element, SRC = "menu/laketrouttips1.png"
                              Line 111, column 213, img element, SRC = "menu/brooktrouttips1.png"
                                Line 114, column 196, img element, SRC = "menu/fishphotos1.png"
                              Line 115, column 236, img element, SRC = "menu/fishingregulations1.png"
                               Line 116, column 235, img element, SRC = "menu/whattobringfishing1.png"
                              • Line 117, column 215, img element, SRC = "menu/boatsandmotors1.png"
                              Line 118, column 176, img element, SRC = "menu/lake1.png"
                              Line 120, column 1, img element, SRC = "menuheadings/hunting.png"
                              Line 122, column 197, img element, SRC = "menu/blackbear1.png"
                              Line 123, column 186, img element, SRC = "menu/bearhunt1.png"
                              Line 124, column 200, img element, SRC = "menu/bearphoto1.png"
                               Line 125, column 181, img element, SRC = "menu/moose1.png"
                              Line 126, column 190, img element, SRC = "menu/moosehunt1.png"
                              Line 127, column 199, img element, SRC = "menu/moosephoto1.png"
                              • Line 128, column 188, img element, SRC = "menu/grouse1.png"
                              Line 130, column 1, img element, SRC = "menuheadings/cabins.png"
                              • Line 132, column 181, img element, SRC = "menu/lodge1.png"
                              • Line 133, column 191, img element, SRC = "menu/cabinone1.png"
                              Line 134, column 189, img element, SRC = "menu/cabintwo1.png"
                              • Line 135, column 206, img element, SRC = "menu/cabinthree1.png"
                                Line 136, column 197, img element, SRC = "menu/cabinfour1.png"
                              Line 137, column 199, img element, SRC = "menu/cabinfive1.png"
                               Line 138, column 193, img element, SRC = "menu/outpost1.png"
                              Line 139, column 196, img element, SRC = "menu/outpost3.png"
                              Line 141, column 1, img element, SRC = "menuheadings/information.png"
                               Line 143, column 190, img element, SRC = "menu/contact1.png"
                              Line 144, column 188, img element, SRC = "menu/rates1.png"
                               Line 145, column 168, img element, SRC = "menu/mobile1.png"
                              • Line 146, column 218, img element, SRC = "menu/testimonials1.png"
                               Line 148, column 183, img element, SRC = "menu/atv1.png"
                              Line 149, column 211, img element, SRC = "menu/snowmobile1.png"
                               Line 150, column 181, img element, SRC = "menu/guests1.png"
                               Line 151, column 198, img element, SRC = "menu/scenery1.png"
                              Line 152, column 192, img element, SRC = "menu/wildlife1.png"
                                Line 153, column 184, img element, SRC = "menu/links1.png"
                              • (10 more)
```

- Non-decorative IMG element contains empty ALT attribute.
 - http://murravlake.net/
 - Line 230, column 39, img element, SRC = "http://e1.extreme-dm.com/s10.g? login=mrcwpf&j=n&jv=n'

- ✓All IMG elements have valid ALT attributes.
 - http://murraylake.net/
- ■a.3 When EMBED elements are used, the NOEMBED element or ARIA attributes are requ...

EMBED elements present functionality not available to all users. The NOEMBED element can be used to provide a deion. ARIA attributes can be use as an alternative of NOEMBED element for providing deion.

- MEMBED element doesn't have NOEMBED element and valid ARIA attributes for providing description. Either aria-labelledby, aria-describedby or aria-label must have a value.
 - http://murraylake.net/
 - Line 95, column 512, embed element, SRC = "murray.swf"
- ■a.4 All OBJECT elements are required to contain element content.

OBJECT elements typically use technologies that are not available to all users. The element content is used to describe the purpose of the object/applet.

- ■ OBJECT found with no content. Either aria-labelledby, aria-describedby or aria-label must have a value..
 - http://murraylake.net/
 - Line 95, column 159, object element
- a.2 All APPLET elements are required to contain both element content and the ALT ...

APPLET elements provide functionality that is not available to all users. Either the element content or the ALT attribute are used to describe the purpose of the applet, depending on the user agent.

- No APPLET elements found.
- http://murraylake.net/
- a.5 All SVG elements require a 'Title' or 'Desc' element, or an 'Aria' attribute ...

SVG elements requires title or desc child elements or ARIA attributes which describe purpose of element.

- Page doesn't have SVG elements.
 - http://murraylake.net/
- ■a.6 All IFRAME elements that contain non-text content should use a 'Title' elemen...
 - Page does not have IFRAME elements which contains non-text content.
 - http://murraylake.net/
- a.7 All FIGURE elements require a 'figcaption' tag that describes the purpose of ...

Figcaption contains describe the purpose of the figure or any other element which is inside figure element.

- No Figure elements found.
 - http://murraylake.net/
- 1194.22(b)

Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.

- **o**b.3 Identify all EMBED elements that have a SRC attribute value with a multimedia...
 - EMBED element uses a multimedia file extension.
 - http://murraylake.net/
 - Line 95, column 512, embed element, SRC = "murray.swf"
- b.1 Identify all OBJECT Elements that have a multimedia MIME type as the type att..

For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g., captions or auditory deions of the visual track) with the presentation.

- Object element does not use MIME.
 - http://murraylake.net/
- b.2 Identify all OBJECT Elements that have a DATA attribute value with a multimed...
 - Page does not contain OBJECT elements using known multimedia file extensions.
 - http://murraylake.net/
- **b.**4 Identify all links that have an HREF attribute value with a multimedia file e...

For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g., captions or auditory deions of the visual track) with the presentation.

- Page does not contain links referring to any known multimedia file extension.
 - http://murraylake.net/
- **b.**5 Identify all VIDEO or AUDIO elements that have a 'Track' child element with a...
 - Page does not contain video or Audio elements.
 - http://murraylake.net/
- **b**.6 Identify all IFRAME elements that have a SRC attribute value with an external...
 - Page does not contain IFRAME elements with external known webpage's video.
 - http://murraylake.net/

Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.

■ Oc.1 Ensure that all information conveyed with color is also available without col...

This check identifies pages that potentially require color for visual checking.

- Stylesheet specifies color usage. Visual check required.
 - http://murraylake.net/
 - Line 88, column 33, style element, #content = " A {TEXT-DECORATION: none}.vist { FILTER: ...ue; } a:hover { color: red; } "
 - Line 89, column 36, style element, #content = " A {TEXT-DECORATION: none}.vist { FILTER: ...ue; } a:hover { color: red; } "
 - Line 90, column 34, style element, #content = " A {TEXT-DECORATION: none}.vist { FILTER: ...ue; } a:hover { color: red; } "

Documents shall be organized so they are readable without requiring an associated style sheet.

Organize documents so they may be read without style sheets.

Organize documents so they may be read without style sheets. For example, when an HTML document is rendered without associated style sheets, it must still be possible to read the page.

- Page uses an internal style sheet. Verify that the page can be read without it.
 - http://murraylake.net/
- ☑d.2 Ensure Color and background color may be specified at any level in the cascad...

Users with vision loss or cognitive challenges often require specific foreground (text) and background color combinations. For instance, many people with low vision find it much easier to see a Web page that has white text on a black background, so they may have set their user agent to create this contrast. If the author specifies that the text must be black, then it may override the settings of the user agent and render a page that has black text (specified by the author) on black background (that was set in the user agent). This principle also works in reverse. If the Webmaster forces the background to be white, then the white background specified by the author would be the same color as the white text (which was set in the user agent) rendering the page unusable to the user. Therefore, if the author specifies a foreground (text) color then they should also specify a background color which has sufficient contrast (link) with the foreground and vice versa.

- ✓Page contain no elements that specific foreground color but no background color or vice versa
 - http://murraylake.net/
- ✓d.3 Making the DOM order match the visual order.
 - Page does not use absolute positioning
 - http://murraylake.net/
- 1194.22(g)

Row and column headers shall be identified for data tables.

This check identifies data tables that do not have any TH elements. Data tables are recognised as having a border attribute greater than 0. Tables with no border require a visual check, unless they contain input, image or child table elements, or cells with long text, indicating they are most likely layout tables.

- Possible data table does not use TH element.
 - http://murraylake.net/
 - Line 160, column 1, TABLE element
 - Line 174, column 1, TABLE element
 - Line 183, column 1, TABLE element
 - Line 234, column 9, TABLE element
- Page contains only layout tables.
 - http://murraylake.net/
- ∘ 21194.22(j)

Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.

- oj.2 Until user agents allow users to control blinking, avoid causing content to b...
 - Page may contain elements that cause blinking.
 - http://murraylake.net/
- ☑j.1 Pages are required not to contain the BLINK element.
 - Page does not contain a BLINK element.
 - http://murraylake.net/
- 1194.22(k)

A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.

• ©k.1 Check for a 'Text Only Version' link that provides equivalent access to a page.

If a Text Only Equivalent of a page is provided it must be updated every time the primary content changes. This checkpoint typically gets marked N/A because there are sufficient techniques for making complex web content accessible. This checkpoint may need to be customized.

Verify if text only version is necessary for page

http://murraylake.net/

When pages utilize ing languages to display content, or to create interface elements, the information provided by the shall be identified with functional text that can be read by assistive technology.

- Ol.1 Verify information provided by scripts shall be identified with functional te...
 - Verify that script is invokable or have textual representation
 - http://murraylake.net/
- ☑1.2 When SCRIPT elements are used, the NOSCRIPT element is required in the page.
 - ✓Both SCRIPT are NOSCRIPT elements are present.
- http://murraylake.net/
 Ensure that all anchor elements that use JavaScript in the link target descri...
 - Page does not have A link element which has href contain javascript.
 - http://murravlake.net/

A method shall be provided that permits users to skip repetitive navigation links.

■ 0.1 Pages should contain a bookmark link to skip navigation.

This checkpoint may require customization.

- Page has no skip navigation link, but has no significant content.
- http://murraylake.net/

When a timed response is required, the user shall be ed and given sufficient time to indicate more time is required

■ p.2 Allow users to complete an activity without any time limit.

The objective of this technique is to provide users with all the time they need to complete an activity. This technique involves providing a specified activity which does not require timed interaction. Users are allowed as much time as they need to interact with the activity.

- Verify purpose of timeout. Usability test to ensure that user can complete activity without time limit
 - http://murraylake.net/
 - Line 239, column 10, script element, SRC = "//translate.google.com/translate_a/element.js? cb=googleTranslateElementInit"
- p.1 Pages are required not to use the META element with the HTTP-EQUIV attribute ...

Until user agents provide the ability to stop the refresh, do not create periodically auto-refreshing pages.

- Page does not contain the META element.
 - http://murraylake.net/
- ∘ ✓1194.22(f)

Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.

- f.2 No IMG element should contain the ISMAP attribute.
 - No IMG element contains an ISMAP attribute.
 - http://murraylake.net/
- **a**f.1 All AREA elements are required to have the ALT attribute.

Client-side image maps present functionality that is not available to all users. The ALT attribute can be used for AREA elements to provide a text equivalent.

- Page has no AREA elements.
 - http://murraylake.net/
- **E**f.3 No INPUT element should contain the ISMAP attribute.
 - Page does not contain INPUT elements.
 http://murraylake.net/
- □ 1194.22(e)

Redundant text links shall be provided for each active region of a server-side image map.

Ee.1 Locate any IMG element that contains the ISMAP attribute.

If you must use a server-side image map, provide redundant text links for each active region. You should use client-side image maps where possible.

- Page does not use server-side maps.
 - http://murraylake.net/
- Ee.2 No INPUT element should contain the USEMAP attribute.
 - Page does not contain INPUT elements.
 - http://murraylake.net/
- ∘ **=**1194.22(h)

Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.

■ Bh.1 For data tables that have two or more logical levels of row or column headers...

Describe the table structure using the SUMMARY attribute or ARIA attributes. Identify structural groups of rows using THEAD, TFOOT, TBODY, COLGROUP and

COL. Label table elements with the "scope", "headers", and "axis" attributes to assist user agents.

- Page does not contain complex data tables.
 - http://murraylake.net/
- ∘ **=**1194.22(i)

Frames shall be titled with text that facilitates frame identification and navigation

■ ■i.1 All IFRAME elements are required to contain element content.

IFRAME elements provide functionality that is not available to all users. The element content should describe the purpose of the IFRAME.

- Page does not have IFRAME elements.
 - http://murraylake.net/
- ai.2 All FRAME elements are required to contain the title attribute.
 - No FRAME elements found in document body.
 - http://murraylake.net/
- ■i.3 All FRAMESET elements will be checked for the NOFRAMES element.

Pages with frames are not available to all users. The NOFRAMES element should used to provide an alternative.

Page does not have FRAMESET elements.

http://murraylake.net/

。 **■**1194.22(m)

When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (I).

=m.1 All pages that have links to files that require a special reader or plug-in a...

This checkpoint may require customization.

- Page does not contain links to files known to require a special reader.
 - http://murraylake.net/
- ∘ **=**1194.22(n)

When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.

■ ■n.1 Identify all LABEL elements used within FORM elements.

Until user agents support explicit associations between labels and form controls, for all form controls with implicitly associated labels, ensure that the label is properly positioned.

- Page does not contain FORM elements.
 - http://murraylake.net/
- n.2 All INPUT elements are required to contain the ALT or TITLE attribute, or use...

All visible INPUT elements must have a label, either by using a linked or containing LABEL element, or by using the ALT or TITLE attribute. Buttons are considered to be self-labeling.

- No relevant INPUT elements found in document.
 - http://murraylake.net/
- In.3 Associate labels explicitly with their controls (SELECT elements).

All SELECT elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or ALT attribute.

- No SELECT elements were found.
 - http://murraylake.net/
- In.4 Associate labels explicitly with their controls (TEXTAREA elements).

All TEXTAREA elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or ALT attribute.

- No TEXTAREA elements were found.
 - http://murraylake.net/
- n.5 Ensure that all LABEL 'FOR' attributes match another control.
 - No LABEL 'FOR' attribute found on page.
 - http://murraylake.net/
- Identify all INPUT elements that uses the 'placeholder' attribute instead of ...

The placeholder attribute represents a short hint (a word or short phrase) intended to aid the user with data entry. A hint could be a sample value or a brief deion of the expected format. The placeholder text gets removed as the form is being filled out and forms needs to be usable even when placeholder text is not there.

- No INPUT elements available on page.
 - http://murraylake.net/
- n.7 Ensure that all elements that have a 'Role' attribute value of 'application',...
 - No elements have role=application on page.
 - http://murraylake.net/
- ■n.8 Ensure that elements with the 'Required' attribute has a linked LABEL content...
 - No elements have required attribute.

All issues Group

3

- http://murraylake.net/
 n.9 Ensure that elements that have the 'Role' attribute value of 'checkbox' or 'r...
 No elements have role attribute.
 http://murraylake.net/

Total