



```
1 var houses = document.getElementById("houses");
2 var s = houses.getBBox();
3
4 //check the console for the SVGRect object
5 console.log( s );
6
7 //we store the values from the object as our new viewBox string
8 var newView = "" + s.x + " " + s.y + " " + s.width + " " + s.height;
9
10 //we then set the new viewBox string as the viewBox attribute on the SVG
11 var foo = document.getElementById("foo");
12 foo.setAttribute("viewBox", newView);
```



```
1 var houses = document.getElementById("houses");
2 var s = houses.getBBox();
3
4 //check the console for the SVGRect object
5 console.log( s );
6
7 //we store the values from the object as our new viewBox string
8 var newView = "" + s.x + " " + s.y + " " + s.width + " " + s.height;
9
10 //we then set the new viewBox string as the viewBox attribute on the SVG
11 var foo = document.getElementById("foo");
12 foo.setAttribute("viewBox", newView);
```



RETAINING CONTEXT


VIEWBOX AS A CAMERA

```
JS
1 var houses = document.getElementById("houses");
2 var s = houses.getBBox();
3
4 //check the console for the SVGRect object
5 console.log( s );
6
7 //we store the values from the object as our new viewBox string
8 var newView = "" + s.x + " " + s.y + " " + s.width + " " + s.height;
9
10 //we then set the new viewBox string as the viewBox attribute on the SVG
11 var foo = document.getElementById("foo");
12 foo.setAttribute("viewBox", newView);
```



RETAINING CONTEXT

VIEWBOX AS A CAMERA



codepen.io/sdras/pen/dXoLEJ