

Apache Web Server Installation and Basic Linux Commands

Aim

To install the **Apache Web Server** on Ubuntu Linux and understand the basic Linux commands used to navigate directories and manage files.

Introduction

Apache HTTP Server is one of the most popular open-source web servers. It is used to host websites and web applications. Before creating a website, Apache must be installed and configured. Linux commands are used to navigate directories, install software, and manage web files.

Command Explanation

1. `cd /`

Definition:

Moves to the root directory (/), which is the top-most directory in the Linux file system.

2. `ls`

Definition:

Lists all files and folders in the current directory.

3. `cd opt`

Definition:

Changes the current directory to **/opt**, which is commonly used for optional software packages.

4. `sudo apt update`

Definition:

Updates the package list from Ubuntu repositories so the latest software information is available.

5. `sudo apt install apache2 -y`

Definition:

Installs the Apache2 web server. The `-y` option automatically answers "Yes" to installation prompts.

6. `sudo su`

Definition:

Switches to the root (administrator) user, giving full system privileges.

7. `cd`

Definition:

Returns to the current user's home directory.

8. `cd /var`

Definition:

Moves to the `/var` directory, which stores variable data such as logs and web files.

9. `cd /var/www`

Definition:

Moves to the `www` directory where Apache stores website files.

10. `cd /var/www/html`

Definition:

Opens the default document root of the Apache web server. Files placed here are accessible through a web browser.

11. `ls`

Definition:

Displays the contents of the **html** directory.

12. `index.html`

Definition:

`index.html` is the default homepage displayed by the Apache web server. You can edit this file to create your own website.

Command	Definition
<code>cd /</code>	Go to the root directory.
<code>ls</code>	List files and directories.
<code>cd opt</code>	Move into the <code>/opt</code> directory.
<code>sudo apt update</code>	Update the package repository list.
<code>sudo apt install apache2 -y</code>	Install the Apache web server automatically (<code>-y</code> confirms installation).
<code>sudo su</code>	Switch to the root (administrator) user.
<code>cd</code>	Go to the current user's home directory.
<code>cd /var</code>	Move to the <code>/var</code> directory.
<code>cd /var/www</code>	Move to the Apache web content directory.
<code>cd /var/www/html</code>	Open the default Apache website directory.
<code>index.html</code>	Default web page displayed by Apache. Edit it using <code>nano index</code> ↓ or <code>vi index.html</code> .

Name	Date modified	Type	Size
america	10-07-2026 10:37	File folder	
butan	10-07-2026 10:37	File folder	
hyderabad	09-07-2026 12:57	File folder	
japen	10-07-2026 10:37	File folder	
pandu ranga	10-07-2026 10:39	File folder	
russia	10-07-2026 10:37	File folder	
sd	09-07-2026 12:32	File folder	
vijayawada	09-07-2026 12:49	File folder	
buji	10-07-2026 10:30	File	0 KB
cloud	09-07-2026 12:12	File	0 KB
divi sandy	09-07-2026 12:15	File	0 KB
doraemon	10-07-2026 10:30	File	0 KB
nobita	10-07-2026 10:29	File	0 KB
peechu	10-07-2026 11:03	File	1 KB
shinchan	10-07-2026 10:30	File	0 KB