

ELASTIC BEANSTALK

Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

- * Documentation: <https://docs.ubuntu.com>
- * Management: <https://landscape.canonical.com>
- * Support: <https://ubuntu.com/pro>

System information as of Sat Jul 11 09:51:19 UTC 2026

System load: 0.04	Temperature: -273.1 C
Usage of /: 34.0% of 6.61GB	Processes: 122
Memory usage: 15%	Users logged in: 0
Swap usage: 0%	IPv4 address for ens5: 172.31.30.219

Expanded Security Maintenance for Applications is not enabled.

63 updates can be applied immediately.

47 of these updates are standard security updates.

To see these additional updates run: `apt list --upgradable`

Enable ESM Apps to receive additional future security updates.

See <https://ubuntu.com/esm> or run: `sudo pro status`

Last login: Sat Jul 11 09:40:56 2026 from 18.206.107.28

ubuntu@ip-172-31-30-219:~\$ sudo su

```
root@ip-172-31-30-219:/home/ubuntu# cd opt
bash: cd: opt: No such file or directory
root@ip-172-31-30-219:/home/ubuntu# cd /
root@ip-172-31-30-219:/# ls
bin boot dev etc home lib lib64 lost+found media mnt opt proc root run sbin snap
srv sys tmp usr var
root@ip-172-31-30-219:/# cd opt
root@ip-172-31-30-219:/opt# sudo apt update
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
60 packages can be upgraded. Run 'apt list --upgradable' to see them.
root@ip-172-31-30-219:/opt# sudo apt install apache2 -y
apache2 is already the newest version (2.4.66-2ubuntu2.4).
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 60
root@ip-172-31-30-219:/opt# sudo su
root@ip-172-31-30-219:/opt# cd
root@ip-172-31-30-219:~# ls
snap
root@ip-172-31-30-219:~# cd /
root@ip-172-31-30-219:/# ls
bin boot dev etc home lib lib64 lost+found media mnt opt proc root run sbin snap
srv sys tmp usr var
root@ip-172-31-30-219:/# cd var
root@ip-172-31-30-219:/var# ls
backups cache crash lib local lock log mail opt run snap spool tmp www
root@ip-172-31-30-219:/var# cd www
```

```
root@ip-172-31-30-219:/var/www# ls
html
root@ip-172-31-30-219:/var/www# cd html
root@ip-172-31-30-219:/var/www/html# ls
index.html
root@ip-172-31-30-219:/var/www/html# cd /
root@ip-172-31-30-219:/# ls
bin boot dev etc home lib lib64 lost+found media mnt opt proc root run sbin snap
srv sys tmp usr var
root@ip-172-31-30-219:/# cd /var/www/html
root@ip-172-31-30-219:/var/www/html# ls
index.html
root@ip-172-31-30-219:/var/www/html# ^[[200~<!DOCTYPE html>
bash: !DOCTYPE: event not found
root@ip-172-31-30-219:/var/www/html# <html lang="en">
bash: syntax error near unexpected token `newline'
root@ip-172-31-30-219:/var/www/html# <head>
bash: syntax error near unexpected token `newline'
root@ip-172-31-30-219:/var/www/html#   <meta charset="UTF-8">
bash: syntax error near unexpected token `newline'
root@ip-172-31-30-219:/var/www/html#   <meta name="viewport"
content="width=device-width, initial-scale=1.0">
bash: syntax error near unexpected token `newline'
root@ip-172-31-30-219:/var/www/html#   <title>My First Web Page</title>
bash: syntax error near unexpected token `newline'
root@ip-172-31-30-219:/var/www/html# </head>
bash: syntax error near unexpected token `newline'
root@ip-172-31-30-219:/var/www/html# <body>
bash: syntax error near unexpected token `newline'
```

```
root@ip-172-31-30-219:/var/www/html#
```

```
root@ip-172-31-30-219:/var/www/html# <h1>Welcome to My Website</h1>
```

```
bash: syntax error near unexpected token `newline'
```

```
root@ip-172-31-30-219:/var/www/html# <p>This is my first HTML page.</p>
```

```
bash: syntax error near unexpected token `newline'
```

```
root@ip-172-31-30-219:/var/www/html#
```

```
root@ip-172-31-30-219:/var/www/html# <button onclick="alert('Hello, World!')">Click  
Me</button>
```

```
bash: !': event not found
```

```
root@ip-172-31-30-219:/var/www/html#
```

```
root@ip-172-31-30-219:/var/www/html# </body>
```

```
bash: syntax error near unexpected token `newline'
```

```
root@ip-172-31-30-219:/var/www/html# cat >index.html
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>My First Web Page</title>
```

```
</head>
```

```
<body>
```

```
<h1>Welcome to My Website</h1>
```

```
<p>This is my first HTML page.</p>
```

```
<button onclick="alert('Hello, World!')">Click Me</button>
```

```
</body>
```

```
</html>
```

```
^C
```

```
root@ip-172-31-30-219:/var/www/html# cd /home/ubuntu
```

```
root@ip-172-31-30-219:/home/ubuntu# cat > /var/www/html/index.html
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Modern Landing Page</title>
```

```
<style>
```

```
{
```

```
    margin:0;
```

```
    padding:0;
```

```
    box-sizing:border-box;
```

```
    font-family:Arial, Helvetica, sans-serif;
```

```
}
```

```
body{
```

```
    background:linear-gradient(135deg,#4facfe,#00f2fe);
```

```
    color:white;
```

```
}
```

```
/* Navigation */
```

```
nav{
```

```
    display:flex;
```

```
    justify-content:space-between;
```

```
    align-items:center;
    padding:20px 60px;
    background:rgba(0,0,0,0.2);
    backdrop-filter:blur(8px);
    position:sticky;
    top:0;
}
```

```
nav h2{
    font-size:30px;
}
```

```
nav ul{
    display:flex;
    list-style:none;
}
```

```
nav ul li{
    margin-left:30px;
}
```

```
nav ul li a{
    text-decoration:none;
    color:white;
    font-weight:bold;
    transition:.3s;
}
```

```
nav ul li a:hover{  
    color:yellow;  
}
```

```
/* Hero */
```

```
.hero{  
    height:90vh;  
    display:flex;  
    justify-content:center;  
    align-items:center;  
    flex-direction:column;  
    text-align:center;  
    padding:20px;  
}
```

```
.hero h1{  
    font-size:60px;  
}
```

```
.hero p{  
    margin-top:20px;  
    font-size:22px;  
    max-width:700px;  
}
```

```
.btn{  
    margin-top:30px;  
    padding:15px 35px;
```

```
border:none;
border-radius:40px;
background:white;
color:#0077ff;
font-size:18px;
cursor:pointer;
transition:.3s;
}
```

```
.btn:hover{
  transform:scale(1.1);
  background:yellow;
}
```

```
/* Cards */
.cards{
  display:flex;
  justify-content:center;
  flex-wrap:wrap;
  gap:30px;
  padding:60px;
}
```

```
.card{
  width:280px;
  background:white;
  color:#333;
  border-radius:20px;
```



```
padding:30px;
text-align:center;
transition:.4s;
box-shadow:0 10px 25px rgba(0,0,0,.3);
}
```

```
.card:hover{
  transform:translateY(-12px);
}
```

```
.card h2{
  color:#0077ff;
  margin-bottom:15px;
}
```

```
/* Progress Bars */
```

```
.skills{
  padding:60px;
  text-align:center;
}
```

```
.skill{
  width:70%;
  margin:20px auto;
}
```

```
.bar{
  width:100%;
```

```
height:20px;
background:white;
border-radius:20px;
}
```

```
.fill{
height:20px;
border-radius:20px;
background:lime;
}
```

```
.html{width:95%;}
.css{width:90%;}
.js{width:80%;}
```

```
/* Contact */
.contact{
padding:60px;
text-align:center;
}
```

```
input,textarea{
width:70%;
padding:15px;
margin:10px;
border:none;
border-radius:10px;
}
```

```
textarea{  
    height:120px;  
}
```

```
footer{  
    background:#111;  
    padding:20px;  
    text-align:center;  
}
```

```
/* Floating Button */
```

```
.top{  
    position:fixed;  
    right:20px;  
    bottom:20px;  
    width:60px;  
    height:60px;  
    border-radius:50%;  
    background:yellow;  
    color:black;  
    font-size:25px;  
    border:none;  
    cursor:pointer;  
}
```

```
</style>
```

</head>

<body>

<nav>

<h2>MyWebsite</h2>

Home

Services

Skills

Contact

</nav>

<section class="hero">

<h1>Welcome to My Website</h1>

<p>

Create beautiful websites using HTML, CSS and JavaScript.

This is a modern responsive landing page made in a single HTML file.

</p>

<button class="btn" onclick="showMessage()">

Get Started

</button>

```
</section>
```

```
<section class="cards" id="services">
```

```
<div class="card">
```

```
<h2>🚀 Fast</h2>
```

```
<p>
```

Lightning-fast performance with modern responsive design.

```
</p>
```

```
</div>
```

```
<div class="card">
```

```
<h2>😊 Beautiful</h2>
```

```
<p>
```

Clean UI, smooth animations, and elegant layouts.

```
</p>
```

```
</div>
```

```
<div class="card">
```

```
<h2>📱 Responsive</h2>
```

```
<p>
```

Looks great on desktop, tablet, and mobile devices.

```
</p>
```

```
</div>
```

```
</section>
```

```
<section class="skills" id="skills">
```

```
<h1>My Skills</h1>
```

```
<div class="skill">
```

```
<h3>HTML</h3>
```

```
<div class="bar">
```

```
<div class="fill html"></div>
```

```
</div>
```

```
</div>
```

```
<div class="skill">
```

```
<h3>CSS</h3>
```

```
<div class="bar">
```

```
<div class="fill css"></div>
```

```
</div>
```

```
</div>
```

```
<div class="skill">
```

```
<h3>JavaScript</h3>
```

```
<div class="bar">
```

```
<div class="fill js"></div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<section class="contact" id="contact">
```

<h1>Contact Me</h1>

<input type="text" placeholder="Your Name">

<input type="email" placeholder="Your Email">

<textarea placeholder="Your Message"></textarea>

<button class="btn" onclick="sendMessage()">

Send Message

</button>

</section>

<footer>

<h3>Made with  using HTML, CSS & JavaScript</h3>

<p>© 2026 All Rights Reserved.</p>

</footer>

<button class="top" onclick="topFunction()">↑</button>

<script>

```
function showMessage(){  
    alert("Welcome! Thanks for visiting my website.");  
}
```


```
function sendMessage(){  
    alert("Your message has been submitted successfully!");  
}
```

```
function topFunction(){  
    window.scrollTo({  
        top:0,  
        behavior:"smooth"  
    });  
}
```


```
</script>
```

```
</body>
```


^Croot



@ip-172-31-30-219:/home/ubuntu#



→ ↻ Not secure http://indhu-nodejs-app-env.eba-beegmxsb.us-east-1.elasticbeanstalk.com ☆ 📄 🔍

Benefits of AWS Elastic Beanstalk

Discover why thousands of developers rely on AWS Elastic Beanstalk to deploy and manage their applications.



Easy to Get Started

Upload your code and Elastic Beanstalk automatically handles the deployment, from capacity provisioning, load balancing, auto-scaling to application health monitoring.



Maximum Flexibility

With Elastic Beanstalk, you have the freedom to select the AWS resources, such as Amazon EC2 instance type including Spot instances, that are optimal for your application.



Managed Platform

Elastic Beanstalk automatically manages platform updates, including security patches and minor updates, for both the runtime and the operating system.

Key Features

Free Cloud ☒ Stack | Cloud ☒ AWS Elastic ☒ Understanding ☒ What is AWS ☒ Roles | IAM ☒ Nehru Group ☒ New tab ☒ + Ask Gemini — 📄 🔍

← → ↻ Not secure http://indhu-nodejs-app-env.eba-beegmxsb.us-east-1.elasticbeanstalk.com ☆ 📄 🔍

Resources & Documentation

Explore these resources to learn more about AWS Elastic Beanstalk.

 [AWS Elastic Beanstalk Developer Guide](#)

 [Elastic Beanstalk Concepts](#)

 [Node JS Platform](#)

 [Managing Environments](#)

 [Node.js Documentation](#)