FAEL

FAEL AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAEL - KING PHALO

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	330206.43S 0274916.86E Mid-point of aerodrome
2	*Direction and distance from city*	5 NM W EAST LONDON
3	*Reference elevation/Reference temperature*	435 FT 22.9º C
4	*Geoid undulation at aerodrome elevation position*	97.0 FT
5	*MAG VAR* *annual change*	30º W (2023) 0°20' W
6	*AD operator, address, telephone, telefax, email, AFS address and, if available, website address.*	AD CHF: Airports Company South (ACSA) Private Bag X109, KING PHALO Airport 5200. AD CHF: +27 43 706 0304 Local Airport Manager: +27 43 706 0300 Assistant Manager Coordination: +27 43 706 0316 Manager: Airfield Services: +27 43 706 0361 Terminal and Landside Manager +27 43 706 0316 E-Mail: Nicola.Smith@airports.co.za Security: +27 43 706 0347 (Passenger) +27 43 706 0352 (Perimeter) Fire &Rescue: +27 43 706 0311 INFO: +27 43 706 0306 ATC TEL: +27 43 736 6161/706 0259 ATC FAX: +27 43 736 6014 AIS Brief: +27 43 736 6921 E-Mail: faelatc@atns.co.za MET TEL: +27 43 736 1911 FAX: +27 43 736 3208 ACSA Apron Services: +27 43 706 0311 AFS: FAELZTZX
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	AD HOD MON–FRI: 0400-1830 SAT: 0445-1700 SUN: 0545-1830 Public holidays same as weekdays. AD Administration: MON-FRI: 0600-1430. After Hours: Service available on request. See AD 2.3 (12)
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS briefing office*	NIL service. Operators to contact OR Tambo International AIS unit. Contact details: TEL No: +27 86 035 9669; +27 11 928 6517 FAX No: +27 11 928 6514
5	*ATS reporting office (ARO)*	MON - FRI: 0400-1830, SAT: 0445-1700, SUN: 0545 -1830, Public HOL same as weekdays.
6	*MET briefing office*	MON–FRI: 0230-1900, SAT: 0300-1830, SUN: 0300-1900.
7	*ATS*	MON - FRI: 0400-1830, SAT: 0445-1700, SUN: 0545-1830, Public HOL same as weekdays.
8	*Fuelling*	JET A1, AIR BP: MON-FRI: 0400-1830; SAT: 0500 -1600,SUN: 0500-1830. AVGAS, AIR BP: MON-FRI: 0700–1600; SAT: 0500-1500, SUN: 0500-1500. Public HOL same as weekends
9	*Handling*	Apron Office: MON: 0430 – 1830 TUE - FRI: 0330 -1830, SAT: 0530 -1600, SUN: 0600 -1830, PUBLIC HOL same as weekdays. All private operators are responsible to secure their own aircraft.
10	*Security*	Perimeter General: H24 Passenger screening: MON - FRI: 0330-1830 SAT: 0530 -1600; SUN 0530 -1830. PUBLIC HOL same as weekdays
11	*De-icing*	NIL
12	*Remarks*	ACFT wishing to use the AD outside the AD HRS must obtain permission from Aerodrome Operator. REF. AIC 40.1.1.

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	Lower deck facilities

2	*Fuel and Oil types*	JET A1, AVGAS. Supplier: Puma energy: TEL: +27 43 736 6066 FAX: +27 43 736 1692. After hours contact: Zanoxolo Mgudlwa: +27 67 901 3219 or SP Moyani: +27 83 636 5223 Special arrangements are made for non-scheduled aircraft.
3	*Fuelling facilities and capacity*	Road Tanker Bowser. AVGAS - 80 000 Litres Available JET A1 - 272 000 Litres Available
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	Limited facilities Available
7	*Remarks*	NIL ACFT weighing more than 5700KG allowed to park at the GA hangars.

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	None on Airport. A number of hotels in City ranging from one to five star. Also a variety of Guest Houses, Bed & Breakfast units and holiday accommodation.
2	*Restaurants*	Licensed Restaurant in Terminal. Coffee shop in departure terminal area. All other restaurants in city centre.
3	*Transportation*	Taxis Car Rentals
4	*Medical facilities*	First Aid room AVBL at AD, Hospitals in city.
5	*Bank and Post Office*	ATM's & Letter Box at AD, Post Office in Greenfields.
6	*Tourist office*	BCM Tourism information located at AD.
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	Category VII during AD Operational Hours. See Remarks. Two shifts (8 Aerodrome Rescue Fire Fighter's per shift) covering AD operational hours.
2	*Rescue equipment*	Equipment in line with ICAO requirement for Category 7: Hydraulic Spreader / Cutter (Jaws); Power saws and cutters; Portable lighting equipment; Small gear and tools; 2 Macro Crash Tenders with total capacity of not less than 12100 litres of water and 2000 litres of foam compound; Complimentary agents, 500 kg dry chemical powder; 200% extinguishing media stock maintained.
3	*Capability for removal of disabled aircraft*	MOU in place with external service provider

4	*Remarks*	Fire Fighting and Rescue Services HOD: MON–FRI: 0400–1830 SAT: 0445-1700 SUN: 0545-1830 After HRS: service available on request. See FAEL AD 2.3 (12).

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	Not applicable. AD serviceable during all seasons.
2	*Clearance priorities*	N/A.
3	*Remarks*	Occasionally fog bound at end of winter period.

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION/POSITIONS DATA

1	*Apron surface and strength*	Jointed Concrete Panels / PCR 524/F/B/X/U
2	*Taxiways width, surface and strength*	23 M / ASPH / PCR 524/F/B/X/U
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR check points*	NIL INFO AVBL
5	*INS check points*	NIL INFO AVBL
6	*Remarks*	Parking Procedures: Marshal Parking. Push- back for Code C aircraft when two or more Code C aircraft on apron. All other aircraft Power in power out (PIPO). Engine Run-ups above ground idle only allowed on threshold of Runway 24. TWY B (from RWY 06 holding point till TWY G INT) CLSD.

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Taxiing guidance signs at all intersections with TWY and RWY and at all holding positions. Guide lines at apron. Nose-in guidance at aircraft stands. For aerodrome restricted visibility refer to chart AD - 02.
2	*RWY and TWY markings and LGT*	RWY Markings: Designation, THR, TDZ, Aiming Point, Centre line and Edge lines. TWY Markings: Centre line, holding positions at TWY/RWY intersections. RWY LGT: THR, RWY Edge, RWY End. ALS LGT RWY 11/29 - CAT 1. TWY LGT: TWY Edge. RWY Closure LGT RWY 11/29 and RWY 06/24.

3	*Stop bar*	Stop bars are fitted at all intersections for Both Main Runways 11/29 and secondary Runway 06/24. No crossing of red stop bar lights shall be allowed unless specifically approved by ATC. In adverse weather conditions and LVP's, follow me vehicle will be provided upon request.
4	*Remark*	a. Aircraft inbound are to contact King Phalo Apron on frequency 122.65 MHz at least 10 minutes prior to arrival with the following information: Point of Departure, ETA and Persons on Board, a Parking bay will then be issued by the Apron Controller. b. Aircraft outbound from King Phalo are to contact King Phalo Apron on frequency 122.65 MHz, with Destination and People on Board, before requesting start on Tower Frequency 118.3 MHz c. Aircraft contacts ATC on FREQ 118.3 MHz for start and taxi clearance. d. Where power-out procedures are followed, noise levels must be kept at minimum.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Tower 7	330213.80S 0275050.84E	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL INFO AVBL	Tower 8	330208.52S 0275051.43E	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL INFO AVBL	Tower 9	330204.13S 0275051.91E	NIL INFO AVBL	Day and NGT markings, Balls on conductors	Eskom power lines 1360 M E of THR RWY 29.
NIL INFO AVBL	Tower 10	330156.45S 0275052.73E	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL INFO AVBL	Tower 11	330145.02S 0275053.96E	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL INFO AVBL	APOLLO LT_42518_4	325944.82S 0274941.15E	658,096 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	ANTENNA_	330517.68S 0274455.51E	748,788 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	CAM02 POLE	330215.15S 0274948.99E	514,996 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	DUN_ATEC284B	330022.22S 0275130.34E	560,540 FT	NIL INFO AVBL	NIL

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	GRAH_ATEC181	325927.77S 0274913.51E	749,523 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	HOUSE No 31	330231.96S 0274859.37E	511,741 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	K3_370_LP	330235.75S 0274909.33E	498,444 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	K3_371_LP	330236.47S 0274910.35E	503,782 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	K3_372_LP	330236.98S 0274911.06E	505,409 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	LAFARGE SILO	330240.63S 0274826.66E	566,006 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	MAST_GATELY	330148.04S 0275313.37E	376,699 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	MAST_SETTLERS	330210.75S 0275039.32E	588,624 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	MTN MAST_T5076	330539.62S 0274702.48E	505,166 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	MTN_PARKSIDE	330048.70S 0275302.87E	356,771 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	MAST BUFF_ATEC341	330119.25S 0275221.10E	476,715 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	SCE_ATEC205B	325938.45S 0274959.75E	694,782 FT	NIL INFO AVBL	NIL
NIL INFO AVBL	TELKOM MAST_AMALINDA	325930.49S 0275153.56E	1469,590 FT	NIL INFO AVBL	NIL

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	Chief Dawid Stuurman Airport
2	*MET office responsible outside hours*	Observations 0230-1900 Forecasting 0200-1900 +27 82 233 9700 FAOR +27 82 233 9600/8800

3	*Office responsible for TAF preparation and periods of validity*	Port Elizabeth 9-11 HR, 3 Hourly
4	*Type of trend forecast and interval of issuance*	NIL
5	*Briefing / consultation provide*	NIL
6	*Flight documentation / language(s) used*	In ICAO format available for all flight levels. English
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	Internet: http://aviation.weathersa.co.za, Fax on demand: +27 82 289 2010
9	*ATS units provided with information*	TWR, APP, Area
10	*Additional information (limitation of service, etc.)*	+Routine Observation station only.

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWYNR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCR) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
11	082º T 112º M	1937 x 45	ASPH PCR 524/F/B/X/U	330213.96S 0274843.01E 96.079 FT	THR: 434FT TDZ: 426FT	-0.007%
29	262º T 292º M	1937 x 45	ASPH PCR 524/F/B/X/U	330205.17S 0274956.91E 96.151 FT	THR: 386FT TDZ: 397FT	+0.007%
06	037º T 067º M	1583 x 45	ASPH PCR 524/F/B/X/U	330231.14S 0274913.08E 96.082 FT	THR: 392FT TDZ: 398FT	+0.002%
24	217º T 247º M	1583 x 45	ASPH PCR 524/F/B/X/U	330150.07S 0274949.78E 96.165 FT	THR: 406FT TDZ: 401FT	-0.002%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	300 x 150	2059 x 150	160 x 150	NIL INFO AVBL	NIL INFO AVBL	See below
NIL	160 x 150	2059 x 150	300 x 150	NIL INFO AVBL	NIL INFO AVBL	See below
NIL	300 x 150	1705 x 150	160 x 150	NIL INFO AVBL	NIL INFO AVBL	See below
NIL	160 x 150	1705 x 150	300 x 150	NIL INFO AVBL	NIL INFO AVBL	See below

Remarks:
1. Circuit: Turbine powered: 2000FT ALT; Reciprocating engine-powered ACFT: 1400 FT ALT.
2. Pilots to avoid sharp turns on RWY 06/24 to reduce erosion on the ASPH SFC.
3. Informal settlement on the 11/29 APCH.

AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
11	1937	2237	1937	1937	NIL
29	1937	2097	1937	1937	NIL
06	1583	1883	1583	1583	NIL
24	1583	1743	1583	1583	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
11	PALS Cat 1 908 M	Green	PAPI APCH slope 3º	N/A	N/A	LEN: 1816 M. Space: 58.6 M Bi-directional White. Last 586 M Yellow	Red	N/A	NIL
29	PALS Cat 1 930 M	Green	PAPI APCH slope 3º	N/A	N/A	LEN: 1816 M. Space: 58.6 M Bi-directional White. Last 600 M Yellow	Red	N/A	NIL
06	NIL	Green	PAPI APCH slope 3º	N/A	N/A	White	Red	N/A	NIL
24	NIL	Green	PAPI APCH slope 3º	N/A	N/A	White	Red	N/A	NIL

Remarks
After 15 minutes airfield lights will automatically switch off. If required the procedure may be repeated to a further 15 minute period.

The activation of this system is based purely on improving safety at the aerodrome and comes with two conditions for use, these are:
1) Can be used for emergency situation.
2) Non-emergency type services/requests by prior arrangement only.

CLICK SYSTEM BRILLIANCE SETTINGS
Runway 11 / 29: 3 Clicks on 10%, 5 Clicks on 30%, 7 Clicks on 30%,
Approach 11 /29: 3 Clicks on 3%, 5 Clicks on 10%, 7 Clicks on 30%,
PAPI 11 / 29: 3 Clicks on 3%, 5 Clicks on 10%, 7 Clicks on 30%,
All taxiway lights: 3 Clicks on 30%, 5 Clicks on 30%, 7 Clicks on 30%,
All apron lights: 3 Clicks on 70%, 5 Clicks on 70%, 7 Clicks on 70%,

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*IBN location, characteristics and hours of operation*	None
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	TWY Edge light blue.
4	*Secondary power supply and switch-over time*	15 seconds
5	*Remarks*	Aerodrome Obstacle lighting and Floodlight lighting on apron.

AD 2.16 HELICOPTERS LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	On apron not marked. Marshalled Landing/Parking.

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	CTR (a) From a point at 331422.64S 0273852.75E,clockwise along the arc of a circle, radius 15NM and centred at 330213.16S 0274923.36E to a point at 325533.67S 0273323.73E. (b) Thence a straight line to a point at 325506.75S 0280053.22E. (c) Thence clockwise along the arc of a circle, radius 12NM, and centred at 330213.16S 0274923.36E to a point at 330857.41S 0280112.74E. (d) Thence a straight line to the starting point at 331422.64S 0273852.75E.
2	*Vertical limits*	GND - 2 500 FT ALT
3	*Airspace classification*	Class C
4	*ATS unit call sign* *Language(s)*	East London Tower English
5	*Transition altitude*	7000 FT
6	*Remarks*	1) Except where otherwise authorized, no aircraft is to be operated in this airspace unless two-way radio contact is maintained with air traffic control. 2) See ENR 2.2 page 2 paragraph 2.2.2 for special procedures in place below FAEL TMA between Gonubie and Kei Mouth.

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
TWR	East London tower	118.3 MHz transmits and receives	MON -FRI: 0400–1830 SAT: 0445-1700, SUN:0545-1830. Public HOL same as weekdays.	NIL
APP	East London Approach	120.1 MHz transmits and receives	MON -FRI: 0400–1830 SAT: 0445-1700, SUN: 0545-1830. Public HOL same as weekdays	NIL
APRON OFFICE	ALPHA OSCAR	122.65 MHz transmits and receives	MON: 0400–1830 TUE - FRI: 0330 - 1830 SAT: 0530-1600 SUN: 0600-1830 Public HOL same as weekdays. All private operators are responsible to secure their own aircraft.	Limited Fire Services (CAT V) provided for the first 45 minutes from TUE – FRI and 30 minutes on SAT. After HRS. Service available on request. See AD 2.3 (12)

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
ATIS VHF	NIL INFO AVBL	126.650 MHz	MON: 0430-1900; TUE - FRI: 0400-1900 SAT: 0530-1600, SUN: 0600-1900, Public HOL same as weekdays	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
ILS LOC (RWY 29)	ELI	109.9 MHz transmits	H24	330215.06S 0274833.69E	428 FT	ICAO CAT I
ILS GP (RWY 29)	NIL INFO AVBL	333.8 MHz transmits	H24	330202.58S 0274945.59E	391 FT	ICAO CAT I. Glide-slope angle 3DEG.
UHF DME	ELI	997 MHz transmits and 1060 MHz receives	H24	330202.58S 0274945.59E	NIL INFO AVBL	Channel 36X coaxially co-located with GP
VOR	ELV	114.5 MHz transmits	H24	330213.16S 0274923.36E	406 FT	Scalloping occurs BTN RDL 120 and 180
UHF DME (TACAN)	ELV	1179 MHz transmits & 1116 MHz receives	H24	330213.16S 0274923.36E	NIL INFO AVBL	Channel 92X. Coaxially located with VOR
ILS LOC (RWY 11) CAT I	BSI	110.9 MHz receives	H24	330203.81S 0275008.31E	378 FT	Front course only AVBL. Front course sector angle 5,2DEG. Coverage outside +/- 35DEG NIL.
ILS GP (RWY 11) CAT I (Note 1)	NIL INFO AVBL	330.8 MHz	H24	330208.53S 0274855.69E	427 FT	GP Angle 3DEG.

UHF DME	BSI	1007 MHz transmits and 1070 MHz receives	H24	330208.53S 0274855.69E	NIL INFO AVBL	Channel 46X. Coaxially co-located with GP.
Notes: (1) To be used only within sector 8º either side of LOC front course line to a distance of 11 NM from LOC.						

AD 2.20 LOCAL AERODROME REGULATIONS

1) Airport Regulations
2) Taxiing to and from stands
3) Parking area for small aircraft
4) Parking area for helicopters.
5) Apron - taxiing
6) Taxiing - limitations.
7) School and training flights - technical test flights - use of runways.
8) Helicopter traffic - limitations.
9) Removal of disabled aircraft from runways.

AD 2.21 NOISE ABATEMENT PROCEDURES

1) As per ENR. 1.5
2) No engine run-ups will be allowed on the Apron without permission from AD CHF.

AD 2.22 FLIGHT PROCEDURES

ENR 1.1 General Rules
ENR 1.2 Visual Flight Rules
ENR 1.3 Instrument Flight Rules
ENR 1.4 ATS Airspace Classification
ENR 1.5 Approach and Departure Procedures
ENR 1.6 Radar Services and Procedures
ENR 1.7 Altimeter Setting Procedure
ENR 1.8 Regional Supplementary Procedures
ENR 1.9 Air Traffic Flow Management
ENR 1.10 Flight Planning
ENR 1.11 Addressing of Flight Planning
ENR 1.12 Interception of Civil Aircraft
ENR 1.13 Unlawful Interference
ENR 1.14 Air Traffic Incidents

AD 2.23 ADDITIONAL INFORMATION

Bird Activities on AD

AD 2.24 CHARTS RELATED TO AN AERODROME

AD	-AD-01
Restricted Visibility Chart	-AD-02
ILS Z RWY 11	-ILS-01
Data Tabulation	-ILS-01A
ILS RWY 29	-ILS-03
Data Tabulation	-ILS 03A
VOR RWY 11	-VOR-01
VOR Z RWY 29	-VOR-02
VOR Y RWY 29	-VOR-03
Radar Terrain Clearance	-RAD-01
RNAV (GNSS) RWY 11	-RNAV-01
Data tabulation	-RNAV-01A
RNAV (GNSS) RWY 29	-RNAV-02
Data tabulation	-RNAV-02A

THIS PAGE INTENTIONALLY LEFT BLANK