FAGM

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAGM - RAND/JOHANNESBURG

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	261431.12S 0280904.88E Mid-point of aerodrome
2	*Direction and distance from city*	1.5 NM SW of Germiston
3	*Reference elevation/Reference temperature*	5483FT
4	*Geoid undulation at aerodrome elevation position*	87.6 FT
5	*MAG VAR* *annual change*	19ºW (2018) 0°6' W
6	*AD operator, address, telephone, telefax,* email, AFS address and, if available, *website address.*	MD: Rand Airport TWR, PO Box 18013 Germiston, 1419 TEL: +27 11 827 8884/5/6 FAX: +27 11 824 4475 TWR: +27 11 827 4517 TWR FAX: +27 11 827 4239 TWR Standby: +27 72 690 1801 MET: +27 11 827 6730
7	*Types of traffic permitted (IFR / VFR)*	VFR/IFR
8	*Remarks*	All aircraft must settle landing and approach fees immediately after landing.

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	AD Operational hours: 0600 - 1600
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	ATC HOD: MON-FRI: 0400-1700 SAT/SUN: 0500-1600 & Public Holidays BTN: 0500-1600 or as per NOTAM.
8	*Fuelling*	MON-SUN 0400-1600 TEL: +27 11 827 8120. VHF 130.50 MHz
9	*Handling*	NIL
10	*Security*	H24
11	*De-icing*	NIL
12	*Remarks*	NIL INFO AVBL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	AVGAS 100LL and JET A1. OIL: W100, W120.
3	*Fuelling facilities and capacity*	Jet A1 80 000L and Avgas 100LL 70 000. Pumps and bowsers.
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	Various, contact Airport Management
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Dakota Lodge and Academy Bed and Breakfast
2	*Restaurants*	Restaurants available Harvard Cafe - TEL +27 11 827 4856
3	*Transportation*	NIL
4	*Medical facilities*	On site doctor Dr. Tenzer +27 83 679 0777
5	*Bank and Post Office*	NIL
6	*Tourist office*	NIL
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT II during hours of operation. After hours call-out response within 10 minutes. Call-out Procedure: Capital Security Control Room, Frequency 118.7MHz.
2	*Rescue equipment*	Jaws of Life and Breathing apparatus. 1) Available extinguishing-Water for foam production: 5500L 2) Media + capability - Foam delivery: 8990L within 5 MIN. 3) Dry chemical powder - Available: 500 KG. Delivery: 240 KG per MIN 4) Self-expanding foam - Pre manufactured foam: 450L, Capability-Delivery: 4500L total @ 800 liters per minute.
3	*Capability for removal of disabled aircraft*	Available up to 5500lbs

4	*Remarks*	1) HOD: Monday to Sunday 0500-1700 including public holidays 2) Available fire personnel-5 per shift

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL INFO AVBL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	NIL INFO AVBL
2	*Designation, width, surface and strength of taxiways*	NIL INFO AVBL
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL INFO AVBL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	All properly identified and lit.
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	1) All fixed wing ACFT prohibited FM taxiing on tarred strip immediately W of Safomar and Hangers 6,7 and 8. ACFT to use TWY leading up to THR RWY 17 The ABV mentioned strip is intended for use as a helicopter apron. 2) Contact tower and park at own discretion . Pilots to settle fees with Landing Fee office. 3) For aerodrome restricted visibility refer to chart AD-02 4) All operators to contact ATC for taxiing and towing of aircraft. 5)Helicopters operating in front of hangar 6 and 7 to exercise caution of aircraft on TWY for RWY 17/35 6)Aircraft on taxiway in front of hangar 6, 7 and 8 must give way to helicopters operating on the helipad 7) All non-local aircraft inbound to contact Ground on frequency 123.65 MHz for landing fees.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5537/115 FT	NIL INFO AVBL	2 NM N
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5385/115 FT	NIL INFO AVBL	4,3 NM N
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5625/115 FT	NIL INFO AVBL	2,9 NM W
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5523/115 FT	NIL INFO AVBL	3,2 NM W
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5120/115FT	NIL INFO AVBL	4,6 NM SE
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5051/115FT	NIL INFO AVBL	4,8 NM S
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5179/180FT	NIL INFO AVBL	4,3 NM SW
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5566/115FT	NIL INFO AVBL	4,3 NM NNW
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5730/115FT	NIL INFO AVBL	3,5 NM NNW
NIL INFO AVBL	Radio mast	NIL INFO AVBL	5130/115FT	NIL INFO AVBL	4,3 NM SSE
NIL INFO AVBL	Mast	261408,1S 0280818,7E	150FT	NIL INFO AVBL	NIL INFO AVBL
-Mast erected next to Gosforth Park Grand Stand. GND/50 FT -Fence erected with orange spheres on top every 30M. PSN 60M W of THR RWY 17 and 200M N of RWY 11. HGT: 3.9 FT.					

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	O R TAMBO INTL
2	*Hours of service* *MET office responsible outside hours*	No MET Station OR TAMBO INTL (+27 82 233 9600/8800)
3	*Office responsible for TAF preparation and periods of validity*	FAOR on special request 9 - 11 HR, 3 hourly
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	Available on web page http://aviation.weathersa.co.za
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL

10	*Additional information (limitation of service, e.t.c.)*	Hourly METAR prepared by ATS.Other aviation related information available on web page http://aviation.weathersa.co.za

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWYNR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
11	089º T	1579 X 15	ASPH LCN 51	261433.55S 0280825.99E	5438FT	+0.71%
29	269º T	1579 X 15	ASPH LCN 51	261432.87S 0280922.86E	5475FT	-0.71%
17	157º T	1197 X 15	ASPH LCN 43	261412.66S 0280854.55E	5437FT	+0.71%
35	337º T	1197 X 15	ASPH LCN 43	261448.44S 0280911.51E	5465FT	-0.71%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
135	NIL	1834 x 80	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
NIL	NIL	1834 x 80	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
116	NIL	1612 x 60	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
179	NIL	1612 x 60	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
DTHR RWY 29: 135 X 15 M. DTHR RWY 17: 179 X 15 M. DTHR RWY 35: 116 X 15 M. Run-up bays for RWY 11/29 and RWY 35 open for use.						

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
11	1579	1579	1714	1714	NIL INFO AVBL
29	1714	1714	1714	1579	NIL INFO AVBL
17	1376	1376	1492	1313	NIL INFO AVBL
35	1313	1313	1492	1376	NIL INFO AVBL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type and LEN INTST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
11	Nil	Green	PAPI 3º	Nil	Nil	1579M,60M, White	Red	Nil	Nil
29	Nil	Green	PAPI 3º	Nil	Nil	1579M,60M, White	Red	Nil	Nil
17	Nil	Green	PAPI 3,5º	Nil	Nil	1311M,60M, White	Red	Nil	Nil
35	Nil	Green	PAPI 3º	Nil	Nil	1311M,60M, White	Red	Nil	Nil

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	Secondary power supply provided
5	*Remarks*	ABN installed. Alternating white and green flashing lights.

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL

7	*Remarks*	NIL INFO AVBL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ Circle - radius 3 NM Centre - 261405S 0280720E
2	*Vertical limits*	6 500 FT ALT
3	*Airspace classification*	Class C Aerodrome separation only
4	*ATS unit call sign* *Language(s)*	English
5	*Transition altitude*	8000 FT
6	*Remarks*	Except where otherwise authorized, no aircraft is to be operated in this airspace unless two-way radio contact is maintained with air traffic control.

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
TWR	Rand Tower	118,7 MHz transmits and receives	MON-FRI: 0400 -1700; SAT-SUN: 0500 - 1600 as well as PUB HOL.	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
VOR	RAV	117,7 MHz transmits	H24	261443.39S 0280916.26E	5486FT	PWR output 100 W
DME	RAV	1148 MHz transmits and 1211 MHz receives	H24	261443.39S 0280916.26E	NIL INFO AVBL	Channel 124X co-axially co-located with VOR

AD 2.20 LOCAL AERODROME REGULATIONS

(1) ACFT must adhere to RWY and TWY and park in the parking area.
(2) Helicopter Training Squares:
- Adjacent to THR RWY 17 and RWY 29
- Landing area: 20m x 20 m GS
- Hours of operation: HJ
(3) Circuit procedures
RWY 11 & 17 - Right-hand circuit
RWY 29 & 35 - Left-hand circuit
Circuit ALT: 6300 FT ALT.
(4) Inbound traffic from the south to route via NDB RD frequency 307.5 kHz.
(5)VFR reporting points when routing INBD, OUBD or OPR in FAGM ATZ:
Verwoerdpark Dam 261536S 0280824E
Tollgate 261454S 0280930E
Old Plascon 261457S 0280820E
Marais Viljoen High School 261619S 0280622E
Reading Interchange 261550S 0280544E
Makro 261651S 0280747E
PPC 261325S 0280721E
Silver Ball 261524S 0280454E
Eastgate 261046S 0280702E

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

- In the event of a suspected Radio communication failure, all traffic intending to return to the ATZ from the Johannesburg SRA should squawk 7600, make the aircraft as visible as possible by switching on all available navigation and landing lights, make the appropriate blind broadcast on frequency 118.7 MHz, join overhead the AD at 6500 FT, conform to the circuit pattern, join on the downwind and land. Pilots to vacate the active RWY in use and contact the TWR telephonically once safe at the hangar.

- Helicopters must call downwind only when in the circuit. Wind check will be given by ATC.

AD 2.23 ADDITIONAL INFORMATION

-Bird ACT on all RWY.

AD 2.24 CHARTS RELATED TO THE AERODROME

AD Restricted Visibility Chart	-AD-01 -AD-02

THIS PAGE INTENTIONALLY LEFT BLANK