FAHG

FAHG AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAHG - HEIDELBERG

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	263027.94S 282327.64E
2	*Direction and distance from city*	2.4 NM E of Heidelberg
3	*Reference elevation/Reference temperature*	5067.362FT/21.2°C
4	*Geoid undulation at aerodrome elevation position*	NIL INFO AVBL
5	*MAG VAR* *annual change*	18ºW/2014
6	*AD operator, address, TEL, FAX, SITA, AFS*	Authority Supervising the Aerodrome and Remarks: PUB AD CHF: Heidelberg Aviation Association. P. O BOX 208. Heidelberg 1438. Email: chairman@fahg.co.za TEL: 011 0835966
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	Dedicated frequency 125.9 MHz. NIL night flying. For landing arrangements CTC Chairman 011 0835966.

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	AD Operational hours: HJ
2	*Customs and immigration*	Nil
3	*Health and sanitation*	Nil
4	*AIS briefing office*	Nil
5	*ATS reporting office (ARO)*	Nil
6	*MET briefing office*	Nil
7	*ATS*	Nil
8	*Fuelling*	CTC Details: 078 3181954 After Hours: 078 3181954 Operational Hours: MON·FRI 0600·1500, SAT 0600·1300, SUN & Public HOL 0600-1100. Payment options: Speed point or Cash.
9	*Handling*	Nil
10	*Security*	Nil
11	*De-icing*	Nil
12	*Remarks*	Nil

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	None
2	*Fuel and Oil types*	NIL
3	*Fuelling facilities and capacity*	NIL
4	*De-icing facilities*	By prior arrangement
5	*Hangar space for visiting aircraft*	None
6	*Repair facilities for visiting aircraft*	Available
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Nil
2	*Restaurants*	Nil
3	*Transportation*	Nil
4	*Medical facilities*	Local Hospital - Heildelberg Clinic Casualty - TEL: 016 342 9246
5	*Bank and Post Office*	Nil
6	*Tourist office*	Nil
7	*Remarks*	Nil

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT 2 CAT 3 by prior arrangement only.
2	*Rescue equipment*	DCP and first aid equipment permanently AVBL on site; supplemented by Local Authority Fire Department
3	*Capability for removal of disabled aircraft*	Available
4	*Remarks*	LTD AD based SER BTN 0600·1400 weekdays only excluding public holidays. Local Municipal SER AVBL all hours. A call out fee will be levied.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Grass LCN 12
2	*Designation, width, surface and strength of taxiways*	10.5 M, A TWY paved and all other TWY B, C and D grass
3	*ACL location and elevation*	Nil
4	*VOR checkpoints*	Nil
5	*INS checkpoints*	Nil
6	*Remarks*	Use of TWY restricted to aircraft with wingspan less than 24 M and main wheel span less than 6 M (Airport reference code 2B)

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	TWY designator signs for A, B, C & D TWY. Grass PRKG for GA ACFT- No markings Use of TWY restricted to ACFT with wingspan less than24M and main wheel span less than 6M (A PREF Code 2B) Paved TWY'A' and HLDG PSN marked with ABV GND signs and SFC painted markings. All grass taxiways 'B', 'C', 'D' & HLDG PSN marked with appropriate ABV GND signs, & concrete marker inlays -no lines. Use of visual docking/PRKG guidance system of ACFT stands- None.
2	*RWY and TWY markings and LGT*	Edgelines.THR stripes, displaced THR, centerline & RWY designation identifier. Taxi signs on all taxi routes A; B; C & D. Paved TWY- edge lines & centerline. Grass TWY - intersection edge markings only- no lines.
3	*Stop bar*	Nil
4	*Remark*	Reflective TWY signs on all TWY non illuminated. Grass TWY Intersection points & HLDG points are marked with white concrete markers,

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Observation tower	263025.8S 0282330.1E	15FT HGT	NIL	Red lights at night. 150M north of RWY 06/24 next to main windsock.

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET office responsible outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation and periods of validity*	NIL INFO AVBL
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
06	43.8ºT 61.8ºM	1194 x 18.578	ASPH LCN 15	263037.27S 0282322.80E	1544.53M	1%
24	223.8ºT 241.8ºM	1194 x 18.578	ASPH LCN 15	263009.29S 0282352.66E	1541.17M	1%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
0	143.69	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL	See below
0	297.92	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL	See below
Remarks: Caution wind shear RWY 06						

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
06	1194	1337.69	1194	1194	Displaced THR permanently closed.
24	1194	1491.92	1194	1194	

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ,LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
06	NIL	Green	NIL	NIL	NIL	White 60M	Red	NIL	Solar
24	NIL	Green	NIL	NIL	NIL	White 60M	Red	NIL	Solar

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL
2	*LDI location & LGT and anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	TWY A blue LGT only to HLDG point.
4	*Secondary power supply and switch-over time*	Solar LGT
5	*Remarks*	Main Wind Sock Lit up with red obstruction light.

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	263022.24S 282316.97E
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	The helipad is restricted to medical evacuation and medical emergency SER (EMS) use only. Maximum rotor diameter 12.8M. Maximum helicopter weight limited to 3650 KG.

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call sign* *Language(s)*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

AD 2.20 LOCAL AERODROME REGULATIONS

No Information available

AD 2.21 NOISE ABATEMENT PROCEDURES

-No circuit training on weekends and Public holidays.
-Avoid flights over the Heidelberg town as far as possible whilst taking into account safe operation of aircraft and except during landing and take-off.
-No night flight training after 21h00.
-No multi engine helicopter TRNG.

AD 2.22 FLIGHT PROCEDURES

Unmanned AD procedures· Overhead at 7100 FT to join LH circuit

AD 2.23 ADDITIONAL INFORMATION

Grass cutting and maintenance of runways MON 0800 - 1100

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL