FAKG

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAKG - KWANDWE

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	330800S 0263453E
2	*Direction and distance from city*	19 KM north of Makhanda
3	*Reference elevation/* *Reference temperature*	990 FT 26°C
4	*Geoid undulation at aerodrome elevation position*	184FT
5	*MAG VAR* *annual change*	27°W
6	*AD operator, address, TEL, FAX, SITA, AFS*	C-SA Properties (Pty) Ltd P.O. Box 448 Grahamstown 6170 Tel: +27(0) 46 603 3400 E-mail: hendrik@kwandwe.co.za
7	*Types of traffic permitted (IFR / VFR)*	VFR (Prior permission required).
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: 0600-1500
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	NIL
8	*Fuelling*	NIL
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL

2	*Fuel and Oil types*	NIL
3	*Fuelling facilities and capacity*	NIL
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	NIL
2	*Restaurants*	At nearest town (19 KM)
3	*Transportation*	Guests only
4	*Medical facilities*	At nearest town (19 KM)
5	*Bank and Post Office*	At nearest town (19 KM)
6	*Tourist office*	NIL
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT 3 6 Rescue and Fire Fighting (RFFS) personnel, 3 personnel per shift. Active only at scheduled arrival or departure times.
2	*Rescue equipment*	NIL INFO AVBL
3	*Capability for removal of disabled aircraft*	Yes
4	*Remarks*	Contact operator for detailed ARFFS.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Concrete PCN 34.75 /R/B/X/T (35 tons concrete, CBR=15%)

2	*Designation, width, surface and strength of taxiways*	Width 25M, concrete 34.75 /R/B/X/T (35 tons concrete, CBR=15%)
3	*ACL location and elevation*	THR RWY 11-1048 FT; THR RWY 29-932 FT (64 M from RWY centreline next to Apron. Height - 15 M)
4	*VOR checkpoints*	NIL
5	*INS checkpoints*	NIL
6	*Remarks*	Apron lighting: flood lights and apron edge reflectors.

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Nosewheel coordinates for bay A1: 330758.44S 0263452.57E. Yellow centreline along TWY with black edgings to highlight.
2	*RWY and TWY markings and LGT*	White Centreline Markers White Touchdown Zone Markers White Runway Edge Lines
3	*Stop bar*	Stop lines 15M from RWY edge.
4	*Remark*	Centerline TWY guidance lines onto RWY centreline. TWY forms part of apron.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL

2	*Hours of service* *MET office responsible outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation and periods of validity*	NIL INFO AVBL
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
11	083°T	2060 X 25	PCN 34.75 F/B/X/T (CBR=15%, 45.2 Metric tons)	330804.16S 0263416.85E	1048FT TDZ N/A	-1.8%
29	263°T	2060 X 25	PCN 34.75 F/B/X/T (CBR=15%, 45.2 Metric tons)	330756.18S 0263535.04E	932FT TDZ N/A	+1.8%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	25 metres clear area on both side of runway.
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
11	2060	2060	2060	2060	NIL
29	2060	2060	2060	2060	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
11	NIL	Green	NIL	NIL	White	White	Red	NIL	See below.
29	NIL	Green	NIL	NIL	White	White	Red	NIL	
Remarks: Runway lighting is installed for emergency night use only. It is however used for all day operations to enhance safer operations.									

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	Apron.
3	*TWY edge and centre line lighting*	NIL
4	*Secondary power supply and switch-over time*	No secondary supply
5	*Remarks*	Apron flood lights for emergency use.

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL

3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call sign* *Language(s)*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

NIL INFO AVBL

AD 2.23 ADDITIONAL INFORMATION

NIL INFO AVBL

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL

THIS PAGE INTENTIONALLY LEFT BLANK