FAKM

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAKM - KIMBERLEY

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	284817.22S 0244550.52E
2	*Direction and distance from city*	3 NM South of Kimberley
3	*Reference elevation/Reference temperature*	3950 FT/28 degrees C
4	*Geoid undulation at aerodrome elevation position*	100.1 FT
5	*MAG VAR* *Annual change*	23° W (2025) 0.17' W
6	*AD operator, address, telephone, telefax,* email, AFS address and, if available, *website address*	Authority Supervising the Aerodrome and Remarks: PUB AD CHF: Airports Company Ltd., Private Bag x 5052, Kimberley, 8300 Airport Manager: Jeanelle Roskrudge TEL: +27 53 830 7103 E-Mail: jeanelle.roskrudge@airports.co.za Manager Airfield Services: Reymondo Cannon TEL: +27 53 830 7107 E-Mail: Reymondo.cannon@airports.co.za Assistant Manager Fire and Rescue: Jerry Wiesnaar TEL: +2753 830 7124 E-Mail: jerry.wiesnaar@airports.co.za Assistant Manager Security: Eric Masoka TEL: +2753 830 7125 E-Mail: Eric.Masoka@airports.co.za Electrical: Tlotlego Matlhare TEL: +27 53 830 7134 E-Mail: Tlotlego.Matlhare@airports.co.za ATNS Co Ltd.: P. O. Box 110177, Hadison Park, Kimberley 8300 TEL: +27 53 851 1012 FAX: +27 53 851 1555 E-Mail:kmatc@atns.co.za TWR Cell: +27 66 512 2388 MET TEL: +27 53 851 1021 MET FAX: +27 53 851 1081 E-Mail:fakm@weathersa.co.za ACSA Website :https://www.airports.co.za
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	National airport status.

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	HOD Administration: MON-FRI: 0600-1430 Aerodrome HOD: MON - FRI: 0500 - 1630, SAT: 0530 - 1400, SUN: 0800 - 1630. Public holidays: Christmas day closed and all other holidays as per AD hours of service. AD available as unmanned outside AD HR of SER. Flights operating outside AD HR of SER to obtain permission from the Airport Manager prior to take-off.
2	*Customs and immigration*	NIL
3	*Health and sanitation*	On call-out during AD Admin Hours.TEL: +27 53 830 0600 FAX: +27 53 832 7168
4	*AIS briefing office*	As ATS
5	*ATS reporting office (ARO)*	As ATS
6	*MET briefing office*	NIL INFO
7	*ATS*	MON-FRI: 0500 - 1630; SAT: 0530 - 1400; SUN: 0800 - 1630. and PUB HOL On request from Scheduled operators only.
8	*Fuelling*	HOD: MON-FRI: 0500-1630, SAT: 0530 - 1400, SUN: 0800 - 1630 and Public holidays 0800 - 1630. 24 HR PN for Public HOL and after HR SER to be arranged with Puma Energy. Tel: +27 77 602 2670 Kimberley Depot. After hours call out fee of R2500.00 shall apply. Response time of 45 Minutes. Operators on duty +27 67 592 6851, Supervisor on duty +27 77 602 2670, Manager on duty +27 77 602 2698.
9	*Handling*	NIL
10	*Security*	ACSA Security MON-SUN: 24HR TEL: +27 53 830 7141 / 7127 / 7128.
11	*De-icing*	NIL
12	*Remarks*	Apron Control 122.65 MHz Call sign: Kimberley Apron Request for services outside AD HOD to be addressed as FLW: Fire Services: AD RFFS supervisor (TEL: +27 53 830 7130) ATC Services: ATNS (TEL: +27 53 851 1012 / 1555).

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	Airlink Cargo. HOD: MON - FRI: 0430 - 1600, Public Holldays: 0430 - 1600, SAT and SUN: Closed. TEL: +27 53 880 0148 / +27 53 851 1700. Email: Kimberley@airlinkcargo.co.za.
2	*Fuel and Oil types*	JET A1 and AVGAS 100LL.
3	*Fuelling facilities and capacity*	Hydrant refueling system not available. 2 x Jet A1 Bowser and 1 x AVGAS Bowser available.
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	Limited, by prior arrangement only.
6	*Repair facilities for visiting aircraft*	Limited to light aircraft and helicopters. TEL: +27 82 714 3805. Email: aviaworx@gmail.com. MON-FRI: 0600 - 1500, SAT and SUN: closed.
7	*Remarks*	NIL handling services available for private operators/carriers.

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	AVBL contact Exchange.
2	Restaurants	AVBL contact Exchange.
3	*Transportation*	No public transport AVBL. Taxis AVBL on REQ. TEL: +27 53 861 4105 Car Rental AVBL contact Exchange.
4	*Medical facilities*	First Aid only. Private Ambulance service on call TEL: +27 84 460 7009. Hospital in town.
5	*Bank and Post Office*	NIL Post Office. ABSA ATM AVBL.
6	*Tourist office*	TEL: +27 53 830 6779
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	AD licensed for CAT 6 operations.
2	*Rescue equipment*	1 x Supervisor and 6 x fire fighters per shift. Fire and Rescue vehicles: 2 x Aerodrome Rescue Fire Fighting Vehicle and 1 x Standby Aerodrome Rescue Fire Fighting Vehicle with rapid intervention 8000 litres of water, 1000 litres of foam concentrated and 500 KG Dry chemical powder per vehicle.Equipped with Hydraulic Rescue Tool, Breathing apparatus, generator, Floodlights, Power saw and Chain saw. 200% primary extinguishing media and 100% complimentary extinguishing media maintained in stock.
3	*Capability for removal of disabled aircraft*	Limited equipment for light aircraft only AVBL off the airport.
4	*Remarks*	RFFS HOD: MON -FRI 0500 - 1630, SAT 0530 - 1400, SUN 0800 - 1630. Public HOL: closed on Christmas Day, all other HOL as per AD HOD. 1) Scheduled and non scheduled ACFT operating outside hours of operations which are carrying passengers are not allowed to use AD without Rescue Fire Fighting Services and ATC coverage. Obtain prior permission from Manager Airfield Services: TEL +27 53 830 7107. 2) Fire and rescue available after HR of SER. Request to be submitted to Manager Airfield Services 7 days in advance. Callout charges will be applicable. 3) Airport has the capacity to upgrade to CAT 7 for ad-hoc flights. Applicant to submit request with seven days prior notice to the Manager Airfield Services. Costs of CAA application for ad-hoc category upgrade to be borne by applicant. 4) Memorandum of understanding has been concluded with Local Authorities. 5) Search and Rescue in South Africa, refer to GEN 3.6. 6) “ON THE BAY” Fire cover applicable to scheduled operators where Fueling with passengers on-board or during embarkation/disembarkation operations occur. Fire cover shall be provided at a cost to the aircraft operator/airline. 7) ACSA spokesperson in case of an emergency: Mr. Gopolang Peme, Senior Manager: Corporate Communications Cell: +2767 422 9988, Email: Gopolang.Peme@airports.co.za

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO
2	*Clearance priorities*	As required.
3	*Remarks*	Mostly clear weather all year.

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron designation, surface and strength*	APN A: Concrete / PCR 350/R/B/W/U APN B: Asphalt / PCR 350/F/B/X/U
2	*Taxiway designation, width, surface and strength*	TWY A 22.7M / ASPH / PCR 350/F/B/X/U TWY B 15M / ASPH / PCR 350/F/B/X/U TWY C 22.7M / ASPH / PCR 350/F/B/X/U
3	*ACL location and elevation*	NIL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKING

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Taxiing guidance signs at intersections with TWY and RWY and at all holding positions. Guide lines at apron ACFT park parallel to the Terminal building.Taxiway markings from runway to apron. No other markings on apron. Manual marshalling of aircraft done by ACSA marshals. For aerodrome restricted visibility refer to chart AD-02
2	*RWY and TWY markings and LGT*	RWY: Designation, THR, TDZ, centre line, edge runway end as appropriate, marked and lighted. TWY: Centre line, holding positions at all TWY/ RWY intersections, marked and lighted. RWY THR, edge LGTS, TWY edge LGTS. Painted centre lines. Aiming and distance markings painted.
3	*Stop bar*	A1 Holding Point (TWY-A) and C1 Holding Point (TWY-C).
4	*Remark*	Two turning circles AVBL on RWY 20 to accommodate 180 degrees turning on RWY. One turning circle AVBL on RWY 28 to accommodate 180 degrees turning on RWY. Pilot in command to follow directions of ATC for use of turning circles.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO	Telephone line	NIL INFO	ELEV 3929 FT	NIL INFO	5 NM E THR RWY 28
NIL INFO	Fence	NIL INFO	HGT 8 FT	NIL INFO	Parallel to RWY 10/28, 75 M S of RWY centre line. Extending 223 M E to 407 M W of THR RWY 28.
Nil INFO	Telkom Microwave towers	NIL INFO	HGT 148 FT	NIL INFO	Nil INFO
Nil INFO	Transmitter/ Receiver mast	NIL INFO	HGT 66 FT	NIL INFO	300 metres N of RWY 28
Nil INFO	Vodacom Lattice Tower	NIL INFO	HGT 114.8 FT	NIL INFO	Radial 014 KYV 1.5 NM.
Nil INFO	Big Hole	NIL INFO	Nil INFO	NIL INFO	Radial 018 KYV 3.5 NM.
Nil INFO	Record Stone Crushers	NIL INFO	Nil INFO	NIL INFO	2 NM final approach RWY 10.
Nil INFO	SABC Tower Mast (Olifantskop)	NIL INFO	HGT 816.93 FT	NIL INFO	Radial 140 KYV 8.5 NM.
Nil INFO	Caltex Sign Board	NIL INFO	HGT 61 FT	NIL INFO	NW of RWY 20
Nil INFO	Cell C Tower	NIL INFO	HGT 119.7 FT	NIL INFO	NW of RWY 20
Nil INFO	Elizabeth Conradie Water Reservoir	NIL INFO	HGT 81.4 FT	NIL INFO	NW of RWY 20
Nil INFO	ACSA Fire Simulator	NIL INFO	HGT 18.7 FT	NIL INFO	In the airport, E of RWY 20
Nil INFO	Gariep Hospital Tower	NIL INFO	HGT 135.3 FT	NIL INFO	NW of RWY 20
Nil INFO	MTN Tower Diskobolos	NIL INFO	HGT 120.7 FT	NIL INFO	SW of RWY 02
Nil INFO	NUGEN Com Tower	NIL INFO	HGT 103.1 FT	NIL INFO	NW of RWY 20
Nil INFO	Retlameleng School Tower	NIL INFO	HGT 120 FT	NIL INFO	NE of RWY 20
Nil INFO	Transnet Tower	NIL INFO	HGT 146.9 FT	NIL INFO	NE of RWY 20
Nil INFO	Transmitter Tower-Airport	NIL INFO	HGT 71 FT	NIL INFO	In the airport, N of RWY 28
Nil INFO	Vodacom Mast- HTS	NIL INFO	HGT 139.1 FT	NIL INFO	NW of RWY 20

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
Nil INFO	Vodacom Tower – West End	NIL INFO	HGT 186.3 FT	NIL INFO	NW of RWY 20
NIL INFO	Stadium Light Mast 1	284504.11S 0244547.48E	HGT 37.30M AGL	NIL INFO	NIL INFO
NIL INFO	Stadium Light Mast	284504.07S 0244553.14	HGT 37.30M AGL	NIL INFO	NIL INFO
NIL INFO	IHS TWR KIM BOYS H	284455.28S 0244605.29E	HGT 36.80M AGL	NIL INFO	NIL INFO
WARNING: Game farm bordering AD. Small bucks are roaming AD at NGT, creating aviation hazard. All NGT OPS EXER CTN, especially outside HR of SER. Game will be chased during HR of SER					

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	Bloemfontein
2	*Hours of service* *MET Office outside hours*	Observations 0300-1800. Forecasting 0330-1830 +27 51 433 3281 FAOR +27 11 390 9329/9330
3	*Office responsible for TAF preparation and periods of validity*	Bloemfontein 9 - 11 HR
4	*Type of trend forecast and interval of issuance*	NIL
5	*Briefing / consultation provided*	NIL
6	*Flight documentation / Language(s) used*	Available on web page https://aviation.weathersa.co.za
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	TWR, APP, AREA
10	*Additional information (limitation of service, etc.)*	Other aviation related information available on web page https://aviation.weathersa.co.za

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength of the pavement classification rating (PCR) and surface of RWY and SWY)*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
02	360°	3002 x 45	ASPH PCR 350/F/B/X/U	284912.959S 0244554.634E	3899FT	+0,42%
20	180°	3002 x 45	ASPH PCR 350/F/B/X/U	284735.471S 0244554.374E	3940FT	-0,42%
10	080°	2437 x 45	ASPH PCR 350/F/B/X/U	284818.494S 0244503.039E	3950FT	-0,43%
28	260°	2437 x 45	ASPH PCR 350/F/B/X/U	284804.572S 0244631.537E	3915FT	+0,43%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
0	300 x 150	Nil INFO	300 x 90	NIL INFO AVBL	NIL INFO AVBL	See below.
0	300 x 150	Nil INFO	300 x 90	NIL INFO AVBL	NIL INFO AVBL	
0	300 x 150	Nil INFO	300 x 90	NIL INFO AVBL	NIL INFO AVBL	
0	300 x 150	Nil INFO	300 x 90	NIL INFO AVBL	NIL INFO AVBL	

Remarks
Warning: Small arms firing range 0,25 NM E THR RWY 28 and 200 M N of the extended centre-line.
Note: ACFT must adhere to RWY centre line around apron to avoid adjacent non-load bearing areas.
Note: Medium to large ACFT are not allowed to make a 180 DEG turn on the runway.

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
02	3002	3302	3002	3002	NIL
20	3002	3302	3002	3002	NIL
10	2437	2737	2437	2437	NIL
28	2437	2737	2437	2437	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
02	NIL	Green	PAPI LHS 3	NIL	NIL	60M White Last 600M amber	Red	NIL	NIL
20	NIL	Green	PAPI LHS 3	NIL	NIL	60M White Last 600M amber	Red	NIL	NIL
10	NIL	Green	PAPI LHS 3	NIL	NIL	60M White Last 600M amber	Red	NIL	NIL
28	NIL	Green	PAPI LHS 3	NIL	NIL	60M White Last 600M amber	Red	NIL	NIL

AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL
2	*LDI location and LGT Anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	Edge: Blue
4	*Secondary power supply and switch-over time*	300kVA Diesel powered generator/30 sec.
5	*Remarks*	Remote switching of runway 02/20 lights at 10% intensity and PAPI at 3% intensity taxiway lights at 100% leading to THR of 20. 3 clicks on 118.2 MHz on the microphone button at ONE SECOND INTERVALS. After 15 minutes lights automatically switch off. If required may be repeated for another 15 minutes.

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO Geoid undulation*	NIL
2	*TLOF / FATO elevation M/FT*	NIL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL
4	*True BRG of FATO*	NIL
5	*Declared distance available*	NIL
6	*APP and FATO lighting*	NIL
7	*Remarks*	No dedicated Heliport AVBL. Helicopters to be marshalled on main/ secondary aprons.

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	CTR Race-course pattern formed by arc of circles Radius 6 NM Centres: 284530S 0244600E and 285415S 0244200E And the outer common tangents to these circles.
2	*Vertical limits*	5 500 FT ALT
3	*Airspace classification*	Class C
4	*ATS unit call-sign* *Language*	Kimberley Tower English
5	*Transition altitude*	7000 FT
6	*Remarks*	1) Except where otherwise authorized, no aircraft is to be operated in this airspace unless two-way radio contact is maintained with ATC. All INBD ACFT, within 20 NM of FAKM, as well as all DEP ACFT are to call FAKM Apron on 122.65 MHz providing DEP point/DEST, PAX, REG of ACFT type. Call sign Kimberley Apron 2) See ENR 2.2 rules applicable for VFR flights operating within the FAKM TMA.

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
TWR	Kimberley Tower	118,2 MHz transmits and receives	MON-FRI: 0500 - 1630; SAT: 0530 - 1400; SUN: BTN 0800 - 1630 and PUB HOL: On request from Scheduled operators only.	NIL
VDF/TWR	Kimberley Tower	118,2 MHz transmits and receives	NIL INFO	(417M) THR RWY 02 Location MAG 200

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
APRON	Kimberley Apron	122,65 MHz transmits and receives	As per Fire Services HOD	Pilots to contact Apron Control with regard to parking.
APP	Kimberley Approach	119,4 MHz Transmits and receives	MON-FRI: 0500 - 1630; SAT: 0530 - 1400; SUN: 0800 - 1630 and PUB HOL: On request from Scheduled operators only.	During the FAKM TWR HOD FABL APP will be providing the APP SER to FAKM AP on FREQ. 119.4 MHz.

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
VOR/DME	KYV	113.2 MHz CH: 79X	H24	284759.82S 0244537.32E	Nil INFO AVBL.	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

1. Airport Regulations.
2. Taxiing to and from stands.
3. Parking area for small aircraft (General aviation)
4. Parking area for helicopters.
5. Apron - taxiing during winter conditions.
6. Taxiing - limitations.
7. School and training flights - technical test flights - use of runways
8. Helicopter traffic - limitations.
9. Removal of disabled aircraft from runways.

AD 2.21 NOISE ABATEMENT PROCEDURES

1. Noise abatement procedures for jet aeroplanes irrespective of weight and for propeller and turboprop aeroplanes with MTOW of or above 11 000 kg.
2. Noise abatement procedures for propeller and turboprop aeroplanes with MTOW below 11 000 kg.
3. Noise abatement procedures for helicopters.
4. Refer ENR 1.5.

AD 2.22 FLIGHT PROCEDURES

Circuit ALT:
Turbine powered ACFT - 5 500 FT ALT;
Reciprocating engine powered ACFT - 5 000 FT ALT
- Recommended not overflying Kamfersdam below 1 500 FT
- Bird Sanctuary.
- Pilots wanting to operate at John Weston aerodrome must first contact Kimberley ATC on TEL: +27 53 851 1012 or FREQ 118.2 MHz during HR of OPR. Pilots are also reminded to remain clear of the Kimberley CTR due to different frequency usage. Joining clearance can be obtained from Kimberley Tower on FREQ 118.2 MHz before entering the CTR.

AD 2.23 ADDITIONAL INFORMATION

-DRG AP HRS of duty pilots must CTC APRON office on FREQ 122.65 MHz for PRKG and fuel RQMNTS.
-Hazard: Bird activity on airport.
Warning: Vulture activity reported in the vicinity of Radial 073 KYV 6 NM and surrounding areas. Pilots to EXER CTN.
Warning: Vulture activity in Olifantskop region APRX RAD 133 KYV 11 DME. Pilots to EXER CTN. Wild animals roaming the airfield. Pilots to EXER CTN.

AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart	-AD-01
Restricted Visibility Chart	-AD-02
Aircraft Parking/Docking Chart	-AD-03
VOR RWY 02	-VOR-01
VOR RWY 20	-VOR-02
EVESI 1A STAR 02	-ARR-01
Data tabulation	-ARR-01A
IBKEL 1A STAR 02	-ARR-02
Data tabulation	-ARR-02A
IBKEL 1B STAR 20	-ARR-03
Data tabulation	-ARR-03A
UNRAG 1A SID 02	-DEP-01
Data tabulation	-DEP-01A
OKPAG 1A SID 02	-DEP-02
Data tabulation	-DEP-02A
OKPAG 1B SID 20	-DEP-03
Data tabulation	-DEP-03A
RNAV (GNSS) RWY 02	-RNAV-01
Data tabulation	-RNAV-01A
RNAV (GNSS) RWY 20	-RNAV-02
Data tabulation	-RNAV-02A

THIS PAGE INTENTIONALLY LEFT BLANK