FAKN

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAKN - KRUGER MPUMALANGA INTERNATIONAL

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	252329.70S 0310557.40E Mid-point of aerodrome
2	*Direction and distance from city*	11 NM from Nelspruit
3	*Reference elevation/Reference temperature*	2829 FT / 28°C
4	*Geoid undulation at aerodrome elevation position*	52.0 FT
5	*MAG VAR* *annual change*	19°W (2020) 0°6' W
6	*AD operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	Authority Supervising the aerodrome and remarks: PRIV AD CHF Primkop Airport Management (PTY) LTD P.O BOX 6425, Nelspruit, 1200 TEL: +27 13 753 7500 FAX: +27 13 753 7555 Email: ops@kmiairport.co.za www.kmiairport.co.za ATC TEL: +27 11 928 6480 ATC CELL: +27 82 569 9836 ATC FAX: +27 13 751 2910 MET: TEL: +27 82 233 8401/2 FAX: +27 13 751 3804
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: 0500 - 1700, SAT: 0500 - 1530 SUN: 0700 - 1700
2	*Customs and immigration*	MON-FRI: 0500 - 1700 (After HR call out) SAT: 0500 - 1530 (After HR call out) SUN: 0700 - 1700 (After HR call out)
3	*Health and sanitation*	MON-FRI: 0500 - 1700 (After HR call out) SAT: 0500 - 1530 (After HR call out) SUN: 0700 - 1700 (After HR call out)
4	*AIS briefing office*	MON-FRI: 0500 - 1700, SAT: 0500 - 1530 SUN: 0700 - 1700
5	*ATS reporting office (ARO)*	0200 - 1830
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	MON-FRI: 0500 - 1700, SAT: 0500 - 1530 SUN: 0700 - 1700

8	*Fuelling*	MON-FRI: 0500 - 1700 (After HR call out) SAT: 0500 - 1530 (After HR call out) SUN: 0700 - 1700 (After HR call out) Fuel Manager Ernest Barker: +27 82 898 2363.
9	*Handling*	MON-FRI: 0500 - 1700 (After HR call out) SAT: 0500 - 1530 (After HR call out) SUN: 0700 - 1700 (After HR call out) Airside Operations Manager Jason Torr: +27 71 879 2228.
10	*Security*	H24 Aviation Security Manager Lourens Prinsloo: +27 76 826 2156.
11	*De-icing*	NIL
12	*Remarks*	Customs and Immigration and Health and Sanitation are AVBL outside of operational hours on request. Requests for after hour service are to be submitted in writing at least 48hours in advance. Request can be emailed to ops@kmiairport.co.za.

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	To be arranged with airport management
2	*Fuel and Oil types*	Jet A1, AVGAS, OIL: Straight mineral
3	*Fuelling facilities and capacity*	Jet A1, 240 000 litres, AVGAS - 30 000 litres
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	Aircraft Maintenance Organisation (AMO) limited to certain aircraft type. Contact airport for AMO facilities.
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Nelspruit and white river
2	*Restaurants*	Airport restaurant and coffee bar
3	*Transportation*	Car hire companies
4	*Medical facilities*	NIL on AP, only minor injuries
5	*Bank and Post Office*	Limited ATMs available, one Bureau de change kiosk available, Post Box available outside main entrance to terminal.
6	*Tourist office*	Mpumalanga Tourism and Parks Agency office available in the terminal: +27 13 065 0335.
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT VII, HOD: MON-FRI: 0500 - 1700, SAT: 0500 - 1530, SUN: 0700 - 1700 Two shifts system: Shift A: 6 Personnel and Shift B: 6 Personnel.
2	*Rescue equipment*	2 x fire tenders - 16000L of water, 2000L of foam, 500 KG Dry Chemical Powder (including jaws of life and Self Contained Breathing Apparatus(es))
3	*Capability for removal of disabled aircraft*	MOU in place to remove disabled aircraft limited to 60 tons.
4	*Remarks*	MOU in places with local authorities including: Ambulance, Fire, Hospitals and Government forces to assist in an emergency.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Concrete PCR 530/R/B/W/U
2	*Designation, width, surface and strength of taxiways*	23m, Asphalt, PCR 560/F/B/X/U
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	See AD CHART
6	*Remarks*	Pilots to use minimum thrust when exciting parking bays to reduce jet blast.

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Taxiing guidance signs at all intersections with TWY and RWY and all holding positions.
2	*RWY and TWY markings and LGT*	RWY: Designation, THR, TDZ, edge runway end as appropriate, marked and lighted center line marker.
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	1) All aprons-parking bays numbered. 2) ATC not responsible for TWY A between Helipad and Main Apron. Crew and vehicles are crossing the TWY to gain access to the Helipad. 3) TWY G partially obscured from ATC TWR from 10M before holding point of RWY 05/23 till passing the security gates at hanger number 1.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
FAKN01	Cellmast	252344.21S 0310724.14E	3507/161 FT	Day and night markings	1.6 NM SE
FAKN02	Ranch cellphone mast	251951.82S 0310616.41E	3409/180 FT	Day and night markings	2.4 NM NNE
FAKN03	Spotlight	252225.96S 0310653.32E	2864.17 FT AMSL	Alternating red and white bands	NIL
FAKN04	Spotlight	252214.27S 0310644.95E	2868.86 FT AMSL	Alternating red and white bands	NIL
FAKN05	Spotlight	252325.26S 0310612.41E	2894.19 FT AMSL	Alternating red and white bands	NIL
FAKN06	Spotlight	252221.00S 0310655.81E	2844.06 FT AMSL	Alternating red and white bands	NIL
FAKN07	Spotlight	252228.51S 0310648.67E	2834.91 FT AMSL	Alternating red and white bands	NIL
FAKN08	Spotlight	252234.44S 0310643.23E	2834.15 FT AMSL	Alternating red and white bands	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	O R Tambo INTL
2	*Hours of service* *MET office responsible outside hours*	0200 - 1830 O R Tambo INTL TEL: +27 82 233 9600
3	*Office responsible for TAF preparation and periods of validity*	Kruger Mpumalanga INTL, 11HR
4	*Type of trend forecast and interval of issuance*	Trend Hourly
5	*Briefing / consultation provide*	Telephone, Personal
6	*Flight documentation / language(s) used*	Standard ICAO format
7	*Charts and other information available for briefing or consultation*	Standard MET charts
8	*Supplementary equipment available for providing information*	Satellite/LDN
9	*ATS units provided with information*	TWR/ Approach
10	*Additional information (limitation of service, e.t.c.)*	Other aviation related information available on web page http://aviation.weathersa.co.za

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength (PCR) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
05	034°	3260 x 45	PCR 560/F/B/X/U ASPH	252329.75S 0310557.36E 53 FT	2825 FT	0.0003U
23	214°	3260 x 45	PCR 560/F/B/X/U ASPH	252219.76S 0310649.68E 52 FT	2828 FT	0.0003D
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	220 x 150	3380 x 300	300 x 90	NIL INFO AVBL	NIL INFO AVBL	See below
NIL	223 x 150	3380 x 300	300 x 90	NIL INFO AVBL	NIL INFO AVBL	See below
Remarks (1) Fire and Rescue will be conducting RWY Inspection between MON -FRI 0445-0500, SAT 0500 - 0515, SUN 0700 - 0715. Pilot to exercise caution. (2) Be aware of Ground Proximity warning System on short finals RWY 05/23						

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
05	3100	3320	3100	2600	DTHR 500 M
23	3097	3320	3097	2937	DTHR 160 M

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ,LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
05	HIALS-1 CAT 1 Barette 900M 30M Spacing High Intensity	Green No WBAR	PAPI 3° (Left)	NIL	No RWY Centre	RWY Edge 3260 M 60 M space white	RWY End Red	No SWY	NIL
23	SALS 360M	Green No WBAR	PAPI 3° (Left)	NIL	No RWY Centre	RWY Edge 3260 M 60 M space white	RWY End Red	No SWY	NIL

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	No LDI Anemometer 252319.04S 0310601.26E
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	15 Sec
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	252301.811S 0310603.517E
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	CTR a. From a point at 252553.95S 0305608.58E thence a straight line to a point at 251251.32S 0310554.14E b.Thence clockwise along the arc of a circle, radius 10 NM and centered at 252251.70S 0310640.05E to a point at 251923.36S 0311701.44E c.Thence a straight line to a point at 253253.33S 0310656.56E d.Thence clockwise along the arc of a circle, radius 10 NM, and centered at 252251.70S 0310640.05E back to the starting point at 252553.95S 0305608.58E
2	*Vertical limits*	GND/5500 FT ALT
3	*Airspace classification*	Class C
4	*ATS unit call sign* *Language(s)*	Kruger Tower, English
5	*Transition altitude*	9000 FT ALT
6	*Hours of Applicability*	Same as Tower
7	*Remarks*	NIL.

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
TWR/APP	Kruger Tower	119.2 MHz	MON-FRI:0500 - 1700 SAT: 0500 - 1500 SUN: 0700 - 1700	TWR/APCH combined
Apron	Apron	122.65 MHz	NIL INFO AVBL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
ILS LOC (RWY05)	PKI	109.1 MHz	H24	252212.2S 0310655.3E	NIL INFO AVBL	ICAO CAT I ILS
GP (RWY05)		331.4 MHz	H24	252324.1S 0310606.8E	NIL INFO AVBL	ICAO CAT I

DME	PKI	109.1 MHz	H24	252324.1S 0310606.8E	NIL INFO AVBL	DME PKI Channel 28x co-located with ILS GP antenna
DVOR	PKV	VOR 112.5 MHz, DME (1159 MHz)	H24	252251.69S 0310640.05E	2868 FT	80 NM Power output 50W

AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

1) Procedures for IFR flights within FAKN TMA:
All circuit traffic at FAKN to be conducted to the east of the RWY 05/23 at 4000 FT ALT.
Remarks
These clearances shall only be valid during daylight and VMC operations.

2) Procedure within FAKN CTR:
All aircraft intending to depart from unmanned airfield or airstrip inside the CTR, are to establish 2 way communications with FAKN ATC on frequency 119.20 MHz before take-off, alternatively contact the ATC on TEL: +27 11 928 6480 before take-off. This will be required during hours of service.

AD 2.23 ADDITIONAL INFORMATION

Pilots to exercise caution due to high levels of bird activity and wild animals at the AD.

AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome chart	-AD-01
RAMP chart	-AD-02
ILS Z RWY 05	-ILS-01
ILS Y RWY 05	-ILS-02
VOR/DME RWY 05	-VOR-01
VOR/DME RWY 23	-VOR-02
RNAV (GNSS) RWY 05	-RNAV-01
Data tabulation	-RNAV-01A
TILIR 1A RWY 05	-ARR-01
Data tabulation	-ARR-01A