FALM

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FALM - AFB MAKHADO MILITARY (MIL - UNLICENSED)

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	230934.03S 0294205.41E
2	*Direction and distance from city*	15 NM SW of Makhado Town
3	*Elevation/Reference temperature*	3069 FT/
4	*Geoid undulation at AD ELEV PSN*	NIL INFO AVBL
5	*MAG VAR / Annual change*	15.1°W 2016
6	*AD Administration, address, telephone, telefax, telex, AFS*	AFB Makhado P/Bag X2010 Makhado 0920 Base TEL: (015) 577 2911 BCP/OPS TEL: (015) 577 2212, FAX: (015) 577 2214 APCH TEL: (015) 577 2227 TWR TEL: (015) 577 2240 E-mail: falmtower@gmail.com ADMIN TEL: (015) 577 2237, FAX: (015) 577 2239 MET TEL: (015) 577 2237/2240 AFTN Address: FALMZTZX, FALMZQZX and FAMRYVYX
7	*Types of traffic permitted (IFR / VFR)*	VFR/IFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Administration*	MON-FRI: 0500-1330
2	*Customs and immigration*	NIL
3	*Health and sanitation*	MON-FRI: 0500-1330
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	MON-FRI: 0500-1330
7	*ATS*	MON-FRI: 0500-1330
8	*Fuelling*	MON-FRI: 0500-1330
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	-Weekends, Public holiday and after hours, Prior Arrangement is required. -STBY: 30 MIN -No aircraft allowed to land without ATC on duty.

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	Forklift
2	*Fuel and Oil types*	Fuel: AVGAS 100/130, JET A1 (For military use only) Oil: All
3	*Fuelling facilities and capacity*	Fuel bowsers, Hydrants & refueling system
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Overnight accommodation available in Louis Trichardt Town
2	*Restaurants*	SAAF Cafeteria
3	*Transportation*	Rent a car available in Louis Trichardt Town
4	*Medical facilities*	State hospital available in Louis Trichardt Town
5	*Bank and Post Office*	NIL banking facilities at the aerodrome
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT 5
2	*Rescue equipment*	Trained personnel available 2 x Fire tenders 1 x Ambulance
3	*Capability for removal of disabled aircraft*	NIL INFO AVBL
4	*Remarks*	SAR under the coordinating direction of the SAAF

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	Open all seasons

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Concrete
2	*Designation, width, surface and strength of taxiways*	TWY A: ASPH, PCN: 52/R/A/W/U TWY B: ASPH, PCN: 52/R/A/W/U TWY C: ASPH, PCN: 52/R/A/W/U TWY D: ASPH, PCN: 52/R/A/W/U TWY E: ASPH, PCN: 52/R/A/W/U
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	-Marking aids: All runways, threshold, Touchdown, RWY designator, RWY centerline & holding points. -Arrestor Barriers: RWY 10 & RWY 28 -GND movement CTL: FREQ 121.75 MHz closed, available with prior arrangement. -SFC Markings MOV 2 Apron non-STD. Pilots to EXER CTN.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL
-Water TWR 1700m S RWY 10/28 (206'AGL) -3 Masts 300m N of aerodrome (100'AGL) -Hill 7.2NM W EXTD CL RWY 10 (184'AGL) -Hills 1NM S & 3NM E of EXTD CL RWY 28 -Powerlines S of aerodrome, direction SE then towards S. -High mountains 8NM N of AD.					

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET office responsible outside hours*	Hourly METAR given by TWR/ATIS
3	*Office responsible for TAF preparation and periods of validity*	NIL INFO AVBL
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE & MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
10	090°T 103°M	4000.69M x 45.75M	ASPH LCN 65	230936.15S 0294037.90E	3059 FT	NIL INFO AVBL
28	270°T 283°M	4000.69M x 45.75M	ASPH LCN 65	230935.53S 0294258.47E	3069 FT	NIL INFO AVBL
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below

Remarks:
Circuit Altitudes:
-Helicopters: 3800 FT AGL
-Piston: 4000 FT AGL
-Turbine and Jet: 4500 FT
-Initial: 5000 FT

Circuit Directions:
-RWY 10: Right Hand Circuit
-RWY 28: Left Hand Circuit

No landing T available

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
10	4000.69	4000.69	4000.69	4000.69	NIL INFO AVBL
28	4000.69	4000.69	4000.69	4000.69	NIL INFO AVBL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
10	NIL INFO AVBL	NIL INFO AVBL	PAPI 3°	NIL INFO AVBL	NIL INFO AVBL	RED	NIL INFO AVBL	NIL INFO AVBL	NIL
28	NIL INFO AVBL	NIL INFO AVBL	PAPI 3°	NIL INFO AVBL	NIL INFO AVBL	RED	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	Emergency lighting & secondary supply available / 15 sec for switch over.
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	RWY 10/28: 230833S 0294132E RWY 28: 230834S 0294152E

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	CTR The area bounded by lines drawn as follows: a. From a point 233220.932S 0291215.615E, a straight line to a point 230000S 0292245E. b. Thence a straight line to a point at 230000S 0300017E. c. Thence clockwise along the arc of a circle radius of 20NM, centred on 230930.55S 0294111.18E to the point at 231500S 0300204E. d. Thence a straight line to the point at 232702.102S 0295730.715E. e. Thence a straight line to the point 232703.592S 0293523.009E. f. Thence a straight line to the point 234305S 0293000E. g. Thence a straight line to a point 233841.598S 0292352.817E. h. Thence a straight line to the starting point at 233220.932S 0291215.615E.
2	*Vertical limits*	8000FT ALT GND
3	*Airspace classification*	Class C. Class “G” airspace outside ATC HR of SER. Pilots to BCST on Freq 121.2MHz.
4	*ATS unit call sign* *Language(s)*	Makhado Tower English
5	*Transition altitude*	8000FT AMSL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
ATIS	Makhado	115.0MHz	0430-1330	NIL
BCP/OPS	Makhado	133.45MHz	0500-1330	NIL
Ground	Makhado	121.75MHz	0430-1330	Available with prior arrangement
Tower	Makhado	119.8MHz	0430-1330	NIL
Approach	Makhado	121.2MHz	0430-1330	NIL
Information	Lowveld	119.0MHz/ 123.3MHz	MON-FRI: 0600-1300 Weekends and Public HOL: 0700-1300	NIL
VDF Available	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL
GCA Circuit	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL
Final	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL
STBY	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
Other 2SQN OPS	2 SQN OPS	133.85MHz	0430-1330	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency (CH)*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
ILS LOC	LTI	111.1 MHz	H24	230935.48S 0294309.86E	3073 FT	NIL
ILS GP	LTI	331.7 MHz	H24	230941.96S 0294046.60E	3072 FT	NIL
VOR DME	LTV	115.0MHz (CH 97X)	H24	230930.71S 0294111.08E	3046 FT	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL

AD 2.21 NOISE ABATEMENT PROCEDURES

Standard

AD 2.22 FLIGHT PROCEDURES

NIL

AD 2.23 ADDITIONAL INFORMATION

-All MIL aerodromes are unlicensed therefore this aerodrome may not be nominated as an alternate destination for civilian flights. Diversion and landing in Emergency only. -Prior permission required from C SANDF to utilize aerodrome facilities. -Airfield unmanned after hours of service. ATS on STBY (30MIN) will notify applicable ATSU's should the airfield and airspace be manned with operations outside NML HOD. -CAUTION: High mountains 8NM N of AD -Radio control ACFT operating GND/2000FT AGL in vicinity of the following coordinates 231028.8S 0294247.8E. -Blasting around aerodrome, ATC will advise

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL	