FALW

FALW AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FALW - LANGEBAANWEG (MIL - UNLICENSED)

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	325807.72S 0180954.94E
2	*Direction and distance from city*	64 NM to the NNE of Cape Town
3	*Reference elevation/Reference temperature*	108 FT
4	*Geoid undulation at aerodrome elevation position*	NIL INFO AVBL
5	*MAG VAR* *annual change*	25°W (2019)
6	*AD operator, address, TEL, FAX, SITA, AFS*	CATCO AFB Langebaanweg Langebaanweg 7375 Base: (022) 706 2911 BCP/OPS: (022) 706 2211/2500 APCH: (022) 706 2137 TWR: (022) 706 2259 MET: (022) 706 2259/2137 BCP/OPS FAX: (022) 706 2391 ADMIN FAX: (022) 706 2375 Email: langebaanatc@telkomsa.net AFTN Address: FALWZTZX FALWZQZX, FAYLYVYX
7	*Types of traffic permitted (IFR / VFR)*	VFR/IFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON - FRI: 0545-1415
2	*Customs and immigration*	MON-FRI: 0230-1800, SAT and SUN: 0530-0600 and 1730-1800.
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	MON - FRI: 0530 - 1415, SAT, SUN, after hours and public holidays by prior arrangement. Standby 30 MIN.
7	*ATS*	MON - FRI: 0530 - 1415, SAT, SUN, after hours and public holidays by prior arrangement. Standby 30 MIN. TEL: (022) 7062259/2137 FAX: (022) 706 2375

8	*Fuelling*	JET A1 AVBL MON - FRI: 0545 - 1415, SAT, SUN, after hours and public holidays by prior arrangement. Standby 30 MIN.
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	1. No aircraft allowed to land without ATC on duty.

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	Forklift
2	*Fuel and Oil types*	For military use only: JET A1 AVBL, NIL AVGAS AVBL, Oil: All
3	*Fuelling facilities and capacity*	Fuel Bowsers, Hydrants and refuelling system
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL.

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Overnight accommodation available in Langebaan, Saldanha, Vredenburg.
2	*Restaurants*	SAAF Cafeteria
3	*Transportation*	AVIS Langebaan.
4	*Medical facilities*	First Aid and Hospital in town. Oxygen and related servicing.
5	*Bank and Post Office*	NIL INFO AVBL
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	ATM available at SAFI.

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT 6.
2	*Rescue equipment*	Trained Personnel available.
3	*Capability for removal of disabled aircraft*	NIL INFO AVBL

4	*Remarks*	SAR - Under the coordinating direction of the South African Air Force. HOD MON - FRI: 0530 - 1415, SAT, SUN, after hours and public holidays by prior arrangement. Standby 30 MIN.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	Seasonal availability: All seasons

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Concrete / N/A.
2	*Designation, width, surface and strength of taxiways*	All TWYs: SURFACE: ASPHALT, LCN 50 TWY A width: 20 M (length 3473 M) TWY C width: 18 M (length 123 M) TWY D width: 19 M (length 93 M) TWY E width: 17 M (length 281 M)
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL INFO AVBL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	1. Marking aids: All runways - threshold, Touchdown, RWY designator, RWY centerline and Holding points. 2. Arrestor Barriers: Nil. 3. GND movement CTL: FREQ 121.75MHz available. With prior arrangement. 4. Other remarks: Medium to heavy aircraft not allowed to cross the manoeuvring area between hangar 2 and hangar 5.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET office responsible outside hours*	0545-1415
3	*Office responsible for TAF preparation and periods of validity*	Hourly TAF given by TWR/ATIS.
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
02L	000.6° T	2341 x 46	ASPH LCN 60	325845.08S 0180943.16E	104FT	
20R	180.6°T	2341 x 46	ASPH LCN 60	325742.75S 0180944.66E	103FT	
02R	001.3°T	2344 x 46	ASPH LCN 60	325845.37S 0180957.76E	105FT	
20L	181.3°T	2344 x 46	ASPH LCN 60	325731.70S 0180959.60E	102FT	
16	136° T	1777 x 44	ASPH LCN 50	325801.66S 0180919.24E	102FT	
34	316° T	1777 x 44	ASPH LCN 50	325843.33S 0181006.55E	106FT	
07	046.7° T	1504 x 46	ASPH LCN 50	325804.99S 0180908.33E	102FT	
25	226.7° T	1504 x 46	ASPH LCN 50	325731.47S 0180949.81E	102FT	
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
02L	2341	2341	2341	2341	NIL
20R	2341	2341	2341	2341	NIL
02R/20L	2344	2344	2344	2344	NIL
16	1777	1777	1777	1777	NIL
34	1777	1777	1777	1777	NIL
07/25	1504	1504	1504	1504	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ,LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
02L	SSALS	NIL INFO AVBL	PAPI (3°)	NIL INFO AVBL	NIL INFO AVBL	REDL	NIL INFO AVBL	NIL INFO AVBL	NIL
20R	SSALS	NIL INFO AVBL	PAPI (3°)	NIL INFO AVBL	NIL INFO AVBL	REDL	NIL INFO AVBL	NIL INFO AVBL	NIL
02R	HIALS	NIL INFO AVBL	PAPI (3°)	NIL INFO AVBL	NIL INFO AVBL	REDL	NIL INFO AVBL	NIL INFO AVBL	NIL
20L	SSALS	NIL INFO AVBL	PAPI (3°)	NIL INFO AVBL	NIL INFO AVBL	REDL	NIL INFO AVBL	NIL INFO AVBL	NIL
16	NIL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL
34	NIL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL
07	NIL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL INFO AVBL	Taxi lighting
25	NIL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL INFO AVBL	Taxi lighting

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	Emergency lighting & Secondary supply available / 15 sec for switch over.
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ: Circle with a radius 5 NM centred on 325857S 0180951E. CTR: The area bounded by lines drawn as follows: (a) From a point at 324955S 0180445E, a straight line to a point at 324527S 0180204E. (b) Thence clockwise along the arc of a circle radius 15 NM, and centred at 325857S 0180951E, to a point at 330422S 0175310E. (c) Thence a straight line to 330236S 0175845E. (d) Thence clockwise along the arc of a circle radius 10 NM, and centered at 325857S 0180951E, to the starting point 324955S 0180445.E
2	*Vertical limits*	ATZ: GND/5000 FT ALT CTR: GND/FL195
3	*Airspace classification*	Class C. Class G airspace outside ATC HR of SER. Pilots to BCST on FREQ 122.5 MHz.

4	*ATS unit call sign* *Language(s)*	Langebaan Tower English
5	*Transition altitude*	Transition altitude: 5000 FT
6	*Remarks*	Irrespective of the weather conditions civil aircraft may not enter this CTR without permission from air traffic control at Langebaan FREQ 122.5 MHz.

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
ATIS	NIL INFO AVBL	117.0 MHz	0545-1415	NIL
Ops	Langebaan (Eagle)	133.45 MHz	0545-1415 MON–FRI Weekends and Public Holidays: With prior arrangement, 30 MIN standby only	Ops Clerk on STBY
Ground	Langebaan	121.75 MHz	0545-1415	NIL
Tower	Langebaan	128.80 and 120.80 MHz	0530-1415	NIL
Approach	Langebaan	122.50 MHz	0545-1415	NIL
Information	Langebaan	133.50 MHz	0530-14 15	NIL
VDF Available.	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL
GCA Circuit	NIL INFO AVBL	127.50 MHz	0530-1415	NIL
Final	NIL INFO AVBL	123.90 MHz	0530-1415	NIL
STBY	NIL INFO AVBL	123.00 and 126.00 MHz	NIL INFO AVBL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
ILS LOC	LWI	108.9 MHz	H24	325854.46S 0180957.53E	105 FT	NIL
VOR DME	LWV	117.0 MHz CH 117X	H24	325858.28S 0180949.94E	106 FT	NIL

ILS GP	LWI	329.3 MHz	H24	325741.47S 0181005.13E	103 FT	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

1. No Medium or Heavy ACFT allowed BTN Hanger 2 and Hanger 5.

AD 2.21 NOISE ABATEMENT PROCEDURES

Standard

AD 2.22 FLIGHT PROCEDURES

1) Circuit Procedures
Circuit altitude: Piston engine aircraft - 1100 FT AMSL
Jet engine aircraft - 1600 FT AMSL
Turbine engine aircraft - 1600 FT AMSL
RWY 02L in use - Left hand circuit
RWY 20R in use - Right hand circuit
RWY 02R in use - Right hand circuit
RWY 20L in use - Left hand circuit
RWY 16 in use - Left hand circuit
RWY 34 in use - Right hand circuit
RWY 07 in use - Left hand circuit
RWY 25 in use - Right hand circuit
2) RWY07/25 - VFR OPS only.
3)No landing T available.

AD 2.23 ADDITIONAL INFORMATION

- Concrete RWY shoulders not to be used due to lack of reinforcement and possibility of sinkholes.
- Airfield unmanned after hours of service. ATS on STBY (30MIN) will notify applicable ATSUs should the airfield and airspace be manned with operations NML HOD.
- Diversion and landing in EMERG only.
- Prior authorisation from Chief of SANDF required to make use of the aerodrome facilities.

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL	

THIS PAGE INTENTIONALLY LEFT BLANK