FAMD

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAMD - MALAMALA

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	244903.30S 0313240.97E
2	*Direction and distance from city*	NIL INFO AVBL
3	*Reference elevation/Reference temperature*	ELEV: 1100 FT
4	*Geoid undulation at aerodrome elevation position*	NIL INFO AVBL
5	*MAG VAR* *annual change*	18° 17' W 0° 7' W
6	*AD operator, address, telephone, telefax, email, AFS address and, if available, website address.*	PRIV AD CHF: Malamala Game Reserve (PTY) Ltd PO Box 55514 Northlands 2116 TEL: +2731 735 9200 FAX: +2731 735 9300 Email: gm@malamala.co.za Website: www.malamala.com
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	Private airfield, prior permission required and must be obtained 24 hours in advance

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	HJ
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	NIL
7	*ATS*	NIL
8	*Fuelling*	NIL
9	*Handling*	NIL
10	*Security*	NIL
11	*De-icing*	NIL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	NIL
3	*Fuelling facilities and capacity*	NIL
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	MalaMala, Sable and Rattray's Camps
2	*Restaurants*	Each camp has its own dining room and dining area
3	*Transportation*	Collection and drop off at Airstrip
4	*Medical facilities*	NIL
5	*Bank and Post Office*	NIL
6	*Tourist office*	NIL
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT II
2	*Rescue equipment*	Day shift only and minimum of 2 fire fighters. Fire Tender with 3600L of water, 3 x 50KG Dry Chemical Powder, 1 x 5KG CO_2, 2 breathing Apparatus Sets, 2 spare tanks. 2 x Tractors with watercarts 2200L each.
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	NIL

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL
2	*Clearance priorities*	NIL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	13mm stone chip, spray Asphalt and slurry seal Strength 6/F/B/W/T
2	*Designation, width, surface and strength of taxiways*	10M, 6/F/B/W/T
3	*ACL location and elevation*	NIL
4	*VOR checkpoints*	NIL
5	*INS checkpoints*	NIL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Park on the southern end of parking bay if a private charter, or, on the northern end of the parking bay if operating a Federal Airlines aircraft.
2	*RWY and TWY markings and LGT*	Follow taxi lines
3	*Stop bar*	NIL
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL
2	*Hours of service* *MET office responsible outside hours*	NIL
3	*Office responsible for TAF preparation and periods of validity*	NIL
4	*Type of trend forecast and interval of issuance*	NIL
5	*Briefing / consultation provide*	NIL
6	*Flight documentation / language(s) used*	NIL
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	NIL
10	*Additional information (limitation of service, e.t.c.)*	NIL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE & MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
16	NIL INFO AVBL	1303 X 23	ASPH 6/F/B/W/T	244844.49S 0313224.169E	1124 FT	NIL INFO AVBL
34	NIL INFO AVBL	1303 X 23	ASPH 6/F/B/W/T	244917.042S 0313253.517E	1098 FT	NIL INFO AVBL

SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
56	120	1423 X 60	NIL	NIL	NIL INFO AVBL	See below
56	120	1423 X 60	NIL	NIL	NIL INFO AVBL	See below
Remarks: ACFT must adhere to RWYs and TWYs and park in the parking area. AD not fenced. Pilots to verify on FREQ 122.250 MHz immediately prior to landing that RWY has been cleared of animals.						

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
16	1303	1423	1359	1303	NIL
34	1303	1423	1359	1303	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ,LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
16	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
34	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL
2	*LDI location & LGT and anemometer location and LGT*	LDI: 244855S 0313238E, Dayglow Orange
3	*TWY edge and centre line lighting*	NIL
4	*Secondary power supply and switch-over time*	NIL

5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL
2	*TLOF / FATO elevation (m/ft)*	NIL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL
4	*True BRG of FATO*	NIL
5	*Declared distance available*	NIL
6	*APP and FATO lighting*	NIL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call sign* *Language(s)*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL	NIL	NIL	NIL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

1. This is a private aerodrome, and landing arrangements must be confirmed with MalaMala Game Reserve in advance.
2. The aerodrome is available for all aircraft bringing passengers to and/or collecting any guests from any/all of MalaMala's three camps (MalaMala, Sable and Rattray's).
3. No landing fees apply to MalaMala guests who use the MalaMala Game Reserve aerodrome.
4. MalaMala Game Reserve will fax/email a flight confirmation request of all flights at least two days in advance The aircraft operator is to return these details to MalaMala Game Reserve at least 24 hours in advance by fax/ email and should include the following:
a) Estimated arrival and/or departure time
b) Aircraft type
c) Aircraft registration
d) Number of guests and names
5. The Pilot(s) of the aircraft are to contact MalaMala Game Reserve (MalaMala Ground) on aviation radio frequency 122.25 MHz when they are 10 minutes from arrival to the aerodrome.
6. MalaMala Game Reserve will dispatch the necessary Fire Fighting personnel to both ensure the aerodrome is clear of any wildlife and to afford the necessary Aerodrome Rescue and Fire Fighting service.
7. MalaMala Game Reserve will contact the pilot(s) after the aerodrome has been cleared of any wildlife and advise the pilot(s) they can continue land at their own discretion.
8. After landing, pilot(s) are to turn on the turning circle only, follow the taxi lines and park on the southern end of parking bay if a private charter, or, on the northern end of the parking bay if operating a Federal Airlines aircraft.

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

AD 2.22 FLIGHT PROCEDURES

1. On arrival, please over-fly the airfield at 3 000FT AMSL and join the circuit downwind, east of the runway (which is overhead MalaMala property).
2. On departure, please head east (overhead MalaMala property), circle and then over-fly the windsock in a westerly direction.
3. Pilots may land on runway 16 or 34 at their discretion.

AD 2.23 ADDITIONAL INFORMATION

NIL

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL	