FAMG

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAMG - MARGATE

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	305126.52S 0302034.90E Mid-point of aerodrome
2	*Direction and distance from city*	0,5 NM SW MARGATE
3	*Reference elevation/Reference temperature*	498 FT / 15° C
4	*Geoid undulation at aerodrome elevation position*	96.3 FT
	MAG VAR *annual change*	27°W (2018) 0°10' W
6	*AD operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	Authority Supervising the Aerodrome and Remarks: PUB AD CHF: Ray Nkonyeni Municipality, P O Box 1336, Margate, 4275 TEL: +27 39 312 0560 FAMG Information TEL: +27 39 312 0067 FAX: +27 86 457 1838 E-mail: Margateairport@rnm.gov.za VHF: 122,7MHz Fire: +27 83 666 3531 SAP: +27 39 312 2524 AMO Midcoast Air (039) 317 4705
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: BTN 0730-1600 SAT: 0800-1400 SUN: 1000-1600 After hours call-out on request: +27 82 569 2359
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	NIL
8	*Fuelling*	NIL
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL

12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	NIL
3	*Fuelling facilities and capacity*	NIL
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	CTC +27 39 312 0560
6	*Repair facilities for visiting aircraft*	AMO Midcoast Air, TEL: +27 39 317 4705
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	NIL
2	*Restaurants*	NIL
3	*Transportation*	NIL
4	*Medical facilities*	NIL
5	*Bank and Post Office*	NIL
6	*Tourist office*	TEL: +27 39 682 7944, Email: info@tourismsouth-coast.co.za
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT IV, 4 personnel per shift.
2	*Rescue equipment*	8000L Water, 1000L Tridol 'S' 3% Foam and 200KG DCP.
3	*Capability for removal of disabled aircraft*	Limited - Midcoast Air TEL: +27 39 317 4705
4	*Remarks*	HOD: MON-FRI 0530-1430, SAT 0600-1200 and SUN 0800-1400. After hour service available on request. Water rescue: NSRI, TEL: +27 82 990 5950.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL

3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Parking bay A, B, C; ASPH PCN 18/F/C/X/U
2	*Designation, width, surface and strength of taxiways*	RWY 05 TWY; 8M; ASPH; PCN 5/F/C/Y/U
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	Security fence parallel to taxiway within 8M of centre line. NIL TWY for RWY 23, ACFT to backtrack on RWY 23.

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Parking bay A and B reserved for schedule flight operations.
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Microwave tower	8NM NNW	ELEV 4008 FT	NIL INFO AVBL	NIL
Warning: Security fence erected alongside TWY close to parking area.					

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET office responsible outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation and periods of validity*	NIL INFO AVBL
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY	*TRUE& MAG BRG*	*Dimensions of RWY(M)*	*Strength (PCN) and surface of RWY and SW*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
05	023°T	1344 x 30	42/F/B/X/U ASPH	305146.61S 0302025.07E	488 FT	-0.30%
23	203°T	1344 x 30	42/F/B/X/U ASPH	305106.44S 0302044.74E	476 FT	+0.30%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	1454 x 60	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
NIL	NIL	1454 x 60	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below

Remarks12
- Circuit Procedures:
1. All circuits to be carried out at 1000 FT GND and must be flown towards the coast.
2. ACFT approaching must join the traffic pattern at 1500 FT GND.
3. Overflying ACFT not to cross aerodrome area below 2500 FT GND.
4. ACFT must adhere to RWY's and TWY's and park in the parking area.
5. Occasional microlight flying around aerodrome.

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
05	1344	1344	1344	1344	NIL
23	1344	1344	1344	1344	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, LEN, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
05	NIL	Green	PAPI 3º	NIL INFO AVBL	NIL INFO AVBL	60M White	Red	NIL INFO AVBL	NIL
23	NIL	Green	PAPI 3º	NIL INFO AVBL	NIL INFO AVBL	60M White	Red	NIL INFO AVBL	NIL
Flashing strobes available during operational hours. Remote switching - 7 clicks on microphone button on 122,7 MHz switches lights ON. lights switches OFF automatically after 20 MIN.									

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	Automatic - 20 Seconds.
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call sign* *Language(s)*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL	NIL	NIL	NIL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

NIL INFO AVBL

AD 2.23 ADDITIONAL INFORMATION

NIL INFO AVBL

AD 2.24 CHARTS RELATED TO AN AERODROME

AD RNAV (GNSS) RWY 05 Data tabulation RNAV (GNSS) RWY 23 Data tabulation	-AD-01 -RNAV-01 -RNAV-01A -RNAV-02 -RNAV-02A

THIS PAGE INTENTIONALLY LEFT BLANK