FAMM

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAMM - GEORGE DICK MONTSHIOA

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	254826.81S 0253240.09E Mid-point of aerodrome
2	*Direction and distance from city*	9 km NW of Mmabatho
3	*Elevation/Reference temperature*	4181 FT 24º C
4	*Geoid undulation at aerodrome elevation position*	85.3 FT
5	*MAG VAR / Annual change*	17ºW (2018) 0º5' W
6	*AD operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	Department of Community Safety & Transport Management (NWP) Private Bag X 2119 Mmabatho 2735 AP TEL: +2718 385 1130/1120/1121/1006/1059/1052/1065/1027/1029/1132/1036 FAX: +2718 385 1037 ATC: TEL/FAX: +2718 385 1131 MET: +2718 385 1110 Airport Fire Services: +2718 385 1132 AFS: FAMMZTZX
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON - FRI: 0600 - 1430
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	0300 - 1800
7	*ATS*	MON - FRI: 0545-1430; SAT-SUN: NIL; Public Holidays: NIL.
8	*Fuelling*	NIL
9	*Handling*	NIL

10	*Security*	NIL
11	*De-icing*	NIL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	NIL
3	*Fuelling facilities and capacity*	Not in operation.
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Mmabatho Palms, Mahikeng Protea hotels and several guest houses within 18km from the Airport.
2	Restaurants	McDonald's, Wimpy, and many more in town within 18km from the Airport.
3	*Transportation*	Avis and Europcar.
4	*Medical facilities*	First Aid room.
5	*Bank and Post Office*	Within 9km from Airport.
6	*Tourist office*	11 km from the Airport.
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	CAT 2. Two shifts, 10 personnel per shift.
2	*Rescue equipment*	Hurst Jaws of life, one set Champion Jaws of life, chain saw, pneumatic cutting and air chisels, high and low pressure lifting bags. One major tender 12 000L,1 200L & 250kg DCP, one rapid intervention (RIV) 520L, one grass unit 450L and one Ambulance.
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	HOD: MON, WED & FRI 0400 - 1700, TUE & THU 0600 - 1700. Public holidays, SAT and SUN NIL RFFS available. No water rescue services available, the airport relies on SAPS for water rescue services which are situated at Potchefstroom and Rustenburg.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL
2	*Clearance priorities*	NIL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron surface and strength*	Concrete PCN 100
2	*Taxiways width* *Taxiway surface* *Taxiway strength*	A-25M, B- 14M and C- 8M Surface: Asphalt
3	*Altimeter checkpoint location and elevation*	NIL
4	*VOR checkpoints*	NIL
5	*INS checkpoints*	NIL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL
2	*RWY and TWY markings and LGT*	NIL
3	*Stop bars*	NIL
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL	Radio mast	NIL	ELEV 4266 FT	Lighted	4 NM ESE

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	O R Tambo INTL
2	*Hours of service* *MET Office outside hours*	Observations 0300 - 1800 FAOR (082 233 9600/8800)
3	*Office responsible for TAF preparation* *Periods of validity*	O R Tambo Meteorological Office 9 -11 HR, 3 Hourly
4	*Trend forecast* *Interval of issuance*	Trend Hourly
5	*Briefing / consultation provided*	NIL
6	*Flight documentation /* *Language(s) used*	Standard ICAO format English
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	TWR, APP, Area
10	*Additional information (limitation of service, etc.)*	Flight documentation and other Aviation related information available on website http://aviation.weathersa.co.za

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
04	023DEG T/ 039DEG M	4499 X 45	LCN 100 ASPH	254901.86S 0253221.04E	4172FT	-0.163%
22	203DEG T/ 219M	4499 X 45	LCN 100 ASPH	254647.46S 0253324.64E	4148FT	+ 0.163%

SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
0	0	4619 X 150	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	Highest elevation of TDZ of precision APP RWY not available.
0	0	4619 X 150	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	

AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
04	4499	4499	4499	4499	NIL
22	4499	4499	4499	4499	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
04	SALS	Green	PAPI 3 DEG	white	NIL	White, last 600M amber	Red	NIL	See below.
22	SALS	Green	PAPI 3 DEG	white	NIL	White, last 600M amber	Red	NIL	

Remarks:
(1) Remote Switching: 3 clicks on microphone button on FREQ 119.3 MHz. Switches lights on. 5 & 7 clicks will increase light intensity. Lights switch OFF after 15 minutes.
(2) SALS and PAPI. SALS RWY 22 not connected to remote switching.
(3) TWY + Apron.

AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL
2	*LDI location and LGT Anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	Nil centreline lights, all TWY edge lights are blue.
4	*Secondary power supply and switch-over time*	Automated standby diesel generator provides power, supplies to the runway, taxiways, edge lights, floodlights and all radio communication in case ESKOM power supply fails - within 10 seconds.
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO* *Geoid undulation*	NIL
2	*TLOF and/or FATO elevation M/FT*	NIL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL
4	*True BRG of FATO*	NIL
5	*Declared distance available*	NIL
6	*APP and FATO lighting*	NIL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ a) Clockwise along the arc of a circle, radius 5NM and centred at 254933.21S 0253206.19E.
2	*Vertical limits*	GND - 7500 FT ALT
3	*Airspace classification*	D
4	*ATS unit call-sign* *Language*	Mafikeng Tower English
5	*Transition altitude*	7 000 FT
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

1	*2*	*3*	*4*	*5*
Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
TWR	Mafikeng Tower	119.3 MHz	MON-FRI: 0545-1430 SAT-SUN: NIL Public Holidays: NIL.	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
VOR	MMV	112.900 MHz	H24	254933.23S 253206.20E	NIL	NIL
UHF DME		1163 MHz transmits 1100 MHz receives	H24	254933.23S 0253206.20E	4128 FT	Channel 76X coaxially collocated with VOR

AD 2.20 LOCAL AERODROME REGULATIONS

NIL

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

AD 2.22 FLIGHT PROCEDURES

NIL

AD 2.23 ADDITIONAL INFORMATION

NIL

AD 2.24 CHARTS RELATED TO AN AERODROME

AD VOR A RWY 04	-AD-01 -VOR-01