FAMO

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAMO - MOSSEL BAY (CP/KP)

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	340925S 0220341E THR RWY 28
2	*Direction and distance from city*	8.45KM, 315° from Mossel Bay Town
3	*Reference elevation/Reference temperature*	526 FT/ 14°C
4	*Geoid undulation at aerodrome elevation position*	101.7FT
5	*MAG VAR* *annual change*	27.68° W / 2022 0°17'W
6	*AD Operator, address, telephone, telefax, email, AFS Address and, if available, website address*	PRIV AD CHF: Mossel Bay Aero Club, 69 Rooikat Street, Aalwyndal, P O Box 345, Mossel Bay, 6503 TEL: +27 44 695 4025 FAX: +27 44 695 4025 E-mail: office@mosselbayaero.com Web: www.mosselbayaero.com
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: 0600-1500
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	NIL
7	*ATS*	NIL
8	*Fuelling*	MON – SAT 0600 - 1500 After hours contact Bennie on +27 82 920 7709 R250.00 call out fee
9	*Handling*	NIL
10	*Security*	24 HR (Buildings only)
11	*De-icing*	NIL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	MOGAS, AVGAS 100LL, JET A1, W100
3	*Fuelling facilities and capacity*	Fuel Pump - 30 000L JET A1, 30 000L AVGAS, 10 000L Mogas
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	Yes (Prior arrangement)
6	*Repair facilities for visiting aircraft*	Limited
7	*Remarks*	Tie downs

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	In Town
2	*Restaurants*	On aerodrome and in town
3	*Transportation*	Prior arrangement
4	*Medical facilities*	In Town
5	*Bank and Post Office*	In Town
6	*Tourist office*	In Town
7	*Remarks*	Clubhouse (Limited hours of duty) Flying Training - Starlite Aviation Group TEL: +27 44 692 0006 Fixed wing and helicopter Web: www.starliteaviation.com 617 Flight School, Fixed Wing, Roger Brink, CEL: +27 82 5775 100 Flying Medicals - Dr Eugene Marais: +27 44 693 1470

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT I Mossel Bay Municipality: Fire Department
2	*Rescue equipment*	Available at AD: Firefighting trailer (water and foam), Fire extinguishers, Fire hydrants and fire hoses.
3	*Capability for removal of disabled aircraft*	Tractor AVBL
4	*Remarks*	NIL

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	Grass cutters
2	*Clearance priorities*	NIL
3	*Remarks*	Clearways grass cutting as required

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Surface: Asphalt Strength: NIL INFO AVBL
2	*Designation, width, surface and strength of taxiways*	Width: 7.5M Alpha: asphalt & gravel, Bravo: asphalt, Charlie: asphalt, Delta: asphalt, Sierra: asphalt Tango: gravel Strength: NIL INFO AVBL
3	*ACL location and elevation*	Location: 340925S 0220341E; Elevation: 526 FT
4	*VOR checkpoints*	NIL
5	*INS checkpoints*	NIL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	As per aerodrome radio procedures.
2	*RWY and TWY markings and LGT*	RWY 10/28 designators marked. Runway Edge lights and Threshold lights. Photo cell daylight switch.
3	*Stop bar*	Painted white at A1 and A3
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Hangar	340919S 0220400E	NIL INFO AVBL	NO LIGHTS	510 M from THR on final RWY 28
NIL INFO AVBL	High ground	1.2 NM NW THR RWY 10.	900 FT ALT	NIL INFO AVBL	NIL

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Building	400 M S of THR RWY 28	30 FT	NO LIGHTS	NIL
NIL INFO AVBL	Powerlines	NIL INFO AVBL	26 FT	NIL INFO AVBL	Parallel to RWY along old road to Mossel Bay.

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	Cape Town
2	*Hours of service* *MET office responsible outside hours*	NIL
3	*Office responsible for TAF preparation and periods of validity*	NIL
4	*Type of trend forecast and interval of issuance*	NIL
5	*Briefing / consultation provide*	NIL
6	*Flight documentation / language(s) used*	ATIS / English
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	Online weather station and webcams – mosselbayaero.com
9	*ATS units provided with information*	NIL
10	*Additional information (limitation of service, e.t.c.)*	NIL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE & MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
10	070°T 097°M	1145 x 16	Asphalt	340937.8S 0220259.6E	543FT	0.04%
28	250°T 277°M	1145 x 16	Asphalt	340925.05S 0220341.47E	544FT	0.04%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	135 x 19	1205 X 36	NIL	NIL	NIL	NIL
NIL	165 x 16	1205 X 36	NIL	NIL	NIL	NIL

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
10	1145	1280	1145	1145	NIL
28	1145	1310	1145	1145	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ,LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
10	NIL	Green	NIL	NIL	NIL	1145M 50M spacing White	Red	NIL	NIL
28	NIL	Green	NIL	NIL	NIL	1145M 50M spacing White	Red	NIL	NIL

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL
2	*LDI location & LGT and anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	NIL
4	*Secondary power supply and switch-over time*	NIL
5	*Remarks*	RWY lighting controlled by daylight switch.

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	340932.3S 0220329.2E / 101.7FT
2	*TLOF / FATO elevation (m/ft)*	535FT
3	*TLOF and FATO area dimensions, surface, strength, marking*	7 Helipads, 6M (round and septagon) Concrete
4	*True BRG of FATO*	NIL
5	*Declared distance available*	NIL
6	*APP and FATO lighting*	NIL
7	*Remarks*	Windsock – 70M west of centre of helipads

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call sign* *Language(s)*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL	NIL	NIL	NIL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

1. Located in high density area (GND/3500FT ALT).
2. Remain clear of FAGG TMA I (3500FT ALT/FL145).
3. Avoid unnecessary low flying in the vicinity of the aerodrome.
Ostrich farming, horse riding school south of airfield and residential buildings near airfield.
4. Beware of model flying just North of threshold 28, which is manned on FREQ 124.20 MHz when active.
5. All arriving and departing aircraft to have two- way communication.

AD 2.21 NOISE ABATEMENT PROCEDURES

Avoid unnecessary low approaches, residential buildings on final to RWY 28 and game park on final to RWY 10.

AD 2.22 FLIGHT PROCEDURES

1. Prior to joining, monitor 126.225 MHz for latest FAGG ATIS.
2. Frequency 124.2 MHz to be used within a 5NM radius of the aerodrome.
3. FAMO is a registered Parachute Drop Zone (sunrise to sunset). Monitor 124.2 MHz for jump plane advisory calls and hold 1NM from airfield while jumps in progress.
4. Unmanned airfield joining procedure by all fixed wing aircraft: Join overhead at 2 500FT on FAGG QNH (except during paradrops). The 'dead' side is to the north of the airfield not below 1 500FT. Helicopters, gyrocopters and microlights circuits - join north of the airfield not above 1 300FT on downwind leg for runway in use (10 or 28). Fixed wing circuits to the south of RWY 10/28 at 1 500FT.
5. Aircraft to remain clear of FAR 150 (1 500FT ALT/GND) 2NM west of threshold 10 (PetroSA).

AD 2.23 ADDITIONAL INFORMATION

1) Caution: Wind shear on approach to RWY 10 easterly winds in excess of 5 knots.
2) Zipline installed at Point Area, Mossel Bay. Launch site at: 341122.49S 0220900.13E (92.39 MSL) and slopes down to site at 341109.97S 0220933.42E (6.08 MSL).
Slope distance 939.7M, Horizontal distance 935.72M. Slope -9.224 PCT.

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL	NIL