FAOB

FAOB AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAOB - OVERBERG - MILITARY - UNLICENSED

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	343329.22S 0201456.84E
2	*Direction and distance from city*	10 NM ESE of Bredasdorp
3	*Elevation/Reference temperature*	52 FT AMSL
4	*Geoid undulation at AD ELEV PSN*	NIL INFO AVBL
5	*MAG VAR / Annual change*	27°W (2019)
6	*AD Administration, address, telephone, telefax, telex, AFS*	CATCO AFB Overberg P/Bag X 14 BREDASDORP 7280 Tel: (028) 425 4111 ADMIN: (028) 425 4081 APCH/TWR: (028) 425 4079 Cell: 079 502 5413 / 082 739 9764 BCP/OPS centre AH: (028) 425 4043 Telefax: (028) 425 4082, Fax: (028) 425 4198 MET: (028) 425 4081 Telegraphic Address: AFTN FAOBZTZX, FAOBZQZX, FAYLYVYX E-mail: overbergatc@gmail.com
7	*Types of traffic permitted (IFR / VFR)*	VFR/IFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Administration*	MON-FRI: 0545-1415.
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	MON-FRI: 0545-1415. ATC SER AVBL on WKND, PUB holidays and after HRS of duty on 45 MIN STBY. Contact TFDC Base OPS Tel: (028) 425 4111
8	*Fuelling*	MON-FRI: 0545-1415
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	Forklift.
2	*Fuel and Oil types*	For military use only: AVGAS 100/130, JET A1 Oil: 100, D100
3	*Fuelling facilities and capacity*	Fuel Bowsers
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Overnight accommodation available in Bredasdorp
2	Restaurants	SAAF Cafeteria, restaurants in Bredasdorp.
3	*Transportation*	NIL
4	*Medical facilities*	First aid and Hospital in town. Oxygen and related servicing.
5	*Bank and Post Office*	NIL
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	Nil banking facilities on aerodrome, only in nearby town, Bredasdorp.

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	CAT 4
2	*Rescue equipment*	Trained personnel available
3	*Capability for removal of disabled aircraft*	NIL INFO AVBL
4	*Remarks*	SAR-Under the coordinating direction of the South African Air Force.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	Open all seasons.

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron surface and strength*	Concrete / PCN: N/A.
2	*Taxiways width* *Taxiway surface* *Taxiway strength*	Taxiway A: Width 23M, taxiway B - H: Width 30M, Surface: ASPH, Strength: PCN: N/A
3	*Altimeter checkpoint location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	3 - 343348.6206S 0201508.3981E 4 - 343350.5447S 0201509.9997E
6	*Remarks*	NIL INFO AVBL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

	Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bars*	NIL INFO AVBL
4	*Remark*	1. Marking aids: All runways, threshold, Touchdown, RWY designator, RWY centerline & holding points 2. Arrestor Barriers: RWY 17 and RWY 28 3. GND movement CTL: Freq 119.8 MHz available with prior arrangement.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
- Windshear finals RWY 10/28 in strong wind conditions. - ACFT are not to touch down on or before the concrete section on threshold RWY 28 due to that section breaking up. - Three radio masts at position 1 NM west of RWY 35(98' AGL). Mast height 30 M and fitted with day/Night markings. - No marked taxilines on Apron B.					

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET Office outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation* *Periods of validity*	NIL INFO AVBL
4	*Trend forecast* *Interval of issuance*	Hourly METAR given by TWR/ATIS
5	*Briefing / consultation provided*	NIL INFO AVBL
6	*Flight documentation / Language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, etc.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
35	325°T	3110 x 44	ASPH LCN 70	343438.07S 0201611.55E	37 FT	0.09U
17	145°T	3110 x 44	ASPH LCN 70	343315.43S 0201459.58E	46 FT	0.09D
10	075° T	2111 x 30	ASPH LCN 70	343333.14S 0201345.43E	52 FT	0.10D
28	255° T	2111 x 30	ASPH LCN 70	343316.24S 0201504.28E	45 FT	0.10U
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below.
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	

Remarks:

Circuit Procedures
Circuit altitude : Piston engined aircraft - 1100FT AGL
Jet engined aircraft - 1500 FT AGL
Turbine engined aircraft - 1600 FT AGL
Initial - 2000’ AGL
RWY 35 in use - Right hand circuit
RWY 17 in use - Left hand circuit
RWY 10 in use - Left hand circuit
RWY 28 in use - Right hand circuit
Additional information:
1. No landing T available.
2. Avoid touch-down on concrete section of THR 28 due break-up of surface.
3.Wind shear on final approach RWY 10/28 in extreme wind conditions.

AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
10	2111	2111	2111	2111	Nil
28	2111	2111	2111	2111	Nil
17	3110	3110	3110	3110	Nil
35	3110	3110	3110	3110	Nil

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type LEN INTST*	*THR LGT colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ LGT LEN*	*RWY Centre Line LGT Length, spacing, colour, INSTST*	*RWY Edge LGT LEN, spacing, colour, INSTST*	*RWY End LGT colour WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
35	HIALS 900M	NIL INFO AVBL	PAPI (3.0°)	NIL INFO AVBL	AVBL	AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL
17	HIALS 900M	NIL INFO AVBL	PAPI (3.0°)	NIL INFO AVBL	AVBL	AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL
10	SALS	NIL INFO AVBL	PAPI (3.0°)	NIL INFO AVBL	NIL INFO AVBL	AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL
28	SALS	NIL INFO AVBL	PAPI (3.0°)	NIL INFO AVBL	NIL INFO AVBL	AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location and LGT Anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL

4	*Secondary power supply and switch-over time*	Emergency lighting & secondary supply available / 15 sec for switch over.
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO Geoid undulation*	NIL INFO AVBL
2	*TLOF and/or FATO elevation M/FT*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	CTR a) A circle radius 15 NM centred on a point at 343322.035S 0201449.70E
2	*Vertical limits*	GND/3500 FT ALT
3	*Airspace classification*	Class C. Class “G” airspace outside ATC HR of SER. Pilots to BCST on Freq 119.8MHz.
4	*ATS unit call-sign* *Language*	Overberg Approach English
5	*Transition altitude*	5000 FT AMSL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
ATIS	-	115.4MHz	-	NIL
Ground	Overberg	119.8 MHz	MON-FRI: 0545-1415	Available with prior arrangement
Tower	Overberg	119.8 MHz	MON-FRI: 0545-1415	NIL
Approach	Overberg	119.8 MHz	MON-FRI: 0545-1415	NIL
Informational	Overberg	119.8 MHz	MON-FRI: 0545-1415	NIL
VDF Available	Yes	-	-	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OP (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
ILS LOC	OBI	110.9 MHZ	H24	343303.32S 0201447.75E	46 FT	NIL
ILS GP		330.8 MHz	24 HR	343430.65S 0201557.99E	37 FT	NIL
VOR DME	OBV	115.4 MHz CH101X	24 HR	343322.03S 0201449.70E	43 FT	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

AD 2.21 NOISE ABATEMENT PROCEDURES

-Standard

AD 2.22 FLIGHT PROCEDURES

- FAOB is within FAR 147. Aircraft intending to enter require prior authorisation from the Chief Air Traffic Control Officer Overberg.
Tel: (028) 425 4079 during hours of service.

AD 2.23 ADDITIONAL INFORMATION

- All FPL's to FAOB must be addressed to FASFYVYX. this is to ensure receipt of FPL's after HRS.
- Prior authorisation is necessary from the Chief of South African National Defence Force to make use of the aerodrome facilities.
- Diversion and landing in EMERG only.
- Airfield unmanned after hours of service. ATS on STBY (45 MIN) will notify applicable ATSUs should the airfield and airspace be manned with operations outside normal hours of service.
- Avoid area 3423.0S 02033.5E within 3NM radius due to vulture activities.
- Bird hazard exists on final approach to all runways.

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL

THIS PAGE INTENTIONALLY LEFT BLANK