FAOH

FAOH AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAOH - OUDTSHOORN

FAOH AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	333600S 0221100E
2	*Direction and distance from city*	NM SW
3	*Elevation/Reference temperature*	1063 FT
4	*Geoid undulation at AD ELEV PSN*	NIL INFO AVBL
5	*MAG VAR / Annual change*	24°W (2003)
6	*AD operator, address, telephone, telefax, Email, AFS address and, if available, website address*	PUB AD CHF: Oudtshoorn Municipality, P O Box 255, Oudtshoorn. 6620. TEL: +27 44 203 3000 FAX: +27 44 203 3104 TWR: +27 44 272 7934 E-MAIL: post@oudtmun.co.za
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

FAOH AD 2.3 OPERATIONAL HOURS

1	*AD operator*	MON-FRI: 0600-1300, SAT-SUN:NIL, PUBLIC HOL: NIL
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	MON-FRI: 0500-1600, SAT: 0600-1100, SUN: NIL PUBLIC HOL: NIL
8	*Fuelling*	Controlling Authority: Oudtshoorn Aero Club. AVGAS 100LL, JET A1, Aeroshell W100 AVBL. HOD: MON-FRI: BTN 0600-1500 and SAT: BTN 0600-1100. Pieter Lategan: CELL: +27 82 824 6855. Payment accepted by Credit Card or cash.
9	*Handling*	NIL INFO AVBL
10	*Security*	24 HR
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	Alternate AD for FAGG and FAPG

FAOH AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL INFO AVBL
2	*Fuel and Oil types*	Fuel grades: AVGAS 100LL, JET A1, Aeroshell W100 AVBL. Oil grades: W100 Credit Card facilities AVBL for payment of fuel, LDG fees and parking fees.
3	*Fuelling facilities and capacity*	NIL INFO AVBL
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	AVBL
7	*Remarks*	NIL

FAOH AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Overnight accommodation: Hotels & Guest Houses in town - unlimited
2	Restaurants	Restaurants in town of a wide variety
3	*Transportation*	NIL
4	*Medical facilities*	Hospital in Town - 3KM
5	*Bank and Post Office*	NIL INFO AVBL
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	NIL

FAOH AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	NIL
2	*Rescue equipment*	NIL
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	NIL

FAOH AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	Seasonal Availability: All Seasons

FAOH AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron surface and strength*	NIL INFO AVBL
2	*Taxiways width* *Taxiway surface* *Taxiway strength*	NIL INFO AVBL
3	*Altimeter checkpoint location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL INFO AVBL

FAOH AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bars*	NIL INFO AVBL
4	*Remark*	NIL INFO AVBL

FAOH AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Automatic WX STN	333601S 0221132E	HGT 32.81 FT AGL	NIL INFO AVBL	40M W of APN. Pilots especially helicopters, to EXER CTN when approaching for refuelling purposes.

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

FAOH AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET Office outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation* *Periods of validity*	NIL INFO AVBL
4	*Trend forecast* *Interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provided*	NIL INFO AVBL
6	*Flight documentation /* *Language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, etc.)*	NIL INFO AVBL

FAOH AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*True BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
04	011º	1701 x 30	ASPH LCN 45	333651.99S 0221113.07E	1040FT	0.004U
22	191º	1701 x 30	ASPH LCN 45	333600.88S 0221127.02E	1061FT	0.004D
SWY Dimensions (M)	*CWY Dimen-sions (M)*	*Strip Dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
86	NIL	1821 X 80	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	1821 X 80	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FAOH AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
04	1615	1615	1701	1701	NIL
22	1701	1701	1701	1615	NIL

FAOH AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, spacing, colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
04	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
22	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	

FAOH AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL
2	*LDI location and LGT Anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	NIL
4	*Secondary power supply and switch-over time*	NIL
5	*Remarks*	NIL

FAOH AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO Geoid undulation*	NIL
2	*TLOF and/or FATO elevation M/FT*	NIL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL
4	*True BRG of FATO*	NIL
5	*Declared distance available*	NIL
6	*APP and FATO lighting*	NIL
7	*Remarks*	NIL

FAOH AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ Circle Radius:- 5 NM Centre: 333600S 0221100E Excluding FAR47.
2	*Vertical limits*	GND/6000FT ALT
3	*Airspace classification*	Class G
4	*ATS unit call-sign* *Language*	English - Oudtshoorn Radio
5	*Transition altitude*	NIL INFO AVBL
6	*Remarks*	AFIS Provided by AIFA

FAOH AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
AFIS	Oudtshoorn Radio	131.1 MHz transmits and receives	MON-FRI: 0600-1300, SAT-SUN: NIL PUBLIC HOL: NIL	Oudtshoorn Radio unmanned occasionally due to NIL flight school activity.

FAOH AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

FAOH AD 2.20 LOCAL AERODROME REGULATIONS

(1) All traffic routing inbound to establish contact with Oudtshoorn Radio on frequency 131.100 MHz at the following reporting points:
Aircraft inbound from the East to report at Dysselsdorp (333430S, 0222460E) at 4500’ ALT initially and then routing to Railway Crossing (333508S, 0221737E) at 3500’ ALT.
Aircraft inbound from the South to report 1NM East of the Candy Cane Mast (334015S, 0221559E) at 3500’ ALT.
Aircraft inbound from the West to report 1NM North of the Lovebridge (333824S, 0220526E) at 3500’ ALT.
Traffic inbound from the North to report at Schoemanshoek (333126S, 0221404E) at 3500’ ALT.
Aircraft routing outbound to maintain 2500’ ALT or below until 5NM.
(2) Circuit Pattern: RWY 22- left hand, RWY 04 Right hand.
(3) Very active Flight Training school. High volume of flight training aircraft leaving & entering the ATZ.
(4) Warning: SE BOUNDARY FAR 47 GND/FL195 1NM NW of AD.

FAOH AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

FAOH AD 2.22 FLIGHT PROCEDURES

1) Returning / routing to the FAOH ATZ Class G Aerodrome with a suspected RCF: (During FAOH ATSU operational hours of duty and in VMC)
i) Squawk 7600 (if transponder equipped)
ii) Make the relevant blind broadcasts to advise all traffic of intended routing and procedures.
iii) Route towards the FAOH Aerodrome maintaining 3500 FT and switch all navigation lights on.
iv) On entering the ATZ descend to 3100 FT (1000 FT above CCT altitude) routing overhead the Aerodrome. Once the traffic is overhead the Aerodrome, descend on the dead side (West side of RWY) of the Aerodrome and then position either left downwind RWY 22 or right hand downwind RWY 04 while descending to circuit altitude (positioning dependant on runway in use at the time as determined by the pilot).
v) Continue to make relevant blind broadcasts while in the circuit pattern.
vi) Position on final to land in a safe manner continually looking out for other traffic.
vii) Land and vacate the relevant runway in use and taxi following the safest possible route to the apron.
viii) Contact with FAOH ATC either telephonically or in person to advise of safe landing and to assist with details required for the completion of a relevant report if aircraft belongs to AVIC International Flight Training Academy or Mandatory Occurrence Report if a visiting aircraft.

2) Returning / routing to the FAOH ATZ Class G Aerodrome with a suspected RCF: (Outside FAOH ATSU operational hours of duty and in VMC)
i) Squawk 7600 (if transponder equipped).
ii) Make the relevant blind broadcasts to advise all traffic of intended routing and procedures.
iii) Route towards the FAOH Aerodrome maintaining 3500 FT. Switch all navigation lights on.
iv) On entering the ATZ descend to 3100 FT (1000 FT above CCT altitude) routing overhead the Aerodrome. Once the traffic is overhead the Aerodrome, descend on the dead side of the Aerodrome (West side of RWY) and then position either left downwind RWY 22 or right hand downwind RWY 04 while descending to circuit altitude (positioning dependant on runway in use at the time as determined by the pilot).
v) Continue to make relevant blind broadcasts while in the circuit pattern.
vi) Position on final to land in a safe manner. Continue look out for other traffic.
vii) Land and vacate the relevant runway in use and taxi following the safest possible route to the apron.

FAOH AD 2.23 ADDITIONAL INFORMATION

NIL INFO AVBL

FAOH AD 2.24 CHARTS RELATED TO AN AERODROME

NIL