FAPA

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAPA - PORT ALFRED

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	Ref. Point: 333337.38S 0265240.68E
2	*Direction and distance from city*	3 NM N
3	*Elevation/Reference temperature*	ELEV 315 FT
4	*Geoid undulation at AD ELEV PSN*	94.5 FT
5	*MAG VAR / Annual change*	26° W
6	*AD Operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	Authority Supervising the Aerodrome and Remarks: PUB AD CHF: 43 Air School, Private Bag X43, Port Alfred, 6170 TEL: (+27) 46 604 3600 43 Air School ATSU ATC TEL: (+27) 46 604 3612 / 3629 E-mail: 43tower@43airschool.com ATSU Manager: Marnu Pelser Cell: (+27) 72 745 5947 43 Air School AMO AMO TEL: (+27) 46 604 3649 AMO Manager: Bertus Wentzel TEL: (+27) 46 604 3607 43 Air School Operations Department TEL: (+27) 604 3610 E-mail: 43airops2@43airschool.com 43 Air School Marketing TEL: (+27) 46 604 3600 Website: https://www.43airschool.com E-mail: fly@43airschool.com SA Mooney Sales & Services CC (Private Hangars) TEL: (+27) 46 624 5332 E-mail: PHanly@samooney.co.za / BSamuel@samooney.co.za Security: Multi Security TEL: (+27) 46 624 2508 / (+27) 46 604 3663 (Main Entrance)
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	AD Operational hours: HJ, HN PPR
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL

4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	AFIS: APR-AUG: MON-SUN: 0500-1500 SEP-MAR: MON-SUN: 0400-1600
8	*Fuelling*	Supplier: PUMA / 43 Air School APR-AUG: MON-SUN: 0400-1600 SEP-MAR: MON-SUN: 0300-1700 TEL: (+27) 46 604 3610 Fuel Bay Manager: Robbie Glad E-mail:fuelbay@43airschool.com
9	*Handling*	NIL INFO AVBL
10	*Security*	H24 Multi Security TEL: (+27) 46 604 3663 (Main Entrance)
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL INFO AVBL
2	*Fuel and Oil types*	AVGAS 100LL – PUMA OIL: SHELL W100 / 100 / 15W50 / W100 PLUS / SPORT PLUS 4 / PHILLIPS 20W50 NIL JET A1 NIL MOGAS
3	*Fuelling facilities and capacity*	Main Tank (PUMA – AVGAS 100LL) – 65 265 LITRES 2 X FUEL BOWSERS – 1000 LITRES EACH
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	43 Air School AMO AMO TEL: (+27) 46 604 3649 AMO Manager: Bertus Wentzel TEL: (+27) 46 604 3607 SA Mooney Sales & Services CC (Private Hangars) TEL: (+27) 46 624 5332 E-mail: PHanly@samooney.co.za / BSamuel@samooney.co.za
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Royal St Andrews Hotel TEL: (+27) 46 604 5400 E-mail: reservations2@rsah.co.za My Pond Hotel TEL: (+27) 46 624 4626 E-mail: reservations@mypondhotel.com Several hotels are available in town ranging from one to five star. Also, a variety of guest houses.
2	Restaurants	Bistro (On the airport) TEL: (+27) 46 604 3652 Guido's Port Alfred TEL: (+27) 46 624 5264 The Highlander TEL: (+27) 46 604 5400 Various restaurants are available in town including Wimpy, Spur, KFC etc.
3	*Transportation*	NIL INFO AVBL
4	*Medical facilities*	No ambulance on AD Basic first aid facilities on AD H24 Guardmed (private ambulance) TEL: (+27) 46 724 6849 H24 Hospital TEL: (+27) 46 604 4000
5	*Bank and Post Office*	NIL INFO AVBL
6	*Tourist office*	Sunshine Coast Tourism TEL: (+27) 46 624 1235 Website: https://portalfred.co.za
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	NIL
2	*Rescue equipment*	NIL
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	H24 Ndlambe Fire Department (3.8KM from the airport) TEL: (+27) 46 624 1111

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL

3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron designation, surface and strength*	NIL INFO AVBL
2	*Taxiway designation, width, surface and strength*	NIL INFO AVBL
3	*Altimeter checkpoint location and elevation*	NIL INFO AVBL
4	*VHF omnidirectional radio range (VOR) checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	Parking procedures: Aircrafts not to park with 43 Air School aircraft. Aircrafts will be guided by AFIS staff for parking.

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	RWY: Runway designation numbers and threshold markings
3	*Stop bars*	NIL INFO AVBL
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Ndlambe Water Tank	333354S 0265344E	450FT / 150 FT	NIL INFO AVBL	Cement water tank 1.7KM SE
NIL INFO AVBL	Electricity trans-former	333300S 0265316E	330FT / 15FT	NIL INFO AVBL	100M NORTH THR RWY 25
NIL INFO AVBL	Maintenance hangar	333336S 0265245E	330FT / 15FT	NIL INFO AVBL	50M SOUTH THR RWY 07
(1) Power line on APCH RWY 28R / 28C / 28L. (2) Frequent mechanical turbulence associated with maintenance hangers situated east of THR RWY 07.					

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	Chief Dawid Stuurman SAWS (126KM from Port Alfred)
2	*Hours of service* *MET Office outside hours*	Forecasting: 0200-1900 TEL: (+27) 41 581 0403 / (+27) 66 056 6254 OR Tambo INTL SAWS TEL: (+27) 11 390 9329 / 30
3	*Office responsible for TAF preparation* *Periods of validity*	NIL INFO AVBL
4	*Trend forecast* *Interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provided*	NIL INFO AVBL
6	*Flight documentation /* *Language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, etc.)*	Flight documentation and other aviation related information AVBL on Website: https://aviation.weathersa.co.za/

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
10L	075º	1647.03 x 35	Grass	333319.64S 0265214.73E	309.55 FT	-0.35%
28R	255º	1647.03 x 35	Grass	333305.81S 0265316.40E	303.76 FT	+0.35%

10R	075º	1236.77 x 29	Grass	333323.08S 0265229.81E	297.86 FT	-0.29%
28L	255º	1236.77 x 29	Grass	333312.61S 0265316.09E	294.20 FT	+0.25%
18	157º	717.81 x 35	Grass	333310.61S 0265250.71E	312.23 FT	+5.57%
36	337º	717.81 x 35	Grass	333332.12S 0265301.38E	272.23 FT	-5.57%
07	046º	1073.70 x 35	Grass	333331.07S 0265248.69E	279.59 FT	+1.92%
25	226º	1073.70 x 35	Grass	333306.74S 0265318.49E	300.19 FT	-1.92%
10C	075º	1312 x 30	Grass	333320.22S 0265228.55E	314.6 FT	-0.011%
28C	255º	1312 x 30	Grass	333309.72S 0265317.84E	314.1FT	+0.011%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	NIL	NIL INFO AVBL	NIL	NIL	NIL	See below
NIL	NIL	NIL INFO AVBL	NIL	NIL	NIL	See below

Remarks
CIRCUIT: Reciprocating ENG ACFT 1300FT ALT, Turbine ENG ACFT 1800FT ALT, Helicopter 1100FT ALT.
Parallel Runway 10/28 Operations:
(1.) RWY 10L and RWY 10R can operate simultaneously.
(2.) RWY 28L and RWY 28R can operate simultaneously.
(3.) When RWY 10C is active, both RWY 10L and RWY 10R will be inactive.
(4.) When RWY 28C is active, both RWY 28L and RWY 28R will be inactive.

AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
10L/28R	1647.03	1647.03	1647.03	1647.03	NIL
28L/10R	1236.77	1236.77	1236.77	1236.77	NIL
18/36	717.81	717.81	717.81	717.81	NIL
07/25	1073.70	1073.70	1073.70	1073.70	NIL
10C/28C	1312	1312	1312	1312	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type LEN INTST*	*THR LGT colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ LGT LEN*	RWY Centre Line, LGT LEN, Spacing, colour *INTST*	RWY Edge LGT, LEN, Spacing, Colour, *INTST*	*RWY End LGT colour WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
10L/28R	NIL	Green, No WBAR	NIL	NIL	NIL	1000M, 100M, White, No WBAR	Red, No WBAR	NIL	See comments below
28L/10R	NIL	Green, No WBAR	NIL	NIL	NIL	1000M, 100M, White, No WBAR	Red, No WBAR	NIL	See comments below
10C/28C	NIL	Green, No WBAR	NIL	NIL	NIL	1000M, 100M, White, No WBAR	Red, No WBAR	NIL	See below

Remarks
(1) RL (Runway edge lights), REIL (Runway end lights) only AVBL with PN.
(2) Portable solar powered RL & REIL not permanently deployed on RWY - require 30 minutes to deploy.
(3) The RL, REIL are intended for the private use of the Airport Operator only and are not available for general use.

AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location and LGT Anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL

4	*Secondary power supply and switch-over time*	NIL INFO AVBL
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates touchdown and lift-off (TLOF) or THR of final approach and take-off (FATO) Geoid undulation*	2 X Helipads AVBL (6M Diameter each) Coordinates: 333336S 0265301E / 333336S 0265302E.
2	*TLOF and/or FATO elevation M/FT*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ Circle radius 5 NM centred on 333500S 0265300E
2	*Vertical limits*	GND/4500 FT
3	*Airspace classification*	Class G
4	*ATS unit call-sign* *Language*	English
5	*Transition altitude*	NIL INFO AVBL
6	*Hours of applicability*	As per AD 2.3
7	*Remarks*	AFIS provided by 43 Air School.

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
AFIS	Port Alfred Radio	122.0 MHz transmits and receives	APR-AUG: MON-SUN: 0500-1500, SEP-MAR: MON-SUN: 0400-1500	PPR HR of duty can be extended for NGT OPS for AD OPR only. See note at FAPA AD 2.14 Runway lighting

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
Ground Movement Control	Port Alfred Ground	118.40 MHz transmits and receives	APR-AUG: MON-SUN: 0500-1500, SEP-MAR: MON-SUN: 0400-1500	PPR HR of duty can be extended for NGT OPS for AD OPR only. See note at FAPA AD 2.14 Runway lighting.
GFA	Port Alfred General Flying Area	124.4 MHz transmits and receives	24HR	GFA-FAD192 GND-FL085

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

Mainly a flight training school area. Extensive FLT TRG taking place.
BFR entering FAPA GEN FLY AREA, all ACFT to BCST intentions on 124.4 MHz and CTC Port Alfred radio on 122.0 MHz 10MIN BFR entering the ATZ.
All ACFT unfamiliar with Port Alfred Airport are advised to contact FAPA ATSU (+27) 46 604 3612 / 3629) for departure and arrival information before flight.

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

ATZ Inbound Routing:
TFC routing inbound FM the West to report seawards abeam Glendower Beacon at ALT 1800FT.
TFC routing inbound FM the East to report overhead Riet Point at 1800FT ALT.
TFC routing inbound FM the North to report overhead the Bathurst informal settlement at 2300FT ALT.
ATZ Outbound Routing:
RWY 28 active:
(1) TFC departing and heading West should extend the upwind until passing abeam Glendower Beacon at 1300FT ALT.
(2) TFC departing and heading East should extend right hand downwind RWY 28 and route abeam Riet Point, while staying North of the final approach path for RWY 28.
(3) TFC departing and heading North should route 2NM East or West abeam the Bathurst informal settlement at 1300FT ALT.
RWY 10 in use:
(1) TFC departing and heading East should extend the upwind until passing abeam Riet Point at 1300FT ALT.
(2) TFC departing and heading West should extend left hand downwind RWY 10 and route abeam Glendower Beacon, while staying North of the final approach path for RWY 10 at 1300FT ALT.
(3) TFC departing and heading North should route 2NM East or West abeam the Bathurst informal settlement at 1300FT ALT.
Note:
(1) Circuits on RWY 10/28 and 07/25 to be flown to the North.
(2) Circuits on RWY 18/36 to be flown West.
(3) RCF PROC: Continue broadcasting intentions blind on the designated FREQ and FLW the unmanned airfield joining and LDG PROC.
Significant Points:
Glendower Beacon - 333711S 0264918E
Riet Point - 333338S 0270049E
Bathurst Informal Settlement - 333014S 0264926E

AD 2.23 ADDITIONAL INFORMATION

NIL

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL