FAPG

FAPG AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAPG - GARDEN ROUTE AERO

FAPG AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	340517.37S 0231943.02E
2	*Direction and distance from city*	3 NM WSW
3	*Elevation/Reference temperature*	465 FT / 21ºC
4	*Geoid undulation at AD ELEV PSN*	99.6FT
5	*MAG VAR /* *Annual change*	27º W (2018) 0º10' W
6	*AD Operator, address, telephone, telefax, email, AFS Address and, if available, website address*	Bitou Municipality PUB AD CHF: Garden Route Aero Airport, Private Bag X1002, Plettenberg Bay, 6600. TEL: +27 44 501 3194 / 3362
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

FAPG AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	HJ
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	+27 44 876 9232
7	*ATS*	NIL
8	*Fuelling*	NIL
9	*Handling*	NIL
10	*Security*	Gate security and apron CCTV.
11	*De-icing*	NIL
12	*Remarks*	NIL

FAPG AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	NIL

3	*Fuelling facilities and capacity*	NIL
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

FAPG AD 2.5 PASSENGER FACILITIES

1	*Hotels*	NIL
2	Restaurants	NIL
3	*Transportation*	On request - local transport companies.
4	*Medical facilities*	NIL
5	*Bank and Post Office*	NIL
6	*Tourist office*	NIL
7	*Remarks*	NIL

FAPG AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	CAT II Fire Fighters are available from the Bitou Municipality fire department when response is required.
2	*Rescue equipment*	NIL
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	NIL

FAPG AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL
2	*Clearance priorities*	NIL
3	*Remarks*	NIL

FAPG AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Surface: Asphalt and concrete Strength: 50/F/B/X/U
2	*Designation, width, surface and strength of taxiways*	Width: 20M Surface: Asphalt and concrete; Strength: 50/F/B/X/U
3	*ACL location and elevation*	465FT
4	*VOR checkpoints*	NIL
5	*INS checkpoints*	NIL
6	*Remarks*	NIL

FAPG AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Apron yellow markings, Stop line 1 340521S 0231933E.
2	*RWY and TWY markings and LGT*	NIL
3	*Stop bars*	NIL
4	*Remark*	NIL

FAPG AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FAPG AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	FAGG +2744 876 9232
2	*Hours of service* *MET Office outside hours*	NIL
3	*Office responsible for TAF preparation* *Periods of validity*	NIL
4	*Trend forecast* *Interval of issuance*	NIL
5	*Briefing / consultation provided*	NIL
6	*Flight documentation /* *Language(s) used*	NIL
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	NIL
10	*Additional information (limitation of service, etc.)*	NIL

FAPG AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*True BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
12	099º	1240 x 20	ASPH LCN 20	340514.41S 0231921.02E	445 FT	+0.45%
30	279º	1240 x 20	ASPH LCN 20	340520.91S 0232008.85E	464 FT	-0.45%

SWY Dimensions (M)	*CWY Dimensions (M)*	*Strip Dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any)*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	Exercise caution on RWY as it is showing signs of deterioration
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	

FAPG AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
12	1240	1240	1240	1240	NIL
30	1240	1240	1240	1240	NIL

FAPG AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type LEN INTST*	*THR LGT colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ LGT LEN*	*RWY Centre Line LGT Length, spacing, colour, INTST*	*RWY Edge LGT LEN, spacing, colour, INTST*	*RWY End LGT colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
12	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
30	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL

FAPG AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL
2	*LDI location and LGT Anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	NIL
4	*Secondary power supply and switch-over time*	NIL
5	*Remarks*	NIL

FAPG AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO Geoid undulation*	NIL
2	*TLOF and/or FATO elevation M/FT*	NIL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL
4	*True BRG of FATO*	NIL
5	*Declared distance available*	NIL

6	*APP and FATO lighting*	NIL
7	*Remarks*	Landing on apron and grass permitted.

FAPG AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call-sign* *Language*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

FAPG AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL	NIL	NIL	NIL	NIL

FAPG AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OP (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

FAPG AD 2.20 LOCAL AERODROME REGULATIONS

Small light aircraft that will be parking at the airport for longer than 3 hours, will be allocated parking on the hard stand opposite the hangers. Operating Crew must communicate with Airport Staff. MTOW 5700kgs.

FAPG AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

FAPG AD 2.22 FLIGHT PROCEDURES

Note:
All departure routing west or northbound to contact FAGG APP on FREQ 128.2 MHz before entering the TMA. Departure to the east to remain clear of controlled airspace and to contact FACT FIS on FREQ 127.575 MHz.

All TFC departing from Garden Route Aero (FAPG) and are CLR of the FAPG circuit are to CTC George APP on FREQ 128.2 MHz for joining instructions or to activate their FPL. Outside of George APP HR of SER, ACFT are to BCST intentions on FREQ 128.2 MHz and CTC Cape Town area east on FREQ 124.7 MHz before joining the George TMA.

Pilots to exercise caution due to glider and parachute jumping activity taking place between sunrise and sunset. Pilots are to broadcast on 124.8 MHz.

FAPG AD 2.23 ADDITIONAL INFORMATION

NIL INFO AVBL

FAPG AD 2.24 CHARTS RELATED TO AN AERODROME

AD	-AD-01
RNAV (GNSS) RWY 12	-RNAV-01
Data tabulation	-RNAV-01A
RNAV (GNSS) RWY 30	-RNAV-02
Data tabulation	-RNAV-02A

THIS PAGE INTENTIONALLY LEFT BLANK