FAPI

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAPI - PIETERSBURG

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	235533.00S 0292903.70E
2	*Direction and distance from city*	1NM SSE
3	*Reference elevation/Reference temperature*	4354 FT
4	*Geoid undulation at aerodrome elevation position*	NIL INFO AVBL
5	*MAG VAR* *annual change*	NIL INFO AVBL
6	AD operator, address, telephone, telefax, e-mail, AFS address and, if available, website address	EXPECTRA 12 A PO BOX938, POLOKWANE 0700 TEL: +27 15 297 3291 CEL: +27 83 450 3300 CTC Person: Mr. Kowie Roux
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	H24
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	NIL
7	*ATS*	NIL
8	*Fuelling*	H24
9	*Handling*	NIL
10	*Security*	NIL
11	*De-icing*	NIL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	AVGAS, JET A1
3	*Fuelling facilities and capacity*	At the pump.
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	Martin + 27 83 495 8079

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	1 KM away
2	*Restaurants*	On the AD
3	*Transportation*	NIL
4	*Medical facilities*	NIL
5	*Bank and Post Office*	NIL
6	*Tourist office*	NIL
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	NIL
2	*Rescue equipment*	NIL
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	NIL

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL
2	*Clearance priorities*	NIL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	ASPH LCN 16
2	*Designation, width, surface and strength of taxiways*	ASPH LCN 16
3	*ACL location and elevation*	08 / 4228 and 26 / 4354
4	*VOR checkpoints*	NIL
5	*INS checkpoints*	NIL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL
2	*RWY and TWY markings and LGT*	RWY 08/26 THR and Center line markings
3	*Stop bar*	NIL
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL	NIL	NIL	NIL	NIL	NIL

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL	NIL	NIL	NIL	NIL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL
2	*Hours of service* *MET office responsible outside hours*	NIL

3	*Office responsible for TAF preparation and periods of validity*	NIL
4	*Type of trend forecast and interval of issuance*	NIL
5	*Briefing / consultation provide*	NIL
6	*Flight documentation / language(s) used*	NIL
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	NIL
10	*Additional information (limitation of service, e.t.c.)*	NIL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE & MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
08	NIL INFO AVBL	2249 X25	ASPH LCN 16	235551.63S 0292829.03E	4228 FT	NIL INFO AVBL
26	NIL INFO AVBL	2249 X25	ASPH LCN 16	235516.00S 0292938.46E	4354 FT	NIL INFO AVBL
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	NIL INFO AVBL	NIL	NIL	NIL	NIL
NIL	NIL	NIL INFO AVBL	NIL	NIL	NIL	NIL

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
08	2249	2249	2249	2249	NIL
26	2249	2249	2249	2249	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type and LEN INTST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, WBAR*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
08	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
26	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL
2	*LDI location & LGT and anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	NIL
4	*Secondary power supply and switch-over time*	NIL
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	On Apron
2	*TLOF / FATO elevation (m/ft)*	4250 FT
3	*TLOF and FATO area dimensions, surface, strength, marking*	ASPH LCN 16
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call sign* *Language(s)*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL	NIL	NIL	NIL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

AD 2.22 FLIGHT PROCEDURES

Whenever IFR ARR and/or DEP occur at FAPP, the FAPI circuit will be required to be sterile. This will be achieved by one of the following means as advised by ATC:
(1) FAPI circuit TFC will be required to leave the FAPP CTR by the shortest RTE.
(2) ALT FAPI circuit TFC can reposition and join the FAPP active circuit.
All circuits RWY 08/26 are to be flown remaining OHD or east of R37 national road.
Pilots unable to comply are to inform FAPP ATC.
The following procedures will apply for all arriving, departing and local flights:
1) Circuit procedures
(a) All circuits to be carried out at 5 100 FT ALT.
(b) RWY 26 in use - left hand circuits.
(c) RWY 08 in use - right hand circuits.
(2) RWY ELEV - THR 08 - 4228 FT, Mid RWY - 4284 FT, THR 26 - 4354 FT.
(3) ACFT must adhere to RWY's and TWY's and park in the parking area.
(4) All flights (IFR and VFR) departing FM FAPI are to establish 2-way communications with Polokwane (FAPP) ATC on FREQ 119.75 MHz before departure. If no CTC is AVBL with FAPP ATC on FREQ 119.75 MHz, CTC FAPP on telephone number: +27 15 288 0343 before TKOF.
(5) All TFC operating at FAPI are to maintain 2-way communication with FAPP ATC at all times and adhere to ATC instructions. This includes flights operating in the Pietersburg AD TFC circuit.
(6) Nil circuit training will be accommodated at Pietersburg airfield when Polokwane CTR is declared IMC, and VFR flights may be accommodated by Polokwane ATC on SVFR clearances. Outside Polokwane ATC HR of SER, TFC operating at Pietersburg airfield are to broadcast intentions on Polokwane FREQ 119.75 MHz

AD 2.23 ADDITIONAL INFORMATION

NIL

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL

THIS PAGE INTENTIONALLY LEFT BLANK