FAPM

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAPM - PIETERMARITZBURG

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	293848.44S 0302351.98E Mid-point of aerodrome
2	*Direction and distance from city*	2 NM S PIETERMARITZBURG
3	*Reference elevation/Reference temperature*	2423FT 22º C
4	*Geoid undulation at aerodrome elevation position*	96.9 FT
5	*MAG VAR* *annual change*	26º W (2018) 0º9' W
6	*AD operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	PUB AD CHF: MSUNDUZI MUNICIPAL COUNCIL, P.O. Box 321, PIETERMARITZBURG 3200 TEL: +27 33 392 3103 APM: +27 33 392 3102 FAX: +27 86 770 2177 E-mail: Simon.Ndlamlenze@msunduzi.gov.za Website: msunduzi.gov.za ATC Address: ATNS Control Tower 1 Pharazyn Way, Pietermaritzburg Airport, Pietermaritzburg, 3201 TEL: +27 32 436 5081 FAX: +27 33 386 9618 AFS: FAPMZTZX
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	AD Operational Hours: 0630 - 2000
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL
7	*ATS*	ATC HOD:MON - FRI: 0430 - 1800, SAT: 0600 – 1300, SUN: 0830 - 1800, Public Holidays to be advised by a NOTAM. 24 hour prior notice required for after hours unless otherwise arranged with officer in charge - TWR

8	*Fuelling*	HOD: MON–FRI: 0400-1600. SAT, SUN and Public Holiday: 0600-1500 24 Hours PN required for after hours. Supplier: SHELL / Pietermaritzburg Aero Club TEL: +27 33 386 3952 Helicopters requiring JET-A1 must exercise caution in the vicinity of Ground Support Equipment especially if there are aircraft parked on Bravo Apron. AVGAS: Air taxi pilot's discretion to fuel bay, however it is compulsory for helicopters with skids to carry wheels on board. NOTE: Fuel Payments can only be made by: Cash, Master Card or VISA Card.
9	*Handling*	NIL INFO AVBL
10	*Security*	24 HR
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	SA Airlink Cargo TEL: +27 33 386 9286
2	*Fuel and Oil types*	AVGAS and Jet A1.
3	*Fuelling facilities and capacity*	AVGAS: 27000L, Jet A1: 50000L
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	PACAIR, TEL: +27 33 386 6027/5426 ORIBI FLYING SERVICES, TEL: +27 33 386 1480.
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	In Town
2	*Restaurants*	At AD, Airborne cafe, TEL: +27 33 346 1858
3	*Transportation*	Car hire, shuttle and bus services.
4	*Medical facilities*	First aid room at AD terminal.
5	*Bank and Post Office*	Bidvest ATM at AD and others in town.
6	*Tourist office*	Donkizo tours at AD.
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT VI MON–SUN: 0400-1900
2	*Rescue equipment*	As per ICAO 9137 - Part 1.
3	*Capability for removal of disabled aircraft*	Class A ACFT with a maximum wingspan of 15M.
4	*Remarks*	Available extinguishing media & capability: 11 356 litres Water for foam production, 1000 litres foam compound on vehicles with a delivery of 6000 litres/ min. 377 KG DCP on vehicle with reserve stock of 775 KG DCP and 2000 litres of 3% foam compound. Personnel: 7 Station Officers, additional crew AVBL FM fire station in town when required (fully trained). 20 to 140 ton cranes AVBL FM crane hire companies in town. Arrangements can be made via disaster management, TEL: (033) 3922371

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL
2	*Clearance priorities*	NIL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron designation, surface and strength*	APN A: for jets and bigger ACFT. Concrete, PCR 580/R/A/W/T APN B: for light ACFT. Asphalt, PCR 720/F/A/X/T
2	*Taxiway designation, width, surface and strength*	Asphalt, PCR 720/F/A/X/T
3	*Altimeter checkpoint location and elevation*	NIL
4	*VHF omnidirectional radio range (VOR) checkpoints*	293852S 0302401E
5	*INS checkpoints*	NIL
6	*Remarks*	VDF: 293846S 0302355E

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	ACFT stands are marked and Parking bays are numbered. TWY guide lines marked in yellow. NIL parking marshals at AD, ATC may provide assistance on FREQ.
2	*RWY and TWY markings and LGT*	RENL, REDL and TWY edge LGT
3	*Stop bar*	NIL
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Radio mast	NIL INFO AVBL	676 / 115 FT	NIL INFO AVBL	2,6 NM SE
NIL INFO AVBL	Radio mast	NIL INFO AVBL	658 / 180 FT	NIL INFO AVBL	1,3 NM N
NIL INFO AVBL	Radio mast	NIL INFO AVBL	704 / 115 FT	NIL INFO AVBL	5 NM N
NIL INFO AVBL	Radio mast	NIL INFO AVBL	716 / 115 FT	NIL INFO AVBL	3.9 NM NNW
NIL INFO AVBL	Sentech mast	293450S 0301944E	356 FT	NIL INFO AVBL	N THR 16
2 Meter high security fence erected on the undershoot of Runway 32.					

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	FALE
2	*Hours of service* *MET office responsible outside hours*	No MET Station Forecasting 0200-1900 (+27 82 233 8700/9500) O R TAMBO (+27 82 233 9600/8800)
3	*Office responsible for TAF preparation and periods of validity*	FALE 9-11 Hours
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL 3 Hourly
5	*Briefing / consultation provide*	NIL INFO AVBL

6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength of the pavement classification rating (PCR) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
16	142ºT/168ºM	1537 x 30	ASPH PCR 720/F/A/X/T	293836.35S 0302337.76E	2351FT	+1.45%
34	322ºT/348ºM	1537 x 30	ASPH PCR 720/F/A/X/T	293915.73S 0302412.94E	2423FT	-1.45%
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
130 x 30	60 x 150	1540 x 300	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
0	60 x 150	1540 x 300	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below

Remarks
(1) All light ACFT to use holding point A unless instructed by ATC.
(2) Part of the RWY ABM the windsock is not visible FM the TWR. Pilots to EXER CTN on landing and take-off.
(3) Pilots must EXER CTN when operating in the Jet A1 fuel facility.

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
16	1537	1597	1667	1537	NIL
34	1537	1597	1537	1537	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY designator	*APCH LGT Type and LEN INTST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, INTST*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
16	SALS 230M	Green	PAPI 3.5°L	NIL	NIL	1537M 90M White	Red	NIL	Last 600M Yellow
34	NIL	Green	PAPI 3.0°L	NIL	NIL	1537M 90M White	Red	NIL	Last 600M Yellow
-Outside ATC HOD: 7 clicks on the PTT turns on the RWY LGT for 30 MIN. -Rotating beacon at the top of the TWR.									

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL
3	*TWY edge and centre line lighting*	NIL
4	*Secondary power supply and switch-over time*	NIL
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL
2	*TLOF / FATO elevation (m/ft)*	NIL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL
4	*True BRG of FATO*	NIL
5	*Declared distance available*	NIL
6	*APP and FATO lighting*	NIL

7	*Remarks*	(1) Helicopter landing/ parking area is on the grass area to the west of Alpha and Bravo aprons. Landing/Take-off at pilot's discretion, caution to be exercised in the vicinity of Ground Support Equipment. Pilots to remain further than 50 meters from RWY edge when landing/parking. (2) Helicopters that do not have wheels on board for repositioning after shutdown and need to land or air taxi to fuel bays must exercise caution in the vicinity of Ground Support Equipment and must land/air taxi at pilot's discretion, however it is compulsory for helicopters with skids to carry wheels on board. (3) Helicopters who park on grass park at own/pilots discretion.

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	CTR 1. From a point at 293244.06S 0302013.23E to a point at 293044.10S 0302713.10E 2. Thence clockwise around the arc of a circle, radius 5NM, centred at 293529.92S 0302900.12E to a point at 293558.20S 0303442.71E. 3. Thence a straight line to a point at 294338.42S 0303353.12E. 4. Thence clockwise around the arc of a circle, radius 5NM, centred at 294310.10S 0302810.10E to a point at 294637.31S 0302400.32E. 5. Thence a straight line to a point at 294056.98S 0301750.19E. 6. Thence clockwise around the arc of a circle, radius 5NM, centred at 293729.97S 0302159.95E to the starting point at 293244.06S 0302013.23E.
2	*Vertical limits*	GND/ 6 500 FT ALT
3	*Airspace classification*	Class C
4	*ATS unit call sign* *Language(s)*	English
5	*Transition altitude*	NIL INFO AVBL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
TWR	Pietermaritzburg Tower	122.0 MHz	MON-FRI: 0430 - 1800. SAT: 0600 - 1300; SUN: 0830 - 1800	ATC Hours of duty on Public Holidays will be notified by a NOTAM. 24 hour prior notice required for after hours unless otherwise arranged with officer in charge - TWR

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
VOR/DME	PMV	117.9 MHz transmits Channel 126x	H24	293852.13S 0302401.28E	NIL INFO AVBL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

NIL INFO AVBL

AD 2.23 ADDITIONAL INFORMATION

NIL INFO AVBL

AD 2.24 CHARTS RELATED TO AN AERODROME

AD	-AD-01
RNAV (GNSS) RWY 16	-RNAV-01
Aeronautical Data Tabulation	-RNAV-01A
RNAV (GNSS) RWY 34	-RNAV-02
Aeronautical Data Tabulation	-RNAV-02A

THIS PAGE INTENTIONALLY LEFT BLANK