FAPN

FAPN AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAPN - PILANESBERG INTERNATIONAL

FAPN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	Ref. Point: 252007.74S 0271017.88E
2	*Direction and distance from city*	50KM North of Rustenburg
3	*Elevation/Reference temperature*	AD Elev: 3412 FT
4	*Geoid undulation at AD ELEV PSN*	NIL INFO AVBL
5	*MAG VAR / Annual change*	17°W / 2003
6	*AD operator, address, telephone, telefax, email, AFS address and, if available, web-site address*	Authority Supervising the Aerodrome and Remarks: Department of Community Safety and Transport Management Private Bag X1016, MOGWASE 0314 PUB AD CHF: TEL: +27 14 552 1261 FAX: +27 14 552 1143 ATC TEL: +27 14 552 2154 ATC FAX: +27 14 552 2154 FIRE SER: +27 14 552 1261 Airport Manager: Mr Mogomotsi Padi CTC Number: +27 14 552 1261 Mobile Number: +27 83 233 9518 E-mail: mpadi@nwpg.gov.za
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

FAPN AD 2.3 OPERATIONAL HOURS

1	*AD Administration*	MON - SUN: 0500 - 1700 AVBL SS- SR: Night operations restricted to pilots with valid instruments ratings who are acquainted with AD and surroundings. AD unmanned from 1700 - 0500, flying into AD is at pilots own risk.
2	*Customs and immigration*	HOD: 0500-1700 on request daily. It is required that 12 hours prior notice be given stating the date & time of ARR or DEP to port officials by the pilot-in-command. Customs: TEL: +27 14 552 3111/7 CELL: +27 66 485 3267 Immigrations: TEL: +27 14 552 2320 CELL: +27 67 415 8043
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	TWR HOD: MON-FRI: 0500-1700; SAT 0700 - 1200; SUN 0615-1500. HOD during Public Holiday's will be notified via NOTAM.

8	*Fuelling*	MON-FRI: 0500-1700, SAT, SUN and Public Holidays: 0700-1200. AFT HR: PN should be given to the refuelling staff for any requests other than the published hours. CTC Peter Ramalete: +27 78 260 0891 or Ms Manana Bogatsu +27 82 334 7535
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	Ad-hoc extension to the hours of operations will be considered by the airport authority at an “after hours” rate. The request must reach the Airport Authority at least 7 working days in advance of the intended effective date.

FAPN AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL INFO AVBL
2	*Fuel and Oil types*	AVGAS, JET A1 and SHELL W100
3	*Fuelling facilities and capacity*	NIL INFO AVBL
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	NIL INFO AVBL
7	*Remarks*	NIL

FAPN AD 2.5 PASSENGER FACILITIES

1	*Hotels*	NIL INFO AVBL
2	Restaurants	NIL INFO AVBL
3	*Transportation*	NIL INFO AVBL
4	*Medical facilities*	NIL INFO AVBL
5	*Bank and Post Office*	NIL INFO AVBL
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	1.) SAPS Offices permanently stationed at the AD. 2.) In case of an unmanned AD; arrangements for landing can be made with Mr. A Rasepae: Mobile Number +27 72 174 6402.

FAPN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	CAT II.
2	*Rescue equipment*	NIL

3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	NIL

FAPN AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL

FAPN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron surface and strength*	Asphalt PCN 58
2	*Taxiways width* *Taxiway surface* *Taxiway strength*	NIL INFO AVBL
3	*Altimeter checkpoint location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	Decimal Latitude 25.336475, Decimal Longitude 27.170079
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	15 Parking Bays for General Aviation (Small Aircraft) A1 Parking Bay for Bigger Bodied Aircraft A Concrete Slab Refueling Bay

FAPN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bars*	NIL INFO AVBL
4	*Remark*	NIL

FAPN AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Cable way	252111S 0270540E 252203S 0270458E	4464 / 295FT 3648 / 295FT	Unmarked	S of Sun City
NIL INFO AVBL	Steel Container	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	70M to the left of RWY 05
Power line below APCH RWY 05 and mountains N & W of AD.					

FAPN AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	FAOR
2	*Hours of service* *MET Office outside hours*	No MET Station FAOR: +27 82 233 9600/8800
3	*Office responsible for TAF preparation* *Periods of validity*	FAOR 9-11 Hours
4	*Trend forecast* *Interval of issuance*	NIL 3 Hourly
5	*Briefing / consultation provided*	Flight documentation and other aviation related information AVBL on website page: http://aviation.weathersa.co.za
6	*Flight documentation / Language(s) used*	NIL
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	NIL
10	*Additional information (limitation of service, etc.)*	NIL

FAPN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*True BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*
1	*2*	*3*	*4*	*5*	*6*
05	NIL INFO AVBL	2750M x 30M	ASPH PCN 58/F/C/X/T	252037.37S 0270954.86E	3408FT
23	NIL INFO AVBL	2750M x 30M	ASPH PCN 58/F/C/X/T	251939.39S 0271043.34E	3401FT

Designations RWY NR	*Slope of RWY-SWY*	*SWY Dimensions (M)*	*CWY Dimensions (M)*	*Strip Dimensions (M)*	*OFZ*
1	*7*	*8*	*9*	*10*	*11*
05	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL
23	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

Remarks 12
(1) Circuit procedure: RWY 05 right-hand - RWY 23 left-hand.
(2) Tower view of the left base of RWY 05 obstructed due to terminal building structure.
Note: No flights authorised over the Pilanesberg Nature Reserve (Circle radius 7 NM centred on 251430S 0270510E) below 2 000 FT GND.

FAPN AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
05	2750	2810	2750	2750	NIL INFO AVBL
23	2750	2810	2750	2750	NIL INFO AVBL

FAPN AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type LEN INTST*	*THR LGT colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ LGT LEN*	*RWY Centre Line LGT Length, spacing, colour, INSTST*	*RWY Edge LGT LEN, spacing, colour, INSTST*	*RWY End LGT colour WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
05	NIL INFO AVBL	NIL INFO AVBL	(1)	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	RWY lighting AVBL
23	NIL INFO AVBL	NIL INFO AVBL	(1)	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	RWY lighting AVBL
(1) PAPI AVBL RWY 05/23 approach slope 3° (2) Remote Switching 3 clicks on microphone button on FREQ 118.4 MHz switches lights ON. 5 & 7 clicks will increase light intensity. Light switch OFF after 15 minutes.									

FAPN AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location and LGT Anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	NIL INFO AVBL
5	*Remarks*	NIL INFO AVBL

FAPN AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO Geoid undulation*	NIL INFO AVBL
2	*TLOF and/or FATO elevation M/FT*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL

5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

FAPN AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ Circle with radius: 8 NM Centre: 252000S 0271025E
2	*Vertical limits*	7 000 FT ALT
3	*Airspace classification*	Class C - Aerodrome separation only Note: Class A during official Night
4	*ATS unit call-sign* *Language*	English
5	*Transition altitude*	NIL INFO AVBL
6	*Remarks*	Except where otherwise authorized, no aircraft may operate within this air-space unless two-way radio communication is maintained with ATC. Tower visibility is obstructed by the terminal building. (Terminal building is to the west of the tower).

FAPN AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
TWR	Pilanesberg Tower	118,4 MHz transmits and receives	MON-FRI:0500-1700; SAT: 0700-1200; SUN: 0615-1500. HOD during Public Holiday's will be notified via NOTAM.	NIL

FAPN AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OP (VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME Transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
DVOR	PNV	112.6 MHz	H24	252345.03S 0270721.74E	NIL INFO AVBL	Power output 50W

UHF DME	PNV	Transmits 1160 MHz Receives 1097 MHz	H24	252345.03S 0270721.74E		Channel 73X Co-axially co-located with VOR

FAPN AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

FAPN AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

FAPN AD 2.22 FLIGHT PROCEDURES

NIL INFO AVBL

FAPN AD 2.23 ADDITIONAL INFORMATION

Increased wildlife ACT at the airfield. Pilots to EXER CTN when LDG/TKOF.

FAPN AD 2.24 CHARTS RELATED TO AN AERODROME

AD B/C VOR/DME 05	-AD-01 -VOR-01