FARB

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FARB - RICHARDS BAY

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	284424.65S 0320536.18E Mid-point of aerodrome
2	*Direction and distance from city*	2.5 NM NE RICHARDS BAY
3	*Reference elevation/Reference temperature*	109FT 26.4° C
4	*Geoid undulation at aerodrome elevation position*	81.053 FT (24.705 M)
5	*MAG VAR* *annual change*	23° W
6	AD operator, address, telephone, telefax, e-mail, AFS address and, if available, website address	PUB AD CHF: Richards Bay Airport Company Private Bag X1004 Richards Bay, 3900 Administrator: Ms Nkosi Sibiya TEL: +27 35 907 5997 / +27 35 907 5355 Operations Manager: Mr Simphiwe Morajane CELL: +27 82 882 1800 ATC: +27 35 907 5354 ATC FAX: Not AVBL AD 24 HR Security: +27 71 853 8775 E-MAIL: farbtwr@atns.co.za AFTN Address: FARBZTZX Website: www.richardsbayairport.co.za
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: 0530-1400 Admin Excluding Public Holidays
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	MON-TUE: 0500-1500 WED-FRI: 0630-1600 SAT: 0800-1200 SUN: 0900-1600 Public Holidays to be ADZ per NOTAM.

8	*Fuelling*	Supplier: Puma Energy TEL: +27 35 880 0007 HOD: MON: 0400-1400 TUES: 0600-1400 WED-FRI: 0800-1800 SAT: 0800-1100 SUN: 0800 -1600 CTC Number for After Hour service: +27 71 600 4362 /+27 76 062 3058
9	*Handling*	NIL
10	*Security*	H24
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	Outside these hours, services are available on request. Request to be not later than 24 hours in advance.

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	Only receiving cargo on SA Airlink flights into FARB. TEL: +27 35 880 0003/4
2	*Fuel and Oil types*	JET A1
3	*Fuelling facilities and capacity*	NIL INFO AVBL
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	3HR PN for fuel outside HOD. R250.00 service charge applicable. Diners Club & AMEX cards not accepted

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	In the city.
2	*Restaurants*	At AD and in the city.
3	*Transportation*	Various car hire companies at the AD. Taxi Service on call.
4	*Medical facilities*	First aid at AD. Hospitals in the city.
5	*Bank and Post Office*	Banks and Post Office in the city.
6	*Tourist office*	Tourism information centre in town. TEL: +27 35 907 5018
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	HOD: MON-SUN: 0400-1600 WI HOD: CAT 5. Outside HOD: CAT 2 Personnel AVBL: 1 Station Officer and 6 fire fighters (CAT 5 OPS) per shift. 1 Station Officer and 8 fire fighters (CAT 6 OPS) per shift. Station Officer: MON-FRI HOD: 0530-1400.
2	*Rescue equipment*	ICAO CAT VI compliant.
3	*Capability for removal of disabled aircraft*	NIL INFO AVBL
4	*Remarks*	Backup support from the local municipality. Outside AD HR; fire fighting SER to be REQ -submitted 24HR in advance.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATION/POSITIONS DATA

1	*Apron surface and strength*	SFC: Concrete. Strength: LCN 40, PCN 27
2	*Taxiways width, surface and strength*	Width: 15M SFC: Asphalt Strength: LCN 40, PCN 27
3	*ACL location and elevation*	Width:15M plus 5M shoulders each side - totals 25M SFC: Flexible (Asphalt), Strength: LCN 40, PCN 28.
4	*VOR check points*	NIL INFO AVBL
5	*INS check points*	NIL INFO AVBL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	RWY: Designation, THR, TDZ, RWY end as appropriate marked and lighted. Centre line marked. TWY: Holding positions at all TWY/RWY intersections marked. Centre line marked.
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	All aprons -parking bays numbered. Pilots to EXER CTN when taxiing West of the fuel bay due to water drain. Scheduled traffic are to park on the Northern stands. Intense helicopter operations between ships and the harbour.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Radio mast	S284240 E0321150	HGT 171FT	NIL INFO AVBL	NIL
NIL INFO AVBL	Radio mast	S284248 E0321140	HGT 315FT	NIL INFO AVBL	NIL
NIL INFO AVBL	Radio mast	S284300 E0321000	HGT 98FT	NIL INFO AVBL	NIL
NIL INFO AVBL	Radio mast	S284709 E0320139	HGT 115FT	NIL INFO AVBL	NIL
NIL INFO AVBL	Antenna	S284408 E0320508	NIL INFO AVBL	Red LGT	Marked by steady red LGT 500M FM AD
Mobile crane OPR at harbour BTN 04-08KM on final APCH TWY 05. GND/167.32FT MSL					

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	FALE
2	*MET office responsible outside hours*	No Meteorological Station Forecasting 0200-1900 (0822239500/8700) FAOR (0822339600/8800)
3	*Office responsible for TAF preparation and periods of validity*	FALE 9-11 hours
4	*Type of trend forecast and interval of issuance*	Nil 3 hourly
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	Richards Bay Tower
10	*Additional information (limitation of service, etc.)*	Hourly METAR's prepared by ATS Flight documentation and other Aviation related information AVBL on web page http://aviation.weathersa.co.za

AD 2.12 RWY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
05	034.2 T/057 M	1300 x 21	ASPH LCN 40, PCN 27	284445.35S 0320517.89E	73 FT	0.82U
23	214.2 T/237 M	1300 x 21	ASPH LCN 40, PCN 27	284410.38S 0320544.90E	109 FT	0.82D
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	1420M x 75M	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below.
NIL	NIL	1420M x 75M	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	
Remarks 12: ACFT must adhere to RWY's and TWY's and park in the parking area						

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
05	1300	1300	1300	1300	NIL
23	1300	1300	1300	1300	NIL

AD 2.14 APPROACH AND RUWAY LIGHTING

RWY	*APCH LGT Type and LEN INST*	*THR LGT Colour WBAR*	*VASIS(MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, WBAR*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
05	NIL INFO AVBL	Green	PAPI 2.70DEG	NIL INFO AVBL	NIL INFO AVBL	1300M; 60M; white	Red	NIL INFO AVBL	NIL
23	NIL INFO AVBL	Green	PAPI 3.40DEG	NIL INFO AVBL	NIL INFO AVBL	1300M; 60M; white	Red	NIL INFO AVBL	NIL

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	ABN: NIL IBN: NIL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL Anemometer: 200 m SW from TWR, LGT
3	*TWY edge and centre line lighting*	Edge: All TWY Centre line: NIL
4	*Secondary power supply and switch-over time*	Secondary power supply to all lighting at AD from Stand-by generator. Switch over time: 70sec
5	*Remarks*	Lighted windsock west of RWY

AD 2.16 HELICOPTERS LANDING AREA

1	*Coordinates TLOF or THR of FATO / Gd undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FAT*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	RWY used for helicopter operation. Taxi/Air taxi to/ from parking/refuelling area.

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	CTR A circle radius 15 NM centred on position 284416S 0320530E.
2	*Vertical limits*	GND/2500FT ALT
3	*Airspace classification*	Class C (Class G outside hours of operation)
4	*ATS unit call sign* *Language(s)*	Richards Bay Tower English
5	*Transition altitude*	3500 FT
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
TWR	Richards Bay Tower	118.9 MHz transmits and receives	MON-TUE: 0500-1500; WED-FRI: 0630-1600; SAT: 0800-1200; SUN: 0900-1600 Public Holidays to be ADZ per NOTAM.	Direct speech line removed. Outside line for all co-ordination TEL: +27 35 907 5354. Emergency standby number +27 71 183 3134.

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
VOR/DME	RBV	113.0 MHz	H24	284426.49S 0320536.91E	93 FT	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

Circuit procedures.
a) Circuit altitude: Piston engined aircraft - 1500 FT AMSL.
Jet engined aircraft - 1500FT AMSL
b) Circuit on all Runways (05/23) to the east unless directed otherwise by ATC.

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

Aircraft routing to/from FARB airspace to contact ATC prior to departure/entering controlled airspace. IFR Departures and all helicopters to call ATC for start. All VFR Traffic Operators coastwise to exercise caution and to monitor on all appropriate FREQ GND/1000 FT MSL.

DEEMED SEPARATION BETWEEN VFR AND IFR AIRCRAFT ROUTING
Deemed separation between all VFR aircraft routing/transiting the FARB CTR.
a) Seawards of the coastline within the CTR at 500 FT AGL.
b) West of the N2 highway within the CTR at 1500 FT AGL or below and all IFR traffic established inbound to either RWY 05/23 at 2000 FT ALT or below, or when on departure maintaining RWY track off either RWY 05/23 to 2500 FT ALT prior to commencing the respective turn in the direction of the next fix/point as per Flight plan concerned.

For Radio Communication failure refer AIP ENR 1.5-5.

AD 2.23 ADDITIONAL INFORMATION

1) Excessive bird and monkey activity taking place at the AD. Pilots to EXER CTN.
2) All currently declared taxiways land side west of the demarcated holding points for RWY 05/23 downgraded to apron.
3) Scheduled traffic to park on northern stands.
4) Intense helicopter operations between ships and the harbour. All VFR Traffic Operators caution and monitor frequency 118.9MHz.
5) ACFT parking on grass area do it at own discretion.
6) AP charges applied for use of Richards Bay AP, CTC person: Ms Nkosi Sibiya (Airport Administrator) +27 35 907 5997 / +27 35 907 5355. MON-FRI 0530-1400; Excluding Public Holidays.

AD 2.24 CHARTS RELATED TO AN AERODROME

AD	-AD-01
Parking	-AD-02
B/C VOR/DME 05	-VOR-01
VOR Z RWY 23	-VOR-03

THIS PAGE INTENTIONALLY LEFT BLANK