FASK

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FASK - SWARTKOP (MIL - UNLICENSED)

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	254832.183S 0281001.097E
2	*Direction and distance from city*	5 NM SW Pretoria
3	*Reference elevation/Reference temperature*	4794 FT
4	*Geoid undulation at aerodrome elevation position*	NIL INFO AVBL
5	*MAG VAR* *annual change*	19.5ºW (2019)
6	*AD operator, address, TEL, FAX, SITA, AFS*	PUB AD CHF: AFCP P/BAG X 199 PRETORIA, 0001 TEL: (012) 312 2034 FASK TWR TEL: (012) 351 2115 FASK BCP TEL: (012) 351 2285 FAWK TWR TEL: (012) 672 3251/3060 FAWK BCP TEL: (012) 672 3439/3297 FAX: (012) 672 3323 Telegraphic Address: AFTN FASKZTZX, FAWKZTZX email: waterkloofatc@gmail.com
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: 0500-1330
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	MON-FRI: 0700-1300 EXC weekends and Public Holidays. Pilots to follow unmanned procedures on 123.2 MHz outside TWR hours of service and to contact FAWK ATC on 124.1 MHz before entering and exiting FASK ATZ
8	*Fuelling*	MON-FRI: 0500-1330
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL

12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	For military use only: AVGAS 100/130 JET A1/All
3	*Fuelling facilities and capacity*	Fuel bowsers
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Overnight accommodation: Hotels, Chalet and Lodges in Town
2	*Restaurants*	SAAF Cafeteria
3	*Transportation*	Rent a car/taxi available on request.
4	*Medical facilities*	First Aid and Hospital in Town
5	*Bank and Post Office*	NIL
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT IV
2	*Rescue equipment*	NIL INFO AVBL
3	*Capability for removal of disabled aircraft*	NIL INFO AVBL
4	*Remarks*	SAR under the coordination of SAAF, 24H.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	Open all seasons.

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Concrete/ N/A.
2	*Designation, width, surface and strength of taxiways*	NIL INFO AVBL
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bar*	NIL INFO AVBL
4	*Remarks*	1. Marking Aids: All runways, threshold, touch-down, runway designator, centreline and holding points 2. Arrestor Barriers: NIL 3. GND Movement CTL: Frequency 121.75 MHz available with prior arrangement.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Steel mast	2547.5S 02809E	HGT 180 FT	Marked	NIL

1) Shooting range active 0.5 NM SE of THR RWY 02, GND- 700 FT AGL. Active on WED: 1000-1600, SAT: 0600-1600.
2) SAAF memorial (Bays Hill), 1 NM NE of AD. Obstruction light unserviceable.
3) Obstruction light on Transmitter next to THR RWY 02 unserviceable.
4) Class B Compass swing - 2 Red circles marked on compass swing where pilots and technicians can stand. Be advised that the readings may be UNREL.
5) Water tower 1NM NW of aerodrome (obstruction lights unserviceable).
6) Jet radio controlled ACFT operations taking place on Wednesdays between 1000 - 1400 and over weekends, GND - 300 FT AGL.
7) RWY 06/24 to be used for Military Operation only.
8)APAPI RWY 20 STD (3°) APP is lifted with 16 FT due contour of terrain.

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL
2	*Hours of service* *MET office responsible outside hours*	NIL
3	*Office responsible for TAF preparation and periods of validity*	NIL
4	*Type of trend forecast and interval of issuance*	NIL
5	*Briefing / consultation provide*	NIL
6	*Flight documentation / language(s) used*	NIL
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	NIL
10	*Additional information (limitation of service, e.t.c.)*	NIL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
02	006°T	1982 x 30	LCN 60 ASPH	254907.26S 0280948.42E	4791	NIL INFO AVBL
20	186°	1982 x 30	LCN 60 ASPH	254803.19S 0280955.81E	4794	NIL INFO AVBL
06	049°T	1419 x 44	UNK GRASS	254843.18S 0280954.52E	4758	NIL INFO AVBL
24	229°T	1419 x 44	UNK GRASS	254812.69S 0281032.76E	4761	NIL INFO AVBL
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below.
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	

Remarks 14

Circuit Procedures:
Circuit Altitudes:
Helicopters - 5600’ AMSL, Piston engined aircraft - 5800’ AMSL, Turbine engined aircraft 6300’ AMSL
Jet engined aircraft 6300’AMSL, Initial 6800’AMSL.
Circuit Directions:
RWY in use 02: Left hand circuit
RWY in use 20: Right hand circuit
RWY in use 06: Right hand circuit
RWY in use 24: Left hand circuit

Additional information:
1. RWY 06/24 to be used for Military Operations only.
2. Possible wind shear THR RWY 20.
3. Elevated RWY, TWY and Helipad lights.

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
02	1988	1988	1988	1988	NIL
20	1988	1988	1988	1988	NIL
06	NIL	NIL	NIL	NIL	NIL
24	NIL	NIL	NIL	NIL	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type and LEN INST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, WBAR*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
02	NIL INFO AVBL	NIL INFO AVBL	APAPI (3°)	NIL INFO AVBL	AVBL	AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
20	NIL INFO AVBL	NIL INFO AVBL	APAPI (3°)	NIL INFO AVBL	AVBL	AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
06	NIL INFO AVBL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL
24	NIL INFO AVBL	NIL INFO AVBL	NIL	NIL INFO AVBL	NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	Emergency lighting and Secondary supply available 15 SEC
5	*Remarks*	NIL INFO AVBL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	Main TWY

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ a) From a point at 254510S 0280600E on the Waterkloof CTR boundary. b) Thence east to a point at 254439S 0281152E. c) Thence south to a point at 255145S 0281214E. d) Thence west-southwest to a point at 255324S 0280729E on FAWK CTR. e) Thence north along the FAWK CTR back to the starting point at 254510S 0280600E.
2	*Vertical limits*	GND/7600 FT ALT
3	*Airspace classification*	Class C Class G airspace outside ATC hours of service.
4	*ATS unit call sign* *Language(s)*	Swartkop Tower English
5	*Transition altitude*	8000 FT
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
Ground	Swartkop	121.75 MHz	On request only.	Pilots to follow unmanned procedures on 123.2 MHz outside TWR hours of service and to contact FAWK ATC on 124.1 MHz before entering and exiting FASK ATZ
Tower	Swartkop	123.2 MHz	MON-FRI: 0700-1300	

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

1. Class B Compass swing: 2 x red circles marked on compass swing where pilots and technicians can stand. Be advised that the readings may be unreliable.
2. EV last Sunday of the month 0900-1500
RDO ,CTL flying taking place, GND - 7600FT AMSL.

AD 2.21 NOISE ABATEMENT PROCEDURES

Standard

AD 2.22 FLIGHT PROCEDURES

Outside hours of operation: All flights to contact FAWK TWR on frequency 124.1 MHz prior to entering FASK ATZ. Thereafter broadcast intentions on FASK ATZ Frequency 123.2 MHz maintaining a listening watch on FAWK TWR frequency.

AD 2.23 ADDITIONAL INFORMATION

- Prior permission required from the Chief of SANDF to utilize the aerodrome facilities.
- All MIL aerodromes are unlicensed, this aerodrome may not be nominated as an alternate destination for civilian flights. Diversion and landing in EMERG only.

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL