FASZ

FASZ AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FASZ - SKUKUZA

FASZ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	245740.76S 0313519.77E Mid-point of aerodrome
2	*Direction and distance from city*	1.5NM N of Skukuza
3	*Elevation/Reference temperature*	1040FT / 28ºC
4	*Geoid undulation at AD ELEV PSN*	45FT
5	*MAG VAR / Annual change*	20ºW (2018) 0º7' W
6	*AD Operator, address, telephone, telefax, e-mail, AFS address and, if available, website address.*	PRIV AD - Skukuza Airport Management Company (Pty) Ltd P O Box 463 Skukuza, 1350 TEL: +27 13 590 9196 Head Office TEL: +27 11 451 7300 APM: Karen McDulling E-mail: kmcdulling@flyairlink.com Website: www.skukuzaairport.com
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

FASZ AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-SUN: 0700-1300 including public holidays.
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	NIL
8	*Fuelling*	JET A1 available with prior arrangement.
9	*Handling*	Airlink (PTY) LTD, MON-SUN: 0700-1300 including public holidays.
10	*Security*	Skukuza Airport Management Company (SAMC)
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

FASZ AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	JET A1
3	*Fuelling facilities and capacity*	Request from skukuza@flyairlink.com 48 hours prior to arrival
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

FASZ AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Skukuza Rest Camp and Kruger Gate Hotel
2	Restaurants	Cattle Baron, Skukuza Rest Camp and Kruger Shalati Restaurant
3	*Transportation*	Ground transport - NIL. AVIS Rent-a-Car may be of assistance - prior notice TEL: +27 13 735 5651
4	*Medical facilities*	Skukuza Medical Practice, Skukuza Village
5	*Bank and Post Office*	First National Bank and SA Post Office, Skukuza Rest Camp
6	*Tourist office*	NIL
7	*Remarks*	NIL

FASZ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	CAT V
2	*Rescue equipment*	1x MAN 9000 6x6 fire truck (Foxtrot 3) with: 1 driver/operator and 2 branch men, Jetfoam 6 6%, 1 Dry Chemical Powder and branch operator, 8000L water carrying capacity, 1000L foam, 225KG Dry Chemical Powder mounted on vehicle, discharge 4000 L/MIN. 1x MAN 9000 6x6 fire truck (Foxtrot 2) with: 1 driver, 1 pump operator, 2 branch men, Tridol S3 3%, 8000L water carrying capacity, 1000L foam. 1x MAN 9000 6x6 back-up fire truck (Foxtrot 4) with: Foam from Foxtrot 2 to be transferred Manpower as per Foxtrot 2 1x first response vehicle minimum 1x fire fighter. 1x 250KG dry chemical powder on trailer with nitrogen cylinder. 2x 10KG mobile carbon dioxide units. 2x 50KG mobile Dry Chemical Powder.

3	*Capability for removal of disabled aircraft*	The AD does not have EQPT for ACFT removal, but an MOU has been agreed with Cozani Holdings CC to supply cranes, low bed trucks, operators and any additional equipment required for the removal of wreckage/ACFT up to 45 tons MAUW.
4	*Remarks*	HOD: 0700 - 1300 Spokesperson in an EMERG: Mr de Villiers Engelbrecht Contact details: +2711 451 7300 Email:dev@flyairlink.com

FASZ AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL

FASZ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron surface and strength*	Asphalt and concrete/PCR 353/R/C/Y/T.
2	*Taxiways width* *Taxiway surface* *Taxiway strength*	TWY holding point North 15.725M, Asphalt, PCR 290/F/C/Y/T TWY holding point South 15.199M, Asphalt, PCR 290/F/C/Y/T TWY loop North 19.842M, Asphalt, PCR 290/F/C/Y/T TWY loop South 19.20M, Asphalt, PCR 290/F/C/Y/T
3	*Altimeter checkpoint location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL

FASZ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bars*	NIL INFO AVBL
4	*Remark*	NIL

FASZ AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
FASZ1	Tree	245715.66S 0313510.34E	1057.356 FT	NIL	Area 2b
FASZ15	Tree	245717.96S 0313506.14E	1053.251 FT	NIL	Area 2b
FASZ16	Tree	245715.48S 0313504.99E	1054.518 FT	NIL	Area 2b
FASZ17	Tree	245714.29S 0313501.38E	1051.900 FT	NIL	Area 2b
FASZ18	Tree	245711.66S 0313504.25E	1052.244 FT	NIL	Area 2b

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
FASZ13	Tree	245722.38S 0313508.58E	1043.786 FT	NIL	NIL
FASZ15	Tree	245717.96S 0313506.14E	1053.251 FT	NIL	NIL

FASZ AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET Office outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation* *Periods of validity*	NIL INFO AVBL
4	*Trend forecast* *Interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provided*	NIL INFO AVBL
6	*Flight documentation / Language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, etc.)*	NIL INFO AVBL

FASZ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCR) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
17	156°T	1550 x 30	ASPH PCR 290/F/ C/Y/T	245719.09S 0313508.98E	1034FT	0.008D
35	336°T	1550 x 30	ASPH PCR 290/F/ C/Y/T	245802.42S 0313530.57E	992FT	0.008U
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
122 x 30	272 X 90	1795 X 90	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below.
NIL	153 X 90	1795 X 90	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	
Remarks: - Circuit direction: - RWY 17: Left hand, - RWY 35: Right hand.						

FASZ AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
17	1550	1822	1672	1550	NIL
35	1550	1703	1550	1550	NIL

FASZ AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type LEN INTST*	*THR LGT colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ LGT LEN*	*RWY Centre Line LGT Length, spacing, colour, INSTST*	*RWY Edge LGT LEN, spacing, colour, INSTST*	*RWY End LGT colour WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
17	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
35	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL

FASZ AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location and LGT Anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	NIL INFO AVBL
5	*Remarks*	NIL

FASZ AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO Geoid undulation*	NIL INFO AVBL
2	*TLOF and/or FATO elevation M/FT*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

FASZ AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL INFO AVBL
2	*Vertical limits*	NIL INFO AVBL
3	*Airspace classification*	NIL INFO AVBL
4	*ATS unit call-sign Language*	NIL INFO AVBL
5	*Transition altitude*	NIL INFO AVBL
6	*Remarks*	NIL

FASZ AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequencies*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FASZ AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (VOR/ ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME Transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

FASZ AD 2.20 LOCAL AERODROME REGULATIONS

1. Refer to Landing application and Indemnity on the airport website at www.skukuzaairport.com

FASZ AD 2.21 NOISE ABATEMENT PROCEDURES

1. Refer to Pilot briefing on the airport website at www.skukuzaairport.com

FASZ AD 2.22 FLIGHT PROCEDURES

All aircraft inbound/outbound aerodrome to maintain a listening watch and broadcast regular PSN reports on Sabi-Sands Special Rules Area 128.35 MHz.

FASZ AD 2.23 ADDITIONAL INFORMATION

PN BFR LDG must be obtained at least 48 hours (2 working days) in advance. REQ in writing to Skukuza AP management company. Indemnity form for REQ permission for LDG is AVBL FM TEL: +27 11 451 7350 / 7488 or +27 13 590 9196, email: skukuza@flyairlink.com or website: www.skukuzaairport.com. Landing Application and Pilot Briefing are available on www.skukuzaairport.com. Details must include: date of OPR, TYP and REG, MAX TKOF WT, ACN, name of pilot in command, name of the OPR and address. Penalties for non-authorised landings will be levied.
Low visibility operations not applicable.

FASZ AD 2.24 CHARTS RELATED TO AN AERODROME

AD	-AD-01
RNAV RWY 17	-RNAV-01
RNAV RWY 17	-RNAV-01A
RNAV RWY 35	-RNAV-02
RNAV RWY 35	-RNAV-02A