FATF

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FATF - TOMMY'S FIELD

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	281600.00S 0230000.00E Mid-point of aerodrome
2	*Direction and distance from city*	5 NM NW of Postmasburg
3	*Reference elevation/Reference temperature*	4360FT
4	*Geoid undulation at aerodrome elevation position*	NIL INFO AVBL
5	*MAG VAR* *annual change*	20°W
6	*AD Operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	PUB AD CHF: ASSMANG LIMITED P.O MANCORP MINE, BEESHOEK, 8423 TEL: Mancorp Mine: +27 53 311 6547 FAX: +27 86 731 7921 Contact person: Ronel van Rensburg E-mail: Ronel.vanRensburg@assmang.co.za
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	AD Operational hours: MON-FRI 0445-0545, 0930-1030 and 1500-1545
2	*Customs and immigration*	NIL INFO AVBL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	NIL INFO AVBL
8	*Fuelling*	NIL INFO AVBL
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL INFO AVBL
2	*Fuel and Oil types*	Jet A1 AVBL
3	*Fuelling facilities and capacity*	NIL INFO AVBL
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Limited lounge facility available at airport
2	*Restaurants*	NIL INFO AVBL
3	*Transportation*	AVIS Car Rental Service AVBL at the Airport
4	*Medical facilities*	NIL INFO AVBL
5	*Bank and Post Office*	NIL INFO AVBL
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	NIL Baggage Handling Services

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT 3
2	*Rescue equipment*	Standard rescue equipment carried on fire tenders
3	*Capability for removal of disabled aircraft*	Contracted in as per AEMS Mutual Aid Agreement, Policies and Procedures
4	*Remarks*	Rescue and Fire Fighting Services are provided at Tommy's Field Airport only during the following times: 4.1 MON-FRI 0445-0545 and 1400-1500 MON and FRI: 1000-1100 4.2 Tommy's Field Airport does not and cannot guarantee that Rescue & Fire Fighting Services will be available outside of the above operational times. 4.3 Not AVBL outside operational hours indicated above

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL INFO AVBL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	NIL INFO AVBL
2	*Designation, width, surface and strength of taxiways*	NIL INFO AVBL
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	Pilots and operators utilizing Tommy's field airport shall ensure that aircraft are parked within designated parking bays and are manoeuvred in an orderly and safe manner.

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Tommy's field airport has two (2) parking Power-in / Power- out self parking aircraft stands on the apron. Due to no marshalling service available a yellow lead-in line, alignment bar and stop bar/ line is provided on the left side of the aircraft to be aligned with the left shoulder of the captain of the aircraft is safely positioned on stand
2	*RWY and TWY markings and LGT*	Threshold, End & Edge Lights Available
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	Pilots and operators utilizing Tommy's field airport are responsible for and shall ensure the safe management and movement of their aircraft and respective passengers flown or to be flown on their aircraft to/from Tommy's field airport, especially during embarkation and disembarkation.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET office responsible outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation and periods of validity*	NIL INFO AVBL
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
03	010°T/030°M	1460 x 15	ASPH LCN 14	281559.50S 0225930.81E	4324FT	NIL INFO AVBL
21	190°T/210°M	1460 x 15	ASPH LCN 14	281512.75S 0225940.01E	4329FT	NIL INFO AVBL
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
41	83	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
26	107	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
RWY 03/21 is 1460 x 15M with inner 10M Asphalt Circuit Procedures: RWY 03 - Left hand circuit RWY 21 - Right hand circuit RWY 03/21 - Slope1:500 (0.2)						

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
03	1460	1543	1501	1460	NIL
21	1460	1567	1486	1460	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type and LEN INST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, WBAR*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
03	NIL INFO AVBL	Green W/Bar	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	1500M, 50M white	Red	NIL INFO AVBL	NIL
21	NIL INFO AVBL	Green W/Bar	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	1500M, 50M white	Red	NIL INFO AVBL	NIL
RWY lighting AVBL.									

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	NIL INFO AVBL
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL INFO AVBL
2	*Vertical limits*	NIL INFO AVBL
3	*Airspace classification*	NIL INFO AVBL
4	*ATS unit call sign Language(s)*	NIL INFO AVBL
5	*Transition altitude*	NIL INFO AVBL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

NIL INFO AVBL

AD 2.23 ADDITIONAL INFORMATION

WARNING: Blasting takes place WEST, 10 NM SOUTH of RWY 03/21 and 8 NM NW of Postmasburg
MON-FRI: 0500 - 1800
see AIC 007/2018

Pilots & Operators wanting to make use of Tommy's Field Airport shall apply with the Tommy's Field APM for permission and approval at least 24 hours before estimated time of intended movement by E-Mail to:
Ronel van Rensburg (Ronel.vanRensburg@assmang.co.za)
Mduduzi Malinga (Mduduzi.Malinga@assmang.co.za)

Also providing the following flight information:
1. Date of intended movement;
2. Type on intended movement (landing, landing & night stop or departure);
3. Name and contact details of the Operator;
4. Type of Aircraft
5. Aircraft Registration, and
6. Souls onboard (Crew & Pax)

Failure to obtain the required permission and approval from the Tommy's Field APM shall result in the following penalties:
7. A fine to the amount of R5 000-00 shall be imposed upon the Operator or Registered Owner of the Aircraft.
8. Tommy's Field Airport Shall report the Operator, Pilot and Registered Owner of the Aircraft to the SACAA, and
9. Note that unauthorized movement at Tommy's Field Airport may jeopardise insurance cover over the aircraft and/or occupants.

FATF Airport Manager reserves the right to:
10. Decline approval to/from FATF where the ETA /ETD is outside of the operational hours reflected above;
11. When the landing slots are fully booked, and/or
12. When the apron parking space is fully booked.

Access to the airfield property is restricted after hours (MON - FRI and SAT - SUN between 1430 - 0500). The AD is AVBL for aircraft related emergencies at own discretion but must be reported to the Airport Manager & SACAA.

WARNING:
Blasting in vicinity of Airport Area MON – SUN sunset to sunrise within 1 NM radius.

Suggested Minimum safe altitude as per AIC 007/2018 is 5000 FT AGL.

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL