FATW

FATW AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FATW - TSWALU GAME RESERVE

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	271210.10S 0222851.00E
2	*Direction and distance from city*	78km NW (bearing 314°) of Kathu, 99km WNW (287°) of Kuruman.
3	*Reference elevation/Reference temperature*	3918 FT
4	*Geoid undulation at aerodrome elevation position*	97.3 FT
5	*MAG VAR* *annual change*	20°W 0,5° W
6	*AD Operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	Tswalu Kalahari Reserve (Pty) Ltd P.O. Box 1081 KURUMAN, 8460 TEL: +27 53 781 9211 FAX: +27 53 781 9220 E-Mail: lw.vandermerwe@tswalukalharl.com Website address: www.tswalu.com
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	Private unmanned aerodrome – use of facilities by prior arrangement only

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	NIL INFO AVBL
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	NIL
8	*Fuelling*	NIL INFO AVBL
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	Jet A1
3	*Fuelling facilities and capacity*	Over & under wing/18000L - Prior permission to be obtained.
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	NIL
2	*Restaurants*	NIL
3	*Transportation*	By prior arrangement.
4	*Medical facilities*	Reserve Clinic 1.5 km
5	*Bank and Post Office*	NIL
6	*Tourist office*	NIL
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT 3
2	*Rescue equipment*	6000L Foam/650kg Powder.
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	RFFS hours of operation: by prior arrangement only. 6 Personnel per shift.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL
2	*Clearance priorities*	NIL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Concrete (40mpa; Ref 245 reinforcing mesh)
2	*Designation, width, surface and strength of taxiways*	North taxiway 10m wide, tarred. South taxiway 9.4,m concrete (40mpa; Ref 245 reinforcing mesh)
3	*ACL location and elevation*	NIL
4	*VOR checkpoints*	NIL
5	*INS checkpoints*	NIL
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	Use of ACFT stand ID signs: Limited Use of TWY guide lines: Limited
2	*RWY and TWY markings and LGT*	NIL
3	*Stop bar*	NIL
4	*Remark*	Pilots of overnight or long term parking aircraft to adhere to parking spot designations from Airport manager.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
High Ground -1500 m North-east - mountain of +/- 100 m. - 500 m West - dune of +/- 12 m. - 98m 040 deg 1100 m - 97m 080 deg 900m -170m 085 deg 1600m -160m 015 deg 2300 m - 062m 270 deg 1900m - 063m 250 deg 2800m -180m 195deg 5000m					

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET office responsible outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation and periods of validity*	NIL INFO AVBL
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY	*TRUE& MAG BRG*	*Dimensions of RWY(M)*	*Strength (PCN) and surface of RWY and SW*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
18	160°	2030 X 20	PCN 53/F/B/X/T	271138.99S 0222838.12E	3894 FT	0.0036U
36	340°	2030 X 20	PCN 53/F/B/X/T	271240.88S 0222903.62E	3918 FT	0.0036D
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below

- Total Apron Size is 50 M x 60 M with tarmac surface.
- RWY 18 Safe visual approach slope 3° RWY 18 RNAV APP slope 2.94°
- RWY 36 Safe visual approach slope 3° RWY 36 RNAV APP slope 2.9°
- Slopes on runways: 1:120 - longitudinal
- 1:200 - Transverse.

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
18	2030	2030	2030	2030	NIL
36	2030	2030	2030	2030	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type and LEN INST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, WBAR*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
18	NIL INFO AVBL	Green	PAPI AVBL	NIL INFO AVBL	NIL INFO AVBL	White	Red	NIL INFO AVBL	See below
36	NIL INFO AVBL	Green	PAPI AVBL	NIL INFO AVBL	NIL INFO AVBL	White	Red	NIL INFO AVBL	See below
RWY Lighting on RWY 18/36. PAPI 's on RWY 18/36.									

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	AVBL, NIL auto switch over.
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call sign* *Language(s)*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL	NIL	NIL	NIL	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

NIL INFO AVBL

AD 2.23 ADDITIONAL INFORMATION

NIL INFO AVBL

AD 2.24 CHARTS RELATED TO AN AERODROME

AD	AD-01