FAUL

FAUL AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAUL - ULUNDI - PRINCE MANGOSUTHU BUTHELEZI

FAUL AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	281910.10S 0312501.40E
2	*Direction and distance from city*	1 NM S
3	*Elevation/Reference temperature*	1720 FT
4	*Geoid undulation at AD ELEV PSN*	NIL INFO AVBL
5	*MAG VAR / Annual change*	23° (2010)
6	*AD Operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	PUB AD CHF: Directorate: Aviation Services, Kwazulu-Natal Government, Prince M Buthelezi Airport PO Box 9, ULUNDI, 3838. APM TEL: +27 35 870 9408 APM (A/H) +27 82 902 6029 FAX: +27 35 870 9414 AP Security: +27 35 870 9408 Mobile: +27 82 9026029 Avionic's fault reporting: +27 35 870 9404
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

FAUL AD 2.3 OPERATIONAL HOURS

1	*AD Administration*	AD Operational hours: HJ
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	NIL
8	*Fuelling*	HOD: MON-FRI: 0600-1415
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

FAUL AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL INFO AVBL
2	*Fuel and Oil types*	NIL
3	*Fuelling facilities and capacity*	NIL
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	NIL INFO AVBL
7	*Remarks*	NIL

FAUL AD 2.5 PASSENGER FACILITIES

1	*Hotels*	NIL INFO AVBL
2	Restaurants	NIL INFO AVBL
3	*Transportation*	NIL INFO AVBL
4	*Medical facilities*	NIL INFO AVBL
5	*Bank and Post Office*	NIL INFO AVBL
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	NIL

FAUL AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	CAT II: MON-FRI 0600-1430, SAT-SUN and Public Holidays: NIL.
2	*Rescue equipment*	NIL INFO AVBL
3	*Capability for removal of disabled aircraft*	NIL INFO AVBL
4	*Remarks*	NIL

FAUL AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL

FAUL AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron surface and strength*	NIL INFO AVBL
2	*Taxiways width* *Taxiway surface* *Taxiway strength*	NIL INFO AVBL
3	*Altimeter checkpoint location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL

FAUL AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bars*	NIL INFO AVBL
4	*Remark*	NIL

FAUL AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Radio mast	S281806 E0312706	HGT 40 FT	NIL INFO AVBL	NIL INFO AVBL
NIL INFO AVBL	Radio mast	S281912 E0312527	1732 / 125 FT	Day/NGT Markings	600M E of RWY 05/23

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FAUL AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET Office outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation* *Periods of validity*	NIL INFO AVBL
4	*Trend forecast* *Interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provided*	NIL INFO AVBL
6	*Flight documentation / Language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, etc.)*	NIL INFO AVBL

FAUL AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*True BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*
1	*2*	*3*	*4*	*5*	*6*
05	034	1640 x 23	ASPH LCN 20	281931.20S 0312445.75E	1680 FT
23	214	1640 x 23	ASPH LCN 20	281847.29S 0312519.75E	1722 FT

Designations RWY NR	*Slope of RWY-SWY*	*SWY Dimensions (M)*	*CWY Dimensions (M)*	*Strip Dimensions (M)*	*OFZ*
1	*7*	*8*	*9*	*10*	*11*
05	+0.78%	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL
23	-0.78%	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL

- ACFT must adhere to RWY's and TWY's.

Note: Longitudinal slope changes 3,1% at approx mid point.
- RED obstruction lights fitted to AD fence on approach RWY 23.
Night Operations
For night operations the pilot must hold a valid instrument rating and be familiar with the immediate surroundings of the airfield. Instrument approach procedures must be used for letdown.

Warning: Blasting takes place 5NM SSW. MON-FRI 1000-1015 and 1500-1515.
- 180° Turns on RWY's and TWY's prohibited
- All grass areas prohibited for ACFT OPS.

1. ACFT parking is restricted to parking in demarcated bays only. - Parking of ACFT on TWY in front of terminal building prohibited.
2. **Circuit procedure**: RWY 05: Right hand circuit; RWY 23: Left hand circuits.
3. RWY 02/20 permanently CLSD

FAUL AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
05	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
23	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FAUL AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type LEN* and *INTST*	*THR LGT colour* and *WBAR*	*VASIS (MEHT) PAPI*	*TDZ LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT LEN, spacing, colour, INTST*	*RWY End LGT colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
05	NIL	Green	NIL	NIL	NIL	1640M; 60M White last 550M yellow	Red	NIL	
23	NIL	Green W/bar	PAPI	NIL	NIL	1640M; 60M White	Red W/bar	NIL	
- Remote Switching: RWY and PAPI. 3 clicks on microphone button on FREQ 130.0MHz switches the lights on. 5 & 7 clicks will increase intensity. Lights will remain on for 15 minutes. - PAPI RWY 23 left side only 3.2°. - RWY 23 first 500M LIH									

FAUL AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location and LGT Anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	NIL INFO AVBL
5	*Remarks*	NIL

FAUL AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO Geoid undulation*	NIL INFO AVBL
2	*TLOF and/or FATO elevation M/FT*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL

6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

FAUL AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call-sign Language*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

FAUL AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
NIL	NIL	NIL	NIL	NIL

FAUL AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OP (for VOR/ILS/ MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
UHF DME	UL	1188 MHz transmits and 1125 MHz receives.	H24	281854.2S 0312514.0E	NIL INFO	PWR output 75 W.

FAUL AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

FAUL AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

FAUL AD 2.22 FLIGHT PROCEDURES

NIL INFO AVBL

FAUL AD 2.23 ADDITIONAL INFORMATION

Monday to Friday 0300 - 0900. Grass cutting taking place along the RWY. Fire and Rescue will escort in rescue vehicle and be listening on 124.8 MHz for blind reports on intentions to land.

FAUL AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart	-AD-01