FAUT

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAUT - MTHATHA

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	313246.49S 0284031.14E
2	*Direction and distance from city*	West 17 KM of Mthatha
3	*Reference elevation/Reference temperature*	2429 FT / 22.2º C
4	*Geoid undulation at aerodrome elevation position*	103.2 FT
5	*MAG VAR* *annual change*	27º W (2018) 0º10' W
6	*AD Operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	Authority Supervising the Aerodrome and Remarks: PUB AD CHF: Department of Transport, Private Bag X5036, Mthatha TEL: +2747 536 0012/0204 or +2747 532 2443 ATC TEL: +2766 371 5108 TEL APM: +2779 927 3455 MET TEL: +2747 536 0938 MET CELL: +2784 279 1155 Voice Control COM System: +2747 536 0524
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: 0400-1600, SAT: 0400-1300, SUN: 1000-1600, Public HOL: same as weekdays
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	ATC HOD: MON-FRI: 0430-1600, SAT: 0530-1030, SUN: 1130-1630. Public HOL same as weekdays.
8	*Fuelling*	NIL
9	*Handling*	NIL INFO AVBL
10	*Security*	Operational hours: H24
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL INFO AVBL
2	*Fuel and Oil types*	NIL
3	*Fuelling facilities and capacity*	NIL
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	None at airport. A number of hotels in the city ranging from one to five stars. Also a variety of guest houses, bed & breakfast units and holiday accommodation.
2	*Restaurants*	15 KM from airport in the central business district.
3	*Transportation*	Car rentals.
4	*Medical facilities*	15 KM from airport in the central business district.
5	*Bank and Post Office*	15 KM from airport in the central business district.
6	*Tourist office*	Shell Ultra City on the N2.
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT V, HOD: MON-FRI: 0400-1600, SAT: 0400-13:00, SUN: 1000-1600, Public HOL: same as weekdays.
2	*Rescue equipment*	Capacity: Water: 18 000L Discharge Rate Foam: 4 000 L/MIN Dry Chemical Powder: 500KG on vehicles & 250KG reserve. Discharge rate KG/sec: Panther Rescue 1 (6X6) 10 000 L/MIN. Foam 1000 @ 20 000L/MIN Supreme Buffalo Rescue 3 (6X6) 8 000 L/MIN Foam 1000 @ 16000 L/MIN.
3	*Capability for removal of disabled aircraft*	Bennies' Crane Hire – 40 ton - +27 83 644 7097 / +27 43 731 1355
4	*Remarks*	14 personnel, 7 personnel per shift and two vehicles.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	NIL

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	APN J1-8, Concrete, PCR 1220/R/A/W/T APN G, Concrete, PCR 1220/R/A/W/T
2	*Designation, width, surface and strength of taxiways*	TWY A, 23M, ASPH, PCR 2280/F/A/X/T TWY B, 23M, ASPH, PCR 2280/F/A/X/T TWY C, 23M, ASPH, PCR 2280/F/A/X/T
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	Pre-flight Altimeter Check: APN J1

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below.
(1) Radio masts 4.4 NM SE ELEV 3629 FT and 7 NM SE ELEV 3121 FT. (2) Restricted VIS FM TWR. TFC in the loop THR RWY 32 not VIS FM TWR. (3) No Obstacles identified that infringe the take-off surface.					

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	FAPE
2	*Hours of service* *MET office responsible outside hours*	Observations: 0430-2000; Forecasting 0200-1900 +27 41 581 0403 FAOR +27 82 233 9600/8800)
3	*Office responsible for TAF preparation and periods of validity*	Chief Dawid Stuurman 9-11 HRS
4	*Type of trend forecast and interval of issuance*	NIL 3 hourly
5	*Briefing / consultation provide*	NIL
6	*Flight documentation / language(s) used*	Standard ICAO format English
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	Yes
10	*Additional information (limitation of service, e.t.c.)*	Flight documentation and other aviation related information AVBL on website page: http://aviation.weathersa.co.za

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCR) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
14	113º (T)	2600 x 45	ASPH PCR 2280/F/A/X/T	313229.90S 0283945.89E	2380 FT	+ 0.43%
32	293º (T)	2600 x 45	ASPH PCR 2280/F/A/X/T	313303.07S 0284116.38E	2417 FT	- 0.43%

SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
60 x 45	100 x 150	2840 x 150	240 x 90	NIL INFO AVBL	2380 FT	See below.
60 x 45	100 x 150	2840 x 150	240 x 90	NIL INFO AVBL	2417 FT	

Remarks
(1) ACFT must adhere to RWY and TWYs and park in the parking area.
(2) Hazards - Shooting range on right base RWY 14 and livestock may be present on AD.
(3) STD circuit pattern: RWY 14 Left hand circuit, RWY 32 Right hand circuit. Reciprocating ACFT 3500FT ALT and turbine ACFT 4000FT ALT.

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
14	2600	2700	2660	2600	NIL
32	2600	2700	2660	2600	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type and LEN INST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, WBAR*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
14	420M SALS Medium	Green	3.5 º Left Hand Side	NIL	NIL	2600m; 60m; white	Red	NIL	See below.
32	420M SALS Medium	Green	3.1 º Left Hand Side	NIL	NIL	2600m; 60m; white	Red	NIL	See below

Remarks
(1) Selection of RWY light intensity RWY 14/32 on FREQ. 121.3 MHz as follows:
3 Clicks on press to talk (PTT) = 30% Intensity.
5 Clicks on press to talk (PTT) = 50% Intensity.
7 Clicks on press to talk (PTT) = 100% Intensity.
Lights will switch off automatically after 20 minutes.

AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	300KVA Diesel powered generator as per ICAO requirements, 15 seconds change over time.
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ A circle radius 5 NM centred on position 313245S 0284025E.
2	*Vertical limits*	GND/4500 FT ALT
3	*Airspace classification*	Class ‘C’ (AD separations only)
4	*ATS unit call sign* *Language(s)*	English
5	*Transition altitude*	7500 FT
6	*Remarks*	During ATC operating hours no ACFT is to be operated in this airspace unless two-way RDO CTC is maintained with relevant ATC except if it is RCF.

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
TWR	Mthatha Tower	121.3 MHz TRANS-REC	See ATC HOD	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ ILS/MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

VFR Reporting Points:

Mthatha Dam North: (312742.46S 0284022.88E) APRX 5 NM North of FAUT; Situated at a bend in the Mthatha Dam, which looks like a horseshoe, North of the main body of water.

Mthatha Dam North East: (312858.98S 0284458.32E) APRX 5.5 NM North East of AD; Situated on the eastern horn of the Mthatha Dam, where the Ncambele River and Mthatha River meet.

Weather Ball: (313213.81S 0284551.80E) APRX 4.7 NM East North East of the AD. A white weather ball on the top of a hill.

Wellington Prison: (313417.24S 0284628.58E) APRX 5.4 NM East South East of AD. A prison complex situated north west of FAUT ATZ.

Shell Ultra City: (313648.24S 0284401.22E) APRX 5.1 NM South East of the AD. SHELL garage situated on the N2.

Springvale: (313746.06S 0284036.39E) APRX 05 NM South of the AD, small village situated on the southern bank of the Cicira River.

Tabase Nek: (313324.56S 0283516.49E) APRX 4.9 NM West of the AD. Situated north east of Tabase Mission Village, where the R61 bends to the south and back north.

AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

AD 2.22 FLIGHT PROCEDURES

NIL INFO AVBL

AD 2.23 ADDITIONAL INFORMATION

NIL INFO AVBL

AD 2.24 CHARTS RELATED TO AN AERODROME

AD	-AD-01
RNP RWY 14	-RNP-01
Data tabulation	-RNP-01A
RNAV RWY 32	-RNAV-02
Data tabulation	-RNAV-02A