FAVM

FAVM AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAVM - VENETIA

FAVM AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	222653.19S 0292015.99E
2	*Direction and distance from city*	19 NM NNE of Alldays
3	*Elevation/Reference temperature*	2333 FT
4	*Geoid undulation at AD ELEV PSN*	NIL INFO AVBL
5	*MAG VAR / Annual change*	13º W (2003)
6	*AD operator, address, telephone, telefax, email, AFS address and, if available, website address.*	Authority Supervising the Aerodrome and Remarks: PRIV AD CHF: De Beers Consolidated Diamond Mining Company, PO Box 668 Musina, 0900 TEL: +27 15 5752500 FAX: +27 15 5342019 CELL: +27 837006859 CELL (2): +27 605324876 E-MAIL: VenetiaLandingRequests@debeersgroup.com EMAIL (2): Matthew.Morrison@debeersgroup.com
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

FAVM AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	AD Operational hours: HJ
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	NIL
8	*Fuelling*	NIL
9	*Handling*	NIL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL
12	*Remarks*	NIL

FAVM AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	NIL
2	*Fuel and Oil types*	NIL
3	*Fuelling facilities and capacity*	NIL
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

FAVM AD 2.5 PASSENGER FACILITIES

1	*Hotels*	NIL
2	Restaurants	NIL
3	*Transportation*	NIL
4	*Medical facilities*	Basic medical support.
5	*Bank and Post Office*	NIL
6	*Tourist office*	NIL
7	*Remarks*	NIL

FAVM AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*AD category for fire fighting*	NIL
2	*Rescue equipment*	NIL
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	NIL

FAVM AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL
2	*Clearance priorities*	NIL
3	*Remarks*	NIL

FAVM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Apron surface and strength*	NIL INFO AVBL
2	*Taxiways width* *Taxiway surface* *Taxiway strength*	Both Taxiways are 9m wide with asphalt surface.
3	*Altimeter checkpoint location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	NIL INFO AVBL
6	*Remarks*	NIL

FAVM AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bars*	NIL INFO AVBL
4	*Remark*	NIL

FAVM AD 2.10 AERODROME OBSTACLES

In Area 2a					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL	BLDG	222700.25S 0291947.97E	9.6M HGT	NIL INFO AVBL	
NIL	Antenna	222702.96S 0291954.02E	8.1M HGT	NIL INFO AVBL	

In Area 2b					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL	Powerline	222553.58S 0292315.74E	17.5M HGT	NIL INFO AVBL	
NIL	Powerline	222718.84S 0291918.45E	19.5M HGT	NIL INFO AVBL	
NIL	Light pole	222722.35S 0291911.85E	16.5M HGT	NIL INFO AVBL	
NIL	Light pole	222720.84S 0291912.01E	16.5M HGT	NIL INFO AVBL	
NIL	Powerline	222711.95S 0291917.70E	15.7M HGT	NIL INFO AVBL	
NIL	Powerline	222715.99S 0291918.12E	19.5M HGT	NIL INFO AVBL	
NIL	Powerline	222708.62S 0291917.35E	11.5M HGT	NIL INFO AVBL	
NIL	Powerline	222705.29S 0291916.99E	13.1M HGT	NIL INFO AVBL	
NIL	Tower	222555.12S 0292318.16E	20.3M HGT	NIL INFO AVBL	
In Area 2c					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL	Tower	222707.00S 0291951.25E	7.5M HGT	NIL INFO AVBL	
NIL	Tower	222705.68S 0291955.00E	7.7M HGT	NIL INFO AVBL	
NIL	BLDG	222706.11S 0291952.20E	8.9M HGT	NIL INFO AVBL	
NIL	Tower	222659.63S 0291913.54E	55M HGT	NIL INFO AVBL	
NIL	Other	222702.97S 0292019.31E	24.7M HGT	NIL INFO AVBL	
NIL	Other	222707.06S 0292008.90E	24.7M HGT	NIL INFO AVBL	
NIL	Other	222711.17S 0291958.42E	24.7M HGT	NIL INFO AVBL	
NIL	Other	222715.07S 0291948.47E	23.9M HGT	NIL INFO AVBL	

In Area 2c					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL	Antenna	222705.95S 0291954.22E	10.3M HGT	NIL INFO AVBL	
NIL	Tower	222721.52S 0291921.86E	31.8M HGT	NIL INFO AVBL	
1. This AD is situated in a restricted mining area. Except in emergencies, no person may land without the mine Security Manager prior written permission. 2. Blasting taking place area bounded by 222511S 0291817E; 222522S 0291935E; 222637S 0292035E; 222650S 0291959E and 222650S 0291817E. Daily BTN 0600-1400. GND/7333FT AMSL 3. Pilots to contact Venetia mine on FREQ 130.4 MHz or 124.800 Mhz before approaching or take off for blasting information.					

In Area 3					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/ Type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FAVM AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET Office outside hours*	NIL INFO AVBL
3	*Office responsible for TAF preparation* *Periods of validity*	NIL INFO AVBL
4	*Trend forecast* *Interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provided*	NIL INFO AVBL
6	*Flight documentation / Language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, etc.)*	NIL INFO AVBL

FAVM AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*True BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
08	071°	1553 x 15	ASPH LCN 45	222701.40S 0291950.30E	2338 FT	NIL
26	251°	1553 x 15	ASPH LCN 45	222644.98S 0292041.68E	2354 FT	NIL

SWY Dimensions (M)	*CWY Dimensions (M)*	*Strip Dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	60	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
NIL	60	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FAVM AD 2.13 DECLARED DISTANCES

RWY Designator	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
08	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
26	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

FAVM AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	*APCH LGT Type, LEN and INTST*	*THR LGT Colour and WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT LEN, spacing, colour, INTST*	*RWY Edge LGT, LEN, spacing, colour, INTST*	*RWY End LGT Colour and WBAR*	*SWY LGT LEN (M) colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
08	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL
26	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL

FAVM AD 2.15 OTHER LIGHTING SYSTEMS, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location and LGT Anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	NIL INFO AVBL
5	*Remarks*	NIL

FAVM AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO Geoid undulation*	NIL INFO AVBL
2	*TLOF and/or FATO elevation M/FT*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	NIL

FAVM AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	NIL
2	*Vertical limits*	NIL
3	*Airspace classification*	NIL
4	*ATS unit call-sign* *Language*	NIL
5	*Transition altitude*	NIL
6	*Remarks*	NIL

FAVM AD 2.18 ATS COMMUNICATION FACILITIES

1	*2*	*3*	*4*	*5*
Service designation	*Call sign*	*Frequency*	*Hours of operation*	*Remarks*
NIL	NIL	NIL	NIL	NIL

FAVM AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

FAVM AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

FAVM AD 2.21 NOISE ABATEMENT PROCEDURES

NIL INFO AVBL

FAVM AD 2.22 FLIGHT PROCEDURES

Mandatory circuit procedure must be complied with:
RWY 08: Right hand circuit,
RWY 26: Left hand circuit.

FAVM AD 2.23 ADDITIONAL INFORMATION

NIL INFO AVBL

FAVM AD 2.24 CHARTS RELATED TO AN AERODROME

AD	-AD-01