FAWK

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAWK - WATERKLOOF AFB (MIL - UNLICENSED)

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	254941.73S 0281325.89E
2	*Direction and distance from city*	5 NM S of Pretoria
3	*Reference elevation/Reference temperature*	4940 FT
4	*Geoid undulation at aerodrome elevation position*	NIL INFO AVBL
5	*MAG VAR* *annual change*	18°W (2017)
6	*AD operator, address, TEL, FAX, SITA, AFS*	PUB AD CHF: AFB Waterkloof P/Bag X 1001 LYTTELTON 0140 TEL: (012) 672-4911; FAX: (012) 672-3038 ATS TEL: (012) 672-3251/3060 ATS FAX: (012) 672-3323 Telegraphic Address: AFTN FAWKZTZX
7	*Types of traffic permitted (IFR / VFR)*	IFR/VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: 0500-1330
2	*Customs and immigration*	NIL
3	*Health and sanitation*	NIL
4	*AIS briefing office*	NIL
5	*ATS reporting office (ARO)*	NIL
6	*MET briefing office*	NIL
7	*ATS*	H24
8	*Fuelling*	MON-FRI: 0500-1330
9	*Handling*	NIL
10	*Security*	NIL
11	*De-icing*	NIL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	Forklift and Pallet dolly
2	*Fuel and Oil types*	For military use only: AVGAS 100/130, JET A1. Oil - all.
3	*Fuelling facilities and capacity*	Fuel Bowsers, Hydrants and refuelling system
4	*De-icing facilities*	NIL
5	*Hangar space for visiting aircraft*	NIL
6	*Repair facilities for visiting aircraft*	NIL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Overnight accommodation: Hotels, Chalet and Lodges in Town.
2	*Restaurants*	Chinese, Italian and European restaurants.
3	*Transportation*	Taxi available on request.
4	*Medical facilities*	First aid and Hospital in town. Oxygen and related servicing.
5	*Bank and Post Office*	Available in town
6	*Tourist office*	Available in town
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT 7
2	*Rescue equipment*	Trained personnel available
3	*Capability for removal of disabled aircraft*	NIL
4	*Remarks*	1) SAR-Under the coordinating direction of the South-African Air Force. 2) CAT IX (09) ACFT's can be accommodated on request

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL
2	*Clearance priorities*	NIL
3	*Remarks*	Open all seasons

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Concrete
2	*Designation, width, surface and strength of taxiways*	NIL INFO AVBL
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	INS: see AD Chart
6	*Remarks*	N entrance to 10 Hangar apron closed to all taxiing ACFT.

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	RWY: Designation, THR, TDZ, centreline and Holding points
3	*Stop bar*	NIL
4	*Remark*	NIL

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	2 Pylons	S255331 E0281916	/164 FT	unmarked	NIL
NIL INFO AVBL	1 Crane	255020S 0281308E	/82 FT	Day and NGT markings	Gedeelte 24, Drooggegron 380, Pretoria

- Pilots to EXER CTN caution due to racing pigeons present in the vicinity of the AD.
- Lyttleton Dolomite Mine blasting OPS BTN 0700 - 1000, GND/6000 FT AGL.
- Radio TRANS and REC mast NW of AD ABM Air School obstruction light unserviceable.
- Post Office TWR 1.3NM North of the AD and left of CL RWY 01.
- Hill 1.5NM S of RWY 01.
- Two unmarked Pylons at Rietvlei Dam (255331S 0281916E): GND/164 FT AGL
- EXER CTN of windshear THR RWY 19.
- Bad VIS in winter to S of AD due to smog.
-Time Square Casino, Menlyn Pretoria (254717S 0281656E): Search LGT display taking place DLY BTN 1600 - 2230, GND/UNL.

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL
2	*Hours of service* *MET office responsible outside hours*	NIL
3	*Office responsible for TAF preparation and periods of validity*	NIL
4	*Type of trend forecast and interval of issuance*	NIL
5	*Briefing / consultation provide*	NIL
6	*Flight documentation / language(s) used*	NIL
7	*Charts and other information available for briefing or consultation*	NIL
8	*Supplementary equipment available for providing information*	NIL
9	*ATS units provided with information*	NIL
10	*Additional information (limitation of service, e.t.c.)*	NIL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	*TRUE BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*	*Slope of RWY-SWY*
1	*2*	*3*	*4*	*5*	*6*	*7*
01	352°T	3350 x 45	PCN 90/F/A/W/T ASPH	255038.67S 0281328.89E	4876 FT	NIL INFO AVBL
19	172°T	3350 x 45	PCN 90/F/A/W/T ASPH	254850.88S 0281312.15E	4900 FT	NIL INFO AVBL
06	044°T	1918 x 45	NIL INFO AVBL	255000.79S 0281306.99E	4919 FT	NIL INFO AVBL
24	224°T	1918 x 45	NIL INFO AVBL	254916.53S 0281355.50E	4940 FT	NIL INFO AVBL
SWY dimensions (M)	*CWY dimensions (M)*	*Strip dimensions (M)*	*RESA dimensions (M)*	*Location (which runway end) and description of arresting system (if any);*	*OFZ*	*Remarks*
8	*9*	*10*	*11*	*12*	*13*	*14*
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	See below.
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	
NIL	NIL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	

Remarks 14

Circuit Procedures
Circuit altitude: Helicopters - 5800 FT AMSL, Piston engined aircraft - 6000 FT AMSL
Jet engined aircraft - 6500 FT AMSL, Turbine engined aircraft - 6500 FT AMSL
Initial 7000 FT AMSL
RWY 01 in use - Right hand circuit
RWY 19 in use - Left hand circuit
RWY 06 in use - Right hand circuit
RWY 24 in use - Left hand circuit
Nil barrier nets AVBL.

Additional Information:
1) No landing T available. 2) Windshear THR RWY 19. 3) Arrestor barriers available on request.

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
01	3350	3350	3350	3350	NIL
19	3350	3350	3350	3350	NIL
06	1918	1918	1918	1918	NIL
24	1918	1918	1918	1918	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type and LEN INST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, WBAR*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
01	HIALS	NIL INFO AVBL	RL PAPI (3°)	NIL INFO AVBL	AVBL	AVBL	AVBL	NIL INFO AVBL	NIL
19	SALS	NIL INFO AVBL	RL PAPI (3°)	NIL INFO AVBL	AVBL	AVBL	AVBL	NIL INFO AVBL	NIL
06	NIL INFO AVBL	NIL INFO AVBL	PAPI (3°)	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL
24	NIL INFO AVBL	NIL INFO AVBL	PAPI (3°)	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	Emergency lighting & secondary supply available /15 SEC for switch over
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL
2	*TLOF / FATO elevation (m/ft)*	NIL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL
4	*True BRG of FATO*	NIL
5	*Declared distance available*	NIL
6	*APP and FATO lighting*	NIL
7	*Remarks*	NIL

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	CTR: FM N of Atteridgeville (12NM NW of 255107.96S 0281333.45E) to Silverton (10NM NE of 255107.96S 0281333.45E), S to Bapsfontein (14NM SE of 255107.96S 0281333.45E), westbound along the Johannesburg CTR boundary, to a point N of Grand Central (7NM SW of 255107.96S 0281333.45E), back towards the point N ABM of Atteridgeville. More specifically, 2 arcs of a circle, radius 7NM and centered around a point at 254929S 281349E, together with 2 straight lines tangential to the circle converging to a point 260000S 0282345E & 2 straight lines tangential to the circle converging at a 254300S and 0280600E.
2	*Vertical limits*	GND/7600 FT ALT
3	*Airspace classification*	Class C
4	*ATS unit call sign* *Language(s)*	Waterkloof Tower English
5	*Transition altitude*	8000 FT
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
ATIS	Waterkloof	116.9 MHz	MON-FRI: 0600-1200	NIL
Ground	Waterkloof	121.85 MHz	Prior Arrangement	NIL
Tower	Waterkloof	124.1 MHz	H24	NIL
VDF Available	Yes	125.3 MHz	NIL INFO AVBL	NIL
Note: (1) AFIS will be provided by FAWK ATC on frequency 123.2 MHz within the FASK ATZ when FASK is unmanned. (2) ATC training taking place on frequency 124.1 MHz.				

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
VOR DME	WKV	116.9 MHz CH116	H24	255000.04S 0281313.31E	4903 FT	NIL
ILS LOC 01	WKI	111.3 MHz	H24	254840.95S 0281310.61E	4907 FT	NIL
ILS GP 01	-	332.3 MHz	H24	255030.05S 0281323.38E	4928 FT	NIL
ILS RWY 01 Commissioned to CAT 1 and calibrated to CAT 2. OM RWY 01 withdrawn. ILS RWY01 FREQ 111.3 MHz will now be used in conjunction with a DME APP.						

AD 2.20 LOCAL AERODROME REGULATIONS

1. Class B Compass wing: 2 x red circles marked on compass swing where pilots and technicians can stand. Be advised that the readings may be unreliable.

AD 2.21 NOISE ABATEMENT PROCEDURES

As per ENR 1.5. paragraph 7.2.

AD 2.22 FLIGHT PROCEDURES

Aircraft under Johannesburg radar control until established on ILS or on passing through 8000 FT ALT (FAWK CTR)

AD 2.23 ADDITIONAL INFORMATION

- Prior permission required from the South African Chief of National Defence Force to make use of the aerodrome facilities
- Bad VIS in winter to the south of AD due to smog.
- Any aircraft requiring assistance contact FAWK OPS on 133.45 MHz.
- All MIL aerodromes are unlicensed, as such they may not be nominated as an alternate destination. AD to be used in EMERG only.

AD 2.24 CHARTS RELATED TO AN AERODROME

NIL

THIS PAGE INTENTIONALLY LEFT BLANK