FAYP

AD 2.1 AERODROME LOCATION INDICATOR AND NAME

FAYP - AFB YSTERPLAAT (MIL - UNLICENSED)

AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	*ARP co-ordinates and site at AD*	335403.56S 0182950.96E
2	*Direction and distance from city*	09 NM to the NE of Cape Town
3	*Reference elevation/Reference temperature*	49 FT / N/A.
4	*Geoid undulation at aerodrome elevation position*	NIL INFO AVBL
5	*MAG VAR* *annual change*	26° W (2019)
6	*AD Operator, address, telephone, telefax, e-mail, AFS address and, if available, website address*	PUB AD CHF: AFB Ysterplaat P/Bag x 04, Ysterplaat, 7425. TEL OPS: (+27 21) 508 6222 FAX OPS: (+27 21) 508 6405 TEL TWR: (+27 21) 508 6151 FAX TWR: (+27 21) 508 6224 Telegraphic Address: AFTN FAYPZTZX Email: atc@ysterplaat.org.za
7	*Types of traffic permitted (IFR / VFR)*	VFR
8	*Remarks*	NIL

AD 2.3 OPERATIONAL HOURS

1	*AD Operator*	MON-FRI: 0500-1330
2	*Customs and immigration*	NIL INFO AVBL
3	*Health and sanitation*	NIL INFO AVBL
4	*AIS briefing office*	NIL INFO AVBL
5	*ATS reporting office (ARO)*	NIL INFO AVBL
6	*MET briefing office*	NIL INFO AVBL
7	*ATS*	MON - FRI: 0500 - 1330, SAT and SUN: 1 HR PN, After Hours-Standby (REQ FAYP OPS).
8	*Fuelling*	MON-FRI: 0500-1330
9	*Handling*	NIL INFO AVBL
10	*Security*	NIL INFO AVBL
11	*De-icing*	NIL INFO AVBL
12	*Remarks*	NIL

AD 2.4 HANDLING SERVICES AND FACILITIES

1	*Cargo-handling facilities*	Forklift
2	*Fuel and Oil types*	AVGAS 100, JET A1 / All
3	*Fuelling facilities and capacity*	Fuel Bowsers
4	*De-icing facilities*	NIL INFO AVBL
5	*Hangar space for visiting aircraft*	NIL INFO AVBL
6	*Repair facilities for visiting aircraft*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.5 PASSENGER FACILITIES

1	*Hotels*	Overnight accommodation: Hotels, B&B and Lodges in Town,
2	*Restaurants*	South African
3	*Transportation*	Rent a Car available on request.
4	*Medical facilities*	First Aid and Hospital in town, / Oxygen and related servicing.
5	*Bank and Post Office*	NIL INFO AVBL
6	*Tourist office*	NIL INFO AVBL
7	*Remarks*	NIL

AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	*Aerodrome category for fire fighting*	CAT 5
2	*Rescue equipment*	Trained personnel available.
3	*Capability for removal of disabled aircraft*	NIL INFO AVBL
4	*Remarks*	SAR-Under the coordinating direction of the SA Air Force.

AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	*Types of clearing equipment*	NIL INFO AVBL
2	*Clearance priorities*	NIL INFO AVBL
3	*Remarks*	Open all seasons.

AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	*Designation, surface and strength of aprons*	Concrete N/A.
2	*Designation, width, surface and strength of taxiways*	TWY Widths: A = 12,2 M B =28,3 M C = 29,4 M
3	*ACL location and elevation*	NIL INFO AVBL
4	*VOR checkpoints*	NIL INFO AVBL
5	*INS checkpoints*	VIP: 335413.75S 0182941.54E C130: 335422.74S 0182932.39E 22 SQN: 335418.46S 0182940.13E SAPS: 335413.13S 0182934.69E
6	*Remarks*	NIL

AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	*Use of aircraft stand ID signs, TWY guide lines and visual docking / parking guidance system of aircraft stands.*	NIL INFO AVBL
2	*RWY and TWY markings and LGT*	NIL INFO AVBL
3	*Stop bar*	NIL INFO AVBL
4	*Remark*	Marking aids: All runways - threshold, Touch-down, RWY designator, RWY centreline and Holding points.

AD 2.10 AERODROME OBSTACLES

In Area 2					
OBST ID/ Designation	*OBST type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	Mast	335434S 0182942E	HGT 150 FT	NIL INFO AVBL	0.45 NM SW of AD.
NIL INFO AVBL	Power lines	NIL INFO AVBL	HGT 83 FT	Red hazard LGT	S & SE of THR RWY 02
- 7 x Apron lighting masts, height 99 FT, erected above dispersal area marked by double red lights. -RENL visible from both directions. -Fence 1.2 M AGL erected along the length of RWY 02/20 N of TWY C and 250 M W of RWY. - Raised lights at THR RWY 20. - ACFT to avoid landing on THR RWY 02/20 due to cracks on the surface.					

In Area 3					
OBST ID/ Designation	*OBST Type*	*OBST position*	*ELEV/HGT*	*Markings/type, colour*	*Remarks*
a	*b*	*c*	*d*	*e*	*f*
NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL INFO AVBL	NIL

AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	*Associated MET office*	NIL INFO AVBL
2	*Hours of service* *MET office responsible outside hours*	0845-1615
3	*Office responsible for TAF preparation and periods of validity*	NIL INFO AVBL
4	*Type of trend forecast and interval of issuance*	NIL INFO AVBL
5	*Briefing / consultation provide*	NIL INFO AVBL
6	*Flight documentation / language(s) used*	NIL INFO AVBL
7	*Charts and other information available for briefing or consultation*	NIL INFO AVBL
8	*Supplementary equipment available for providing information*	NIL INFO AVBL
9	*ATS units provided with information*	NIL INFO AVBL
10	*Additional information (limitation of service, e.t.c.)*	NIL INFO AVBL

AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWYNR	*TRUE &MAG BRG*	*Dimensions of RWY (M)*	*Strength (PCN) and surface of RWY and SWY*	*THR coordinates RWY end coordinates THR geoid undulation*	*THR elevation and highest elevation of TDZ of precision APP RWY*
1	*2*	*3*	*4*	*5*	*6*
02	T 356°	1585 X 32	ASPH LCN 30	335431S 0182956E	42 FT
20	T 176°	1585 X 32	ASPH LCN 30	335339S 0182951E	52 FT
Designations RWY NR	*Slope of RWY-SWY*	*SWY dimensions (M)*	*CWY dimensions (M)*	*Strip dimensions (M)*	*OFZ*
1	*7*	*8*	*9*	*10*	*11*
02	NIL	NIL	NIL	NIL	NIL

20	NIL	NIL	NIL	NIL	NIL
Remarks 12 Circuit Procedures (a) Circuit altitude: Fixed wing aircraft - 1 000 FT Helicopters - 800 FT (b) RWY 02 in use - Left hand circuit RWY 20 in use - Right hand circuit (c) Raised lights at THR RWY 20					

AD 2.13 DECLARED DISTANCES

RWY	*TORA (M)*	*TODA (M)*	*ASDA (M)*	*LDA (M)*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
02	1585	1585	1585	1585	NIL
20	1585	1585	1585	1585	NIL

AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY	*APCH LGT Type and LEN INST*	*THR LGT Colour WBAR*	*VASIS (MEHT) PAPI*	*TDZ, LGT LEN*	*RWY Centre Line LGT, Spacing, colour INTST*	*RWY Edge LGT, LEN, Spacing, Colour, WBAR*	*RWY End LGT Colour WBAR*	*SWY LGT LEN (m) Colour*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*	*8*	*9*	*10*
02	NIL INFO AVBL	NIL INFO AVBL	RL PAPI (3º)	NIL INFO AVBL	AVBL	AVBL	NIL INFO AVBL	NIL INFO AVBL	Runway Lighting available RWY 02/20
20	NIL INFO AVBL	NIL INFO AVBL	RL PAPI (3º)	NIL INFO AVBL	AVBL	AVBL	NIL INFO AVBL	NIL INFO AVBL	Runway Lighting available RWY 02/20

AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	*ABN/IBN location, characteristics and hours of operation*	NIL INFO AVBL
2	*LDI location & LGT and anemometer location and LGT*	NIL INFO AVBL
3	*TWY edge and centre line lighting*	NIL INFO AVBL
4	*Secondary power supply and switch-over time*	Emergency lighting & secondary supply available / 15 SEC for switch over,
5	*Remarks*	NIL

AD 2.16 HELICOPTER LANDING AREA

1	*Coordinates TLOF or THR of FATO / Geoid undulation*	NIL INFO AVBL
2	*TLOF / FATO elevation (m/ft)*	NIL INFO AVBL
3	*TLOF and FATO area dimensions, surface, strength, marking*	NIL INFO AVBL
4	*True BRG of FATO*	NIL INFO AVBL
5	*Declared distance available*	NIL INFO AVBL
6	*APP and FATO lighting*	NIL INFO AVBL
7	*Remarks*	335413S 0182935E (Police)

AD 2.17 ATS AIRSPACE

1	*Designation and lateral limits*	ATZ/CTR (a) An arc with the radius 2.5NM centred around 335404S 0182951E.
2	*Vertical limits*	GND/1500 FT
3	*Airspace classification*	Visual
4	*ATS unit call sign* *Language(s)*	Ysterplaat Tower English
5	*Transition altitude*	N/A
6	*Remarks*	NIL

AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	*Call sign*	*Channel(s)*	*Hours of operation*	*Remarks*
1	*2*	*3*	*4*	*5*
Ground	Ysterplaat	121.85 MHz	MON-FRI: 0500-1330	NIL
Tower	Ysterplaat	125.6 MHz	MON-FRI: 0500-1330	NIL

AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/ MLS, give declination)	*ID*	*Frequency*	*Hours of operation*	*Position of transmitting antenna coordinates*	*Elevation of DME transmitting antenna*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*	*7*
NIL	NIL	NIL	NIL	NIL	NIL	NIL

AD 2.20 LOCAL AERODROME REGULATIONS

NIL INFO AVBL

AD 2.21 NOISE ABATEMENT PROCEDURES

Standard

AD 2.22 FLIGHT PROCEDURES

NIL

AD 2.23 ADDITIONAL INFORMATION

- LDG ACFT to remain within 3 DEG GP of PAPI RWY 02/20 and remaining well clear of the cement THR RWY 02/20 due to cement breaking up. ACFT must avoid landing on THR.
-Enquiries: Maj E. Gherbavaz -TEL: +2721 508 6151
- Prior admission is necessary from the South African Chief of National Defence Force to make use of the aerodrome facilities
- All MIL aerodromes are unlicensed, as such they may not be nominated as an alternate destination. AD to be used in EMERG only.
- Taxi limitations to Northern and Southern gates at AD detached, HGT 4M and MAX width of entrance is 51.55M. Pilots to EXER CTN whilst taxiing.
- Enquiries: CATCO Telephone: +2721 508 6151.

AD 2.24 CHARTS RELATED TO THE AERODROME

NIL

THIS PAGE INTENTIONALLY LEFT BLANK