ENR 2 AIR TRAFFIC SERVICES AIRSPACE

ENR 2.1 FIR, UIR, TMA and CTA

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
CAPE TOWN FLIGHT INFORMATION REGION (FIR)					
(a) From a point at 370000.00S 0150000.00E along a straight line to a point at 303000.00S 0150000.00E (b) Thence along a straight line to a point at 303025.00S 0211621.00E (c) Thence along a straight line to a point at 311949.00S 0234558.00E (d) Thence along a straight line to a point at 305544.78S 0255953.35E (e) Thence along a straight line to a point at 302825.17S 0281717.99E (f) Thence along a straight line to a point at 313631.96S 0293111.46E (g) Thence along a straight line to a point at 330000.00S 0320000.00E (h) Thence along a straight line to a point at 370000.00S 0280000.00E (i) Thence along a straight line to a point at 370000.00S 0222541.84E (j) Thence along a straight line back to the starting point at 370000.00S 0150000.00E	FL650 GND Class of airspace outside other regulated airspace: FL195 GND Class G FL460 FL200 Class A FL650 FL460 Class G	Cape Town Area Control	Cape Town Area English H24		
CONTROL AREAS WITHIN CAPE TOWN FIR					
CAPE TOWN CONTROL AREA (CTA) - AREA A					
(a) From a point at 325324.42S 0174000.01E thence a straight line to a point at 332000.00S 0174000.00E (b) Thence a straight line to a point at 333400.00S 0181900.00E (c) Thence a straight line to a point at 332900.00S 0184700.00E (d) Thence a straight line to a point at 331137.97S 0185828.10E (e) Thence a straight line to a point at 323944.52S 0185555.76E (f) Thence clockwise along the arc of a circle, radius 80NM, and centered at 335810.82S 0183618.19E, to a point at 341718.44S 0200953.25E (g) Thence a straight line to a point at 341739.88S 0193147.56E	FL195 FL145 Class C	ACC Cape Town	Cape Town Control English	125.1 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(h) Thence clockwise along the arc of a circle, radius 50NM and centered at 335810.82S 0183618.19E, to a point at 343650.03S 0191440.96E (i) Thence a straight line to a point at 342600.00S 0184900.00E (j) Thence a straight line to a point at 342000.00S 0184700.00E (k) Thence a straight line to a point at 342000.00S 0174230.00E (l) Thence a straight line to a point at 342002.82S 0170333.81E (m) Thence clockwise along the arc of a circle, radius 80NM, and centered at 335810.82S 0183618.19E back to the starting point at 325324.42S 0174000.01E.					

CAPE TOWN CONTROL AREA (CTA) AREA B					
(a) From a point at 325410.12S 0291203.38E, thence along a straight line to a point at 341843.33S 0254327.63E (b) Thence a straight line to a point at 342631.23S 0250619.02E (c) Thence a straight line to a point at 343029.94S 0222306.75E (d) Thence clockwise around the arc of a circle radius 30NM centered at point 340026.66S 0222233.62E to a point at 341419.20S 0215029.73E (e) Thence a straight line to a point at 341455.77S 0210001.62E (f) Thence clockwise around the arc of a circle radius 70NM centered at point 340026.66S 0222233.62E to a point at 325018.30S 0222127.66E (g) Thence a straight line to a point at 325018.24S 0245611.65E (h) Thence a straight line to a point at 324122.88S 0253550.38E (i) Thence a straight line to a point at 320152.05S 0270708.14E (j) Thence clockwise around the arc of a circle radius 70NM centered at point 330213.16S 0274923.36E back to the starting point at 325410.12S 0291203.38E.	FL195 FL145 Class C	ACC Cape Town	Cape Town Area West Cape Town Area East English	125.1 MHz 124.7 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC. Both FREQ (125.1 MHz and 124.7 MHz) in use depending on Area sector dimensions. See FACA ACC West and East definitions in ENR 2.1

Name *lateral limits*	*Vertical limits* *Class of Airspace*	*Unit providing service*	*Call signs* *Languages* *Area and conditions of use* *Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
CAPE TOWN TERMINAL CONTROL AREA A (TMA A)					
(a) From a point at 335134.41S 0181336.62E, clockwise along the arc of a circle, radius 20NM, and centred at 335810.82S 0183618.19E to a point at 334846.22S 0185731.05E. (b) Thence a straight line to a point at 335204.61S 0185006.39E. (c) Thence clockwise along the arc of a circle, radius 13NM, and centred at 335810.82S 0183618.19E to a point at 340318.23S 0185040.48E. (d) Thence a straight line to a point at 340500.67S 0185502.80E. (e) Thence clockwise along the arc of a circle, radius 17NM, and centred at 335810.82S 0183618.19E to a point at 341134.26S 0184856.05E. (f) Thence a straight line to a point at 341526.00S 0185046.90E. (g) Thence a straight line to a point at 341750.20S 0184817.70E. (h) Thence a straight line to a point at 342051.70S 0184903.20E. (i) Thence clockwise along the arc of a circle, radius 25NM, and centred at 335810.82S 0183618.19E to a point at 342226.94S 0182854.16E. (j) Thence a straight line to a point at 341400.00S 0182830.00E. (k) Thence a straight line to a point at 341100.00S 0182600.00E. (l) Thence a straight line to a point at 340810.00S 0182600.00E. (m) Thence a straight line to a point at 340600.00S 0182850.00E. (n) Thence a straight line to a point at 335530.00S 0182730.00E. (o) Thence a straight line back to the starting point at 335134.41S 0181336.62E.	FL085 2500 FT ALT Class C	APP Cape Town	Cape Town Approach English H24	119.7 MHz	Except where otherwise authorized, no aircraft is to be operated in this airspace unless two way radio contact is maintained with air traffic control VHF extended range relay station 119.7 MHz Jonaskop

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
CAPE TOWN TERMINAL CONTROL AREA B (TMA B)					
(a) From a point at 334846.22S 0185731.05E anti-clockwise along the arc of a circle, radius 20NM, and centred at 335810.82S 0183618.19E to a point at 335134.41S 0181336.62E. (b) Thence along a straight line to a point at 335530.00S 0182730.00E. (c) Thence a straight line to a point at 340600.00S 0182850.00E. (d) Thence a straight line to a point at 340810.00S 0182600.00E. (e) Thence a straight line to a point at 341100.00S 0182600.00E. (f) Thence a straight line to a point at 341400.00S 0182830.00E. (g) Thence a straight line to a point at 342226.94S 0182854.16E. (h) Thence anti-clockwise along the arc of a circle, radius 25NM, and centred at 335810.82S 0183618.19E to a point at 342051.70S 0184903.20E. (i) Thence a straight line to a point at 342551.18S 0185023.04E. (j) Thence clockwise along the arc of a circle, radius 30NM, and centred at 335810.82S 0183618.19E to a point at 334402.86S 0190805.81E. (k) Thence a straight line to a starting point at 334846.22S 0185731.05E.	FL085 4500 FT ALT Class C	APP Cape Town	Cape Town Approach English	119.7 MHz	Except where otherwise authorized, no aircraft is to be operated in this airspace unless two-way radio contact is maintained with air traffic control.
CAPE TOWN TERMINAL CONTROL AREA C (TMA C)					
(a) From a point at 340500.67S 0185502.80E, clockwise along the arc of a circle, radius 17NM, and centred at 335810.82S 0183618.19E to a point at 341134.26S 0184856.05E. (b) Thence a straight line to a point at 341526.00S 0185046.90E. (c) Thence a straight line to a point at 341750.20S 0184817.70E. (d) Thence a straight line to a point at 342551.18S 0185023.04E. (e) Thence anti-clockwise along the arc of a circle, radius 30NM, and centred at 335810.82S 0183618.19E to a point at 341024.40S 0190918.80E. (f) Thence a straight line back to the starting point at 340500.67S 0185502.80E.	FL085 5500 FT ALT Class C	APP Cape Town	Cape Town Approach English	119.7 MHz	Except where otherwise authorized, no aircraft is to be operated in this airspace unless two-way radio contact is maintained with air traffic control.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
CAPE TOWN TERMINAL CONTROL AREA D (TMA D)					
(a) From a point at 340434.89S 0185356.71E, anti-clockwise along the arc of a circle, radius 16NM, and centred at 335810.82S 0183618.19E to a point at 335039.64S 0185317.03E. (b) Thence a straight line to a point at 334402.86S 0190805.81E. (c) Thence clockwise along the arc of a circle, radius 30NM, and centred at 335810.82S 0183618.19E to a point at 341024.40S 0190918.80E. (d) Thence a straight line back to the starting point at 340434.89S 0185356.71E.	FL085 7500 FT ALT Class C	APP Cape Town	Cape Town Approach English H24	119.7 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
CAPE TOWN TERMINAL CONTROL AREA E (TMA E)					
(a) From a point at 330806.87S 0183832.67E, clockwise along the arc of a circle, radius 50NM, and centred at 335810.82S 0183618.19E to a point at 332423.97S 0175202.90E. (b) Thence a straight line to a point at 333252.88S 0181651.69E. (c) Thence clockwise along the arc of a circle, radius 30NM, and centred at 335810.82S 0183618.19E to a point at 332809.24S 0183431.25E. (d) Thence a straight line back to the starting point at 330806.87S 0183832.67E.	FL145 FL085 Class C	APP Cape Town	Cape Town Approach English H24	119.7 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
CAPE TOWN TERMINAL CONTROL AREA F (TMA F)					
(a) From a point at 335039.64S 0185317.03E along a straight line to a point at 335204.61S 0185006.39E. (b) Thence clockwise along the arc of a circle, radius 13NM, and centred at 335810.82S 0183618.19E to a point at 340318.23S 0185040.48E. (c) Thence a straight line to a point at 340434.89S 0185356.71E. (d) Thence anti-clockwise along the arc of a circle, radius 16NM, and centred at 335810.82S 0183618.19E back to a point at 335039.64S 0185317.03E.	FL085 4500 FT ALT Class C	APP Cape Town	Cape Town Approach English H24	119.7 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
EAST LONDON TERMINAL CONTROL AREA A (TMA A)					
(a) From a point 332158.40S 0274515.56E, thence clockwise along the arc of a circle, radius 20NM, and centered at 330213.21S 0274922.90E to a point at 325812.08S 0272604.46E. (b) Thence a straight line to a point at 325633.58S 0273019.14E (c) Thence clockwise along the arc of a circle, radius 17NM, centered at 330213.21S 0274922.90E to a point at 324538.59S 0274444.39E. (d) Thence a straight line to a point at 324440.13S 0274427.76E (e) Thence clockwise along the arc of a circle, radius 18NM, centered at 330213.21S 0274922.90E to a point at 331427.19S 0280509.42E a straight line to the starting point at 332158.40S 0274515.56E. (f) Thence a straight line to the starting point at 332158.40S 0274515.56E.	FL145 2500 FT ALT Class C	APP East London	East London Approach English	120.1MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
EAST LONDON TERMINAL CONTROL AREA B (TMA B)					
(a) From a point 330303.60S 0271340.60E clockwise along the arc of a circle, radius 30NM, and centered at 330213.21S 0274922.90E to a point at 325855.44S 0282451.07E. (b) Thence a straight line to a point at 331223.84S 0281033.74E. (c) Thence a straight line to a point at 331427.19S 0280509.42E (d) Thence anti-clockwise along the arc of a circle, radius 18NM, centered at 330213.21S 0274922.90E to a point at 324440.13S 0274427.76E. (e) Thence a straight line to a point at 324538.59S 0274444.39E (f) Thence anti-clockwise along the arc of a circle, radius 17NM, centered at 330213.21S 0274922.90E to a point at 325632.77S 0273019.47E. (g) Thence along a straight line to the starting point at 330303.60S 0271340.60E.	FL145 4500 FT ALT Class C	APP East London	East London Approach English	120.1MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
EAST LONDON TERMINAL CONTROL AREA C (TMA C)					
(a) From a point 332158.40S 0274515.56E, thence clockwise along the arc of a circle, radius 20NM, and centered at 330213.21S 0274922.90E to a point at 325813.22S 0272603.49E. (b) Thence a straight line to a point at 330303.60S 0271340.60E. (c) Thence anti-clockwise along the arc of a circle, radius 30NM, centered at 330213.21S 0274922.90E to a point at 332737.04S 0273011.68E. (d) Thence a straight line to the starting point at 332158.40S 0274515.56E	FL145 4500 FT ALT Class C	APP East London	East London Approach English	120.1MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
EAST LONDON TERMINAL CONTROL AREA D (TMA D)					
(a) From a point 332718.37S 0271208.16E, thence clockwise along the arc of a circle, radius 40NM, and centered at 330213.21S 0274922.90E to a point at 324943.46S 0283433.04E (b) Thence a straight line to a point at 325855.44S 0282451.07E (c) Thence anti-clockwise along the arc of a circle, radius 30NM centered at 330213.21S 0274922.90E to a point at 332103.12S 0272128.82E (d) Thence a straight line to the starting point at 332718.37S 0271208.16E.	FL145 6500FT ALT Class C	APP East London	East London Approach English	120.1MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
EAST LONDON TERMINAL CONTROL AREA E (TMA E)					
(a) From a point 333331.83S 0270247.70E, thence clockwise along the arc of a circle, radius 50NM, and centered at 330213.21S 0274922.90E to a point at 324119.93S 0284321.55E (b) Thence a straight line to a point at 324943.46S 0283433.04E (c) Thence anti-clockwise along the arc of a circle, radius 40NM, centered at 330213.21S 0274922.90E to a point at 332718.37S 0271208.16E (d) Thence a straight line to the starting point at 333331.83S 0270247.70E	FL145 FL105 Class C	APP East London	East London Approach English	120.1MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
GEORGE TERMINAL CONTROL AREA A (TMA A)					
(a) From a point at 340946.30S 0221137.93E, thence a straight line to a point at 341016.08S 0223250.43E. (b) Thence anti-clockwise along the arc of a circle, radius 13NM, and centered at 340026.66S 0222233.62E to a point at 340217.55S 0223802.71E. (c) Thence a straight line to a point at 340406.48S 0225332.38E. (d) Thence clockwise along the arc of a circle, radius 26NM, and centered at 340026.66S 0222233.62E to a point at 340827.32S 0225220.82E. (e) Thence a straight line to a point at 340900.90S 0225710.91E. (f) Thence clockwise along the arc of a circle, radius 30NM, centered at 340026.66S 0222233.62E to apoint at 342156.50S 0215716.59E (g) Thence a straight line to the starting point at 340946.30S 0221137.93E.	FL145 2000 FT ALT Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	VHF relay station Potjiesberg 128.20 MHz Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
GEORGE TERMINAL CONTROL AREA B (TMA B)					
(a) From a point at 335335.60S 0220232.46E, thence a straight line to a point at 335530.10S 0220805.74E (b) Thence a straight line to a point at 335638.69S 0221125.87E (c) Thence a straight line to a point at 335726.32S 0222230.74E (d) Thence a straight line to a point at 335614.31S 0223721.40E e) Thence a straight line to a point at 335436.79S 0224302.45E (f) Thence clockwise along the arc of a circle, radius 18NM, and centred at 340026.66S 0222233.62E to a point at 340259.68S 0224400.20E (g) Thence a straight line to a point at 340217.55S 0223802.71E (h) Thence clockwise along the arc of a circle, radius 13NM, and centred at 340026.66S 0222233.62E to a point at 341016.08S 0223250.43E (i) Thence a straight line to a point at 340946.30S 0221137.93E (j) Thence clockwise along the arc of a circle, radius 13NM, and centred at 340026.66S 0222233.62E to a point at 340103.43S 0220656.12E (k) Thence a straight line to a point at 340117.04S 0220055.56E (l) Thence clockwise along the arc of a circle, radius 18NM, and centred at 340026.66S 0222233.62E back to the starting point at 335335.60S 0220232.46E.	FL145 4500 FT ALT Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
GEORGE TERMINAL CONTROL AREA C (TMA C)					
(a) From a point at 335436.79S 0224302.45E, thence a straight line to a point at 335200.23S 0225207.66E. (b) Thence clockwise along the arc of a circle, radius 26NM, and centered at 340026.66S 0222233.62E to a point at 340406.48S 0225332.38E. (c) Thence a straight line to a point at 340259.68S 0224400.20E. (d) Thence anti-clockwise along the arc of a circle, radius 18NM, and centered at 340026.66S 0222233.62E back to the starting point at 335436.79S 0224302.45E.	FL145 5500 FT ALT Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
GEORGE TERMINAL CONTROL AREA D (TMA D)					
(a) From a point at 335200.23S 0225207.66E, thence a straight line to a point at 334406.64S 0231919.78E (b) Thence clockwise along the arc of a circle, radius 50NM, and centered at 340026.66S 0222233.62E to a point at 341144.91S 0232113.23E. (c) Thence a straight line to a point at 340827.32S 0225220.82E. (d) Thence anti-clockwise along the arc of a circle, radius 26NM, centered at 340026.66S 0222233.62E back to the starting point at 335200.23S 0225207.66E.	FL145 6500 FT ALT Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
GEORGE TERMINAL CONTROL AREA E (TMA E)					
(a) From a point at 332522.58S 0222200.16E, thence a straight line to a point at 332447.04S 0230439.60E. (b) Thence clockwise along the arc of a circle, radius 50NM, and centered at 340026.66S 0222233.62E to a point at 334406.64S 0231919.78E. (c) Thence a straight line to a point at 335239.43S 0224951.42E. (d) Thence anti-clockwise along the arc of a circle, radius 24NM, centered at 340026.66S 0222233.62E to a point at 333623.89S 0222210.58E. (e) Thence a straight line back to the starting point at 332522.58S 0222200.16E.	FL145 FL085 Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
GEORGE TERMINAL CONTROL AREA F (TMA F)					
(a) From a point at 335117.82S 0215552.65E, thence clockwise along the arc of a circle, radius 24NM, and centered at 340026.66S 0222233.62E to a point at 335239.43S 0224951.42E. (b) Thence a straight line to a point at 335614.31S 0223721.40E (c) Thence a straight line to a point at 335726.32S 0222230.74E (d) Thence a straight line to a point at 335638.69S 0221125.87E (e) Thence a straight line to the starting point at 335117.82S 0215552.65E.	FL145 6500 FT ALT Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
GEORGE TERMINAL CONTROL AREA G (TMA G)					
(a) From a point at 334554.95S 0214021.33E, thence a straight line to a point at 335335.60S 0220232.46E. (b) Thence anti-clockwise along the arc of a circle, radius 18NM, and centered at 340026.66S 0222233.62E to a point at 340117.04S 0220055.56E. (c) Thence a straight line to a point at 340208.58S 0213652.48E. (d) Thence clockwise along the arc of a circle 38NM, and centered at 340026.66S 0222233.62E back to the starting point at 334554.95S 0214021.33E.	FL145 5500 FT ALT Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
GEORGE TERMINAL CONTROL AREA H (TMA H)					
(a) From a point at 334116.62S 0212704.58E thence a straight line to a point at 334554.95S 0214021.33E. (b) Thence anti-clockwise along the arc of a circle, radius 38NM, and centered at 340026.66S 0222233.62E to a point at 340208.58S 0213652.48E. (c) Thence a straight line to a point at 340237.25S 0212226.42E. (d) Thence clockwise along the arc of a circle 50NM, and centered at 340026.66S 0222233.62E back to the starting point at 334116.62S 0212704.58E.	FL145 7500 FT ALT Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
GEORGE TERMINAL CONTROL AREA I (TMA I)					
(a) From a point at 340237.25S 0212226.42E thence a straight line to a point at 340103.43S 0220656.12E. (b) Thence anti-clockwise along the arc of a circle, radius 13NM, and centered at 340026.66S 0222233.62E to a point at 340946.30S 0221137.93E. (c) Thence a straight line to a point at 342156.50S 0215716.59E. (d) Thence clockwise along the arc of a circle 30NM, and centered at 340026.66S 0222233.62E to a point at 341419.20S 0215029.73E. (e) Thence a straight line to a point at 341440.42S 0212447.60E.	FL145 3500 FT ALT Class C	APP George	George Approach English MON-THU: 0430-1700 FRI: 0430-1800 SAT: 0630-1300 SUN: 0630-1730	128.20 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(f) Thence clockwise along the arc of a circle 50NM, and centered at 340026.66S 0222233.62E back to the starting point at 340237.25S 0212226.42E.					
NOTE: All Aircraft operating below George TMA area are to be on George QNH.					

OVERBERG TERMINAL CONTROL AREA (TMA)					
(a) From a point at 341720.00S 0205900.00E clockwise along the arc of a circle radius 40 NM and centred at 343322.03S 0201449.70E to a point at 342404.44S 0192753.82E (b) Thence anti-clockwise along the arc of a circle radius 50NM and centred at 335810.82S 0183618.19E along the Cape Town CTA A to a point at 341739.88S 0193147.56E (c) Thence a straight line to a point at 341718.44S 0200953.25E. (d) Thence a straight line back to the starting point at 341720.00S 0205900.00E	FL195 3500 FT AMSL Class C	APP Bredas-dorp	Bredasdorp Approach English		Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
All airways within the Cape Town FIR - See ENR 3-1					

PORT ELIZABETH TERMINAL CONTROL AREA A (TMA A)					
(a) From a point 342029.269S 0251025.266E, thence clockwise around the arc of a circle, radius 30NM centred at 335933.01S 0253620.75E to a point at 340801.42S 0250144.24E (b) Thence a straight line to a point at 335713.35S 0252324.83E. (c) Thence a straight line to a point at 334857.77S 0254001.15E. (d) Thence a straight line to a point at 334036.99S 0260419.481E. (e) Thence clockwise around the arc of a circle, radius 30NM, centred at 335933.01S 0253620.75E to a point at 335851. 62S 0261225.36E. (f) Thence a straight line to a point at 341406.65S 0254049.61E (g) Thence back to the starting point at 342029.269S 0251025.266E	FL145 2000 FT ALT Class C	APP Port Elizabeth	Port Elizabeth Approach English	120.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
PORT ELIZABETH TERMINAL CONTROL AREA B (TMA B)					
(a) From the starting point 340801.42S 0250144.24E, clockwise around the arc of a circle radius 30NM, centred at 335933.01S 0253620.75E to a point at 335239.438S 0250114.709E. (b) Thence a straight line to a point at 335507.77S 0251906.361E. (c) Thence clockwise around the arc of a circle radius 15NM, centred at 335933.01S 0253620.75E to a point at 334841.613S 0252352.846E (d) Thence a straight line to a point at 333045.08S 0252600.24E. (e) Thence clockwise around the arc of a circle radius 30NM, centred at 335933.01S 0253620.75E to a point at 334036.99S 0260419.481E (f) Thence a straight line to a point at 334857.77S 0254001.15E (g) Thence a straight line to a point at 335713.35S 0252324.83E (h) Thence back to the starting point at 340801.42S 0250144.24E	FL145 2500 FT ALT Class C	APP Port Elizabeth	Port Elizabeth Approach English	120.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
PORT ELIZABETH TERMINAL CONTROL AREA C (TMA C)					
(a) From the starting at point 330951.714S 0252828.357E, clockwise around the arc of a circle radius 50NM, centred at 335933.01S 0253620.75E to a point at 334755.94S 0263446.63E (b) Thence a straight line to a point at 335851.68S 0261225.36E. (c) Thence anti-clockwise around the arc of a circle radius 30NM, centred at 335933.01S 0253620.75E to a point at 333045.08S 0252600.24E. (d) Thence a straight line to the starting point at 330951.714S 0252828.357E	FL145 6500 FT ALT Class C	APP Port Elizabeth	Port Elizabeth Approach English	120.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
PORT ELIZABETH TERMINAL CONTROL AREA D (TMA D)					
(a) From the starting point at 342218.43S 0244239.36E, clockwise around the arc of a circle radius 50NM, centred at 335933.01S 0253620.75E to a point at 334919.218S 0243731.62E. (b) Thence a straight line to a point at 335239.438S 0250114.709E. (c) Thence anti-clockwise around the arc of a circle radius 30NM, centred at 335933.01S 0253620.75E to a point at 342029.269S 0251025.266E (d) Thence a straight line to the starting point at 342218.43S 0244239.36E.	FL145 6500 FT ALT Class C	APP Port Elizabeth	Port Elizabeth Approach English	120.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
PORT ELIZABETH TERMINAL CONTROL AREA E (TMA E)					
(a) From the starting point at 335239.438S 0250114.709E, clockwise around the arc of a circle radius 30NM, centred at 335933.01S 0253620.75E to a point at 333045.08S 0252600.24E. (b) Thence a straight line to a point at 334841.613S 0252352.846E. (c) Thence anti-clockwise around the arc of a circle radius 15NM centred at 335933.01S 0253620.75E to a point at 335507.77S 0251906.361E (d) Thence a straight line to the starting point at 335239.438S 0250114.709E	FL145 7500 FT ALT Class C	APP Port Elizabeth	Port Elizabeth Approach English	120.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
JOHANNESBURG FLIGHT INFORMATION REGION (FIR)					
(a) From a point at 273000.00S 0150000.00E along a straight line to a point at 273000.00S 0195439.00E (b) Thence along a straight line to a point at 273000.00S 0210000.00E (c) Thence along a straight line to a point at 264927.00S 0210136.00E (d) Thence along the Orange River, the international boundary between the South Africa and Botswana to a point at 254528.17S 0252159.85E (e) Thence along the international boundaries between South Africa and Botswana to a point at 222727.73S 0285028.09E. (f) Thence clockwise along the international boundaries between South Africa, Botswana, Zimbabwe, Mozambique to a point at 255708.24S 0315830.52E (g) Thence along the international boundaries between Eswatini and Mozambique to a point 265024.88S 0320805.29E (h) Thence along the international boundaries between South Africa and Mozambique to a point 265030.00S 0325350.00E (i) Thence along a straight line to a point at 275000.00S 0350000.00E (j) Thence along a straight line to a point at 330000.00S 0320000.00E (k) Thence along a straight line to a point at 313631.96S 0293111.46E (l) Thence along a straight line to a point at 302825.17S 0281717.99E (m) Thence along a straight line to a point at 305544.78S 0255953.35E (n) Thence along a straight line to a point at 311949.00S 0234558.00E (o) Thence along a straight line to a point at 303025.00S 0211621.00E (p) Thence along a straight line to a point at 303000.00S 0150000.00E (q) Thence along a straight line to the starting point at 273000.00S 0150000.00E	FL650 GND Class of airspace outside other regulated airspace: FL195 1500FT AGL Class G FL460 FL200 Class A FL650 FL460 Class G	Johannes-burg Area Control	Johannesburg Information English H24 Johannesburg Area Control English H24	As per Johannes-burg Sector frequencies	

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
BLOEMFONTEIN CONTROL AREA (CTA)					
(a) From a point 281618.52S 0262509.91E thence clockwise along the arc of a circle, radius 50NM, and centered at 290602.38S 0261802.31E to a point at 284225.96S 0270816.95E. (b) Thence a straight line to a point at 295554.06S 0262351.53E. (c) Thence clockwise along the arc of a circle, radius 50NM, and centered at 290602.38S 0261802.31E to a point at 295415.24S 0260222.79E. (d) Thence straight line to a point at 293147.12S 0243311.10E. (e) Thence clockwise along the arc of a circle, radius 45NM, and centered at 284759.81S 0244537.32E to a point at 285421.14S 0235448.96E. (f) Thence a straight line to a point at 280650.89S 0250403.55E. (g) Thence a straight line to the starting point at 281618.52S 0262509.91E	FL195 FL145 Class C	Johannes-burg Central	Johannesburg Central H24	120.3 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
BLOEMFONTEIN TERMINAL CONTROL AREA A (TMA A)					
(a) From a point 291309.93S 0255641.23E, anti-clockwise along the arc of a circle, radius 8NM and centered at 290530.00S 0255400.00E to a point at 285758.39S 0255709.09E. (b) Thence clockwise along the arc of a circle, radius 20NM, and centered at 290602.38S 0261802.31E back to the starting point at 291309.93S 0255641.23E	FL145 6500 FT ALT Class C	APP Bloemfon-tein	Bloemfontein Approach MON-FRI: 0400-1800 SAT: 0630-1400 SUN: 0630-1800	124.3 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
BLOEMFONTEIN TERMINAL CONTROL AREA B (TMA B)					
(a) From a point 283134.92S 0261030.98E, clockwise along an arc of a circle, radius 35NM, and centered at 290602.38S 0261802.31E, to a point at 284535.08S 0265026.50E. (b) Thence a straight line to a point at 284912.66S 0264622.72E (c) Thence clockwise along an arc of a circle, radius 30NM, and centered at 290602.38S 0261802.31E, to a point at 293538.85S 0262403.16E (d) Thence a straight line to a point at 294043.19S 0262406.48E. (e) Thence clockwise along an arc of a circle, radius 35NM, and centered at 290602.38S 0261802.31E, to a point at 292108.31S 0254155.82E. (f) Thence a straight line to a point at 291309.93S 0255641.23E. (g) Thence anti-clockwise along an arc of a circle, radius 20NM, and centered at 290602.38S 0261802.31E, to a point at 284732.83S 0260913.71E. (h) Thence a straight line back to the starting point at 283134.92S 0261030.98E.	FL145 FL085 Class C	APP Bloemfon-tein	Bloemfontein Approach MON-FRI: 0400-1800 SAT: 0630-1400 SUN: 0630-1800	124.3 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
BLOEMFONTEIN TERMINAL CONTROL AREA C (TMA C)					
(a)From a point 291309.93S 0255641.23E, clockwise along the arc of a circle, radius 8NM, and centered at 290530.00S 0255400.00E to a point at 285758.39S 0255709.09E. (b) Thence clockwise along the arc of a circle, radius 20NM, and centered at 290602.38S 0261802.31E to a point at 284732.83S 0260913.71E. (c) Thence a straight line to a point at 283134.92S 0261030.98E. (d) Thence anti-clockwise along the arc of a circle, radius 35NM, and centered at 290602.38S 0261802.31E to a point at 292108.31S 0254155.82E. (e) Thence a straight line back to the starting point at 291309.93S 0255641.23E.	FL145 FL085 Class C	APP Bloemfon-tein	Bloemfontein Approach MON-FRI: 0400-1800 SAT: 0630-1400 SUN: 0630-1800	124.3 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
BLOEMFONTEIN TERMINAL CONTROL AREA D (TMA D)					
(a) From a point 295049.39S 0262413.13E, clockwise along an arc of a circle, radius 45NM, and centered at 290602.38S 0261802.31E, to a point at 293851.66S 0254242.23E. (b) Thence a straight line to a point at 294206.63S 0253817.48E. (c) Thence clockwise along an arc of a circle, radius 50NM, and centered at 290602.38S 0261802.31E, to a point at 292902.07S 0252713.71E. (d) Thence a straight line to a point at 292108.31S 0254155.82E. (e) Thence anti-clockwise along an arc of a circle, radius 35NM, and centered at 290602.38S 0261802.31E, to a point at 294043.19S 0262406.48E (f) Thence a straight line back to the starting point at 295049.39S 0262413.13E.	FL145 FL105 Class C	APP Bloemfon-tein	Bloemfontein Approach MON-FRI: 0400-1800 SAT: 0630-1400 SUN: 0630-1800	124.3 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
BLOEMFONTEIN TERMINAL CONTROL AREA E (TMA E)					
(a) From a point 283134.92S 0261030.98E, clockwise along an arc of a circle, radius 35NM, and centered at 290602.38S 0261802.31E, to a point at 284535.08S 0265026.50E. (b) Thence a straight line to a point at 283821.96S 0265830.51E. (c) Thence anti-clockwise along an arc of a circle, radius 45NM, and centered at 290602.38S 0261802.31E, to a point at 282057.31S 0261610.52E. (d) Thence a straight line back to the starting point at 283134.92S 0261030.98E.	FL145 FL105 Class C	APP Bloemfon-tein	Bloemfontein Approach MON-FRI: 0400-1800 SAT: 0630-1400 SUN: 0630-1800	124.3 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
DURBAN CONTROL AREA A (CTA A)					
(a) From a point at 295622.82S 0311141.11E to a point at 305225.22S 0303710.73E (b) Thence clockwise around the arc of a circle, radius 80NM, centred at 293640.20S 0310729.03E to a point at 294946.72S 0323807.40E (c) Thence a straight line to a point at 294726.99S 0312650.75E (d) Thence clockwise around the arc of a circle, radius 20NM, centred at 293640.20S 0310729.03E to the starting point at 295622.82S E0311141.11E	FL200 FL145 Class C	Johannes-burg Area East	Johannesburg Area East English	129.1 MHz	
DURBAN CONTROL AREA B (CTA B)					
(a) From a point at 302522.72S 0305355.17E to a point at 303858.11S 0304531.93E (b) Thence clockwise around the arc of a circle, radius 65NM, centred at 293640.20S 0310729.03E to a point at 283400.42S 0312750.86E (c) Thence a straight line to a point at 284828.34S 0312310.88E (d) Thence anti-clockwise around the arc of a circle, radius 50NM, centred at 293640.20S 0310729.03E to the starting point at 302522.72S 0305355.17E	FL145 FL105 Class C	Johannes-burg Area East	Johannesburg Area East English	129.1 MHz	
DURBAN TERMINAL CONTROL AREA A (TMA A)					
(a) From a point at 285029.65S 0304514.83E a straight line to a point at 285943.78S 0304940.90E (b) Thence anti-clockwise around the arc of a circle, radius 40NM, centred at 293640.20S 0310729.03E to a point at 293215.39S 0302153.46E (c) Thence a straight line to a point at 293244.06S 0302013.23E (d) Thence anti-clockwise around the arc of a circle, radius 5NM, centred at 293729.97S 0302159.95E to a point at 294056.98S 0301750.19E (e) Thence a straight line to a point at 294523.13S 0302239.67E (f) Thence anti-clockwise around the arc of a circle, radius 40NM, centred at 293640.20S 0310729.03E to a point at 295212.20S 0302507.44E	FL145 FL075 Class C	APP Durban	Durban Approach English	125.75 MHz	

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(g) Thence a straight line to a point at 295603.32S 0301430.12E (h) Thence clockwise around the arc of a circle, radius 50NM, centred at 293640.20S 0310729.03E to the starting point at 285029.65S 0304514.83E					
DURBAN TERMINAL CONTROL AREA B (TMA B)					
(a) From a point at 285029.65S 0304514.83E thence clockwise around the arc of a circle, radius 50NM, centred at 293640.20S 0310729.03E to a point at 284632.60S 0310730.00E (b) Thence a straight line to a point at 290635.69S 0310730.00E (c) Thence anti-clockwise around the arc of a circle, radius 30NM, centred at 293640.20S 0310729.03E to a point at 293219.58S 0303326.46E (d) Thence clockwise around the arc of a circle, radius 5NM, centred at 293529.92S 0302900.12E to a point at 293558.20S 0303442.71E (e) Thence a straight line to a point at 294322.32S 0303354.85E (f) Thence anti-clockwise around the arc of a circle, radius 30NM, centred at 293640.20S 0310729.03E to a point at 294820.05S 0303543.86E (g) Thence a straight line to a point at 295212.20S 0302507.44E (h) Thence clockwise around the arc of a circle, radius 40NM, centred at 293640.20S 0310729.03E to a point at 294523.13S 0302239.67E (i) Thence a straight line to a point at 294056.98S 0301750.19E (j) Thence clockwise around the arc of a circle, radius 5NM, centred at 293729.97S 0302159.95E to a point at 293244.06S 0302013.23E (k) Thence a straight line to a point at 293215.39S 0302153.46E (l) Thence clockwise around the arc of a circle, radius 40NM, centred at 293640.20S 0310729.03E to a point at 285943.78S 0304940.90E (m) Thence a straight line to the starting point at 285029.65S 0304514.83E	FL145 FL065 Class C	APP Durban	Durban Approach English	125.75 MHz	

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
DURBAN TERMINAL CONTROL AREA C (TMA C)					
(a) From a point at 284632.60S 0310730.00E thence clockwise around the arc of a circle, radius 50NM, centred at 293640.20S 0310729.03E to a point at 285845.46S 0314453.55E (b) Thence a straight line to a point at 291008.50S 0313342.41E (c) Thence anti-clockwise around the arc of a circle, radius 35NM, centred at 293640.20S 0310729.03E to a point at 290421.65S 0312306.17E (d) Thence a straight line to a point at 291812.83S 0311626.08E (e) Thence anti-clockwise around the arc of a circle, radius 20NM, centred at 293640.20S 0310729.03E to a point at 291637.21S 0310730.00E (f) Thence a straight line to a point at 292137.96S 0310729.50E (g) Thence anti-clockwise around the arc of a circle, radius 15NM, centred at 293640.20S 0310729.03E to a point at 293624.00S 0305016.73E (h) Thence a straight line to a point at 293618.99S 0304432.64E (i) Thence anti-clockwise around the arc of a circle, radius 20NM, centred at 293640.20S 0310729.03E to a point at 295049.27S 0305112.69E (j) Thence a straight line to a point at 295753.11S 0304302.88E (k) Thence anti-clockwise around the arc of a circle, radius 30NM, centred at 293640.20S 0310729.03E to a point at 300432.21S 0305430.90E (l) Thence a straight line to a point at 302306.05S 0304547.97E (m) Thence clockwise around the arc of a circle, radius 50NM, centred at 293640.20S 0310729.03E to a point at 295603.32S 0301430.12E (n) Thence a straight line to a point at 294820.05S 0303543.86E (o) Thence clockwise around the arc of a circle, radius 30NM, centred at 293640.20S 0310729.03E to a point at 294322.32S 0303354.85E (p) Thence a straight line to a point at 293558.20S 0303442.71E	FL145 5500 FT ALT Class C	APP Durban	Durban Approach English	125.75 MHz	

Name *lateral limits*	*Vertical limits* *Class of Airspace*	*Unit providing service*	*Call signs* *Languages* *Area and conditions of use* *Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(q) Thence anti-clockwise around the arc of a circle, radius 5NM, centred at 293529.92S 0302900.12E to a point at 293219.58S 0303326.46E (r) Thence clockwise around the arc of a circle, radius 30NM, centred at 293640.20S 0310729.03E to a point at 290635.69S 0310730.00E (s) Thence a straight line to the starting point at 284632.60S 0310730.00E					
DURBAN TERMINAL CONTROL AREA D (TMA D)					
(a) From a point at 293618.99S 0304432.64E, a straight line to a point at 293624.00S 0305016.73E (b) Thence clockwise around the arc of a circle, radius 15NM, centred at 293640.20S 0310729.03E to a point at 292137.96S 0310729.50E (c) Thence a straight line to a point at 292638.71S 0310729.00E (d) Thence anti-clockwise around the arc of a circle, radius 10NM, centred at 293640.20S 0310729.03E to a point at 293958.07S 0305638.86E (e) Thence a straight line to a point at 294231.28S E0305137.46E (f) Thence anti-clockwise around the arc of a circle, radius 15NM, centred at 293640.20S 0310729.03E to a point at 295036.37S 0310100.83E (g) Thence a straight line to a point at 300432.21S 0305430.90E (h) Thence clockwise around the arc of a circle, radius 30NM, centred at 293640.20S 0310729.03E to a point at 295753.11S 0304302.88E (i) Thence a straight line to a point at 295049.27S 0305112.69E (j) Thence clockwise around the arc of a circle, radius 20NM, centred at 293640.20S 0310729.03E to the starting point at 293618.99S 0304432.64E	FL145 3500 FT ALT Class C	APP Durban	Durban Approach English	125.75 MHz	
DURBAN TERMINAL CONTROL AREA E (TMA E)					
(a) From a point at 291637.21S 0310730.00E, thence clockwise around the arc of a circle, radius 20NM, centred at 293640.20S 0310729.03E to a point at 291812.83S 0311626.08E	FL145 3000 FT ALT Class C	APP Durban	Durban Approach English	125.75 MHz	

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(b) Thence a straight line to a point at 290421.65S 0312306.17E (c) Thence clockwise around the arc of a circle, radius 35NM, centred at 293640.20S 0310729.03E to a point at 291008.50S 0313342.41E (d) Thence a straight line to a point at 292646.53S 0311719.47E (e) Thence clockwise around the arc of a circle, radius 6NM, centred at 293059.50S 0311225.31E to a point at 293437.71S 0311754.06E (f) Thence a straight line to a point at 294505.32S 0310848.27E (g) Thence clockwise around the arc of a circle, radius 6NM, centred at 294126.74S 0310319.28E to a point at 294504.35S 0305749.60E (h) Thence a straight line to a point at 294717.00S 0305516.99E (i) Thence clockwise around the arc of a circle, radius 15NM, centred at 293640.20S 0310729.03E to a point at 294231.28S 0305137.46E (j) Thence a straight line to a point at 293958.07S 0305638.86E (k) Thence clockwise around the arc of a circle, radius 10NM, centred at 293640.20S 0310729.03E to a point at 292638.71S 0310729.00E (l) Thence a straight line to the starting point at 291637.21S 0310730.00E.					
DURBAN TERMINAL CONTROL AREA F (TMA F)					
(a) From a point at 292646.53S 0311719.47E, thence clockwise around the arc of a circle, radius 6NM, centred at 293059.50S 0311225.31E to a point at 293437.71S 0311754.06E (b) Thence a straight line to a point at 294505.32S 0310848.27E (c) Thence clockwise around the arc of a circle, radius 6NM, centred at 294126.74S 0310319.28E to a point at 294504.35S 0305749.60E (d) Thence a straight line to a point at 294717.00S 0305516.99E (e) Thence anti-clockwise around the arc of a circle, radius 15NM, centred at 293640.20S 0310729.03E to a point at 295036.37S 0310100.83E	FL145 2000 FT ALT Class C	APP Durban	Durban Approach English	125.75 MHz	

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(f) Thence a straight line to a point at 302306.05S 0304547.97E (g) Thence anti-clockwise around the arc of a circle, radius 50NM, centred at 293640.20S 0310729.03E to a point at 302522.72S 0305355.17E (h) Thence a straight line to a point at 295622.82S 0311141.11E (i) Thence anti-clockwise around the arc of a circle, radius 20NM, centred at 293640.20S 0310729.03E to a point at 294726.99S 0312650.75E (j) Thence a straight line to a point at 294843.99S 0320312.79E (k) Thence anti-clockwise around the arc of a circle, radius 50NM, centred at 293640.20S 0310729.03E to a point at 285845.46S 0314453.55E (l) Thence a straight line to the starting point at 292646.53S 0311719.47E.					
DURBAN TERMINAL CONTROL AREA G (TMA G)					
(a) From a point at 285337.78S 0313647.59E, thence a straight line to a point at 283621.56S 0314550.55E (b) Thence clockwise along the arc of a circle, radius 19NM centred on 284416.00S 0320530.00E to a point at 290024.10S 0321701.01E (c) Thence a straight line to a point at 291127.06S 0315657.83E (d) Thence anti-clockwise along the arc of a circle, radius 50NM centred on 293640.20S 0310729.03E back to the starting point at 285337.78S 0313647.59E	FL145 2500 FT ALT Class C	APP Durban	Durban Approach English	125.75 MHz	
HOEDSPRUIT MILITARY TERMINAL CONTROL AREA (TMA)					
(a) A circle radius 30NM centred at 242049.93S 0310251.39E.	FL195 6000 FT ALT Class C	APP Hoedspruit	Hoedspruit Approach English	126.4 MHz	Outside ATC HR of SER, pilots to BCST on FREQ 126.4 MHz.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
JOHANNESBURG CONTROL AREA (CTA)					
(a) From a point at 250840.00S 0281500.00E (b) Thence a straight line to a point at 241500S 0284450E (c) Thence a straight line to a point at 251000S 0282946E. (d) Thence clockwise around the arc of a circle radius 60NM centred at 260831.00S 0281415.00E to a point at 265149.66S 0290043.01E (e) Thence along a straight line to a point at 272001.48S 0291901.7E (f) Thence along a straight line to a point at 273902.69S 0284431.29E (g) Thence along a straight line to a point at 273000.00S 0283900.00E (h) Thence a straight line to a point at 273000.00S 0271245.00E (i) Thence a straight line to a point at 270030.00S 0274026.00E (j) Thence clockwise around the arc of a circle radius 60NM centred at a point 260831.00S 0281415.00E back to the starting point at 250840.00S 0281500.00E	FL195 FL110 Class C	ACC Johannes-burg	Johannesburg Control English H24	126.7 MHz Johannes-burg Area North 128.3 MHz Johannes-burg Area South	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
JOHANNESBURG TERMINAL CONTROL AREA (TMA)					
(a) From a point 254820.00S 0284545.00E a straight line to a point at 254500.00S 0291230.00E. (b) Thence a straight line to a point at 255520.00S 0291230.00E. (c) Thence a straight line to a point at 260610.00S 0285833.00E. (d) Thence clockwise around the arc of a circle, radius 40NM, centered at 260831.00S 0281415.00E to a point at 260931.15S 0272952.63E. (e) Thence a straight line to a point at 260930.00S 0273050.00E. (f) Thence a straight line to a point at 260150.00S 0273620.00E. (g) Thence clockwise around the arc of a circle, radius 35NM, centred at 260831.00S 0281415.00E to a point at 253400.00S 0280900.00E. (h) Thence anticlockwise along the Waterkloof TMA boundary to the starting point at 254820.00S 0284545.00E.	FL110 7600 FT ALT Class C		Johannesburg Radar	123.7MHz and 124.5 MHz	Pilots are warned to exercise caution as white flare activity can be expected at night below the Johannesburg TMA. Maximum height 1000 FT AGL.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
JOHANNESBURG TERMINAL CONTROL AREA (APPROACH WEST)					
(a) From a point 253400.00S 0280900.00E anticlockwise along the Waterkloof TMA boundary to a point 255819.40S 0281757.23E. (b) Thence a straight line to a point at 263830.84S 0280529.04E. (c) Thence a straight line to a point at 264655.86S 0280146.88E. (d) Thence clockwise around the arc of a circle, radius 40NM, centered at 260831.00S 0281415.00E to a point at 260931.15S 0272952.63E. (e) Thence a straight line to 260930.00S 0273050.00E. (f) Thence a straight line to a point at 260150.00S 0273620.00E. (g) Thence clockwise around the arc of a circle, radius 35NM, centred at 260831.00S 0281415.00E to the starting point at 253400.00S 0280900.00E.	FL110 7600 FT ALT Class C	APP Johannesburg	Johannesburg Radar	123.7MHz	Pilots are warned to exercise caution as white flare activity can be expected at night below the Johannesburg TMA. Maximum height 1000FT AGL.
JOHANNESBURG TERMINAL CONTROL AREA (APPROACH EAST)					
(a) From a point 255819.40S 0281757.23E anticlockwise along the Waterkloof TMA boundary to a point 254820.00S 0284545.00E. (b) Thence a straight line to a point at 254500.00S 0291230.00E. (c) Thence a straight line to a point at 255520.00S 0291230.00E. (d) Thence a straight line to a point at 260610.00S 0285833.00E. (e) Thence clockwise around the arc of a circle, radius 40NM, centered at 260831.00S 0281415.00E to a point at 264655.86S 0280146.88E (f) Thence a straight line to a point at 263830.84S 0280529.04E to the starting point 255819.40S 0281757.23E.	FL110 7600 FT ALT Class C	APP Johannesburg	Johannesburg Radar	124.5 MHz	Pilots are warned to exercise caution as white flare activity can be expected at night below the Johannesburg TMA. Maximum height 1000FT AGL.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
KIMBERLEY TERMINAL CONTROL AREA A (TMA A)					
Clockwise along the arc of a circle, radius 20NM, and centered at 284759.81S 0244537.32E	FL145 5500 FT ALT Class C	APP Bloemfon-tein	Kimberley Approach English During Kimberley TWR HOD	119.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
KIMBERLEY TERMINAL CONTROL AREA B (TMA B)					
(a) From a point 284406.49S 0251928.30E, clockwise along an arc of a circle, radius 30NM, and centered at 284759.81S 0244537.32E, to a point at 291623.40S 0243420.23E. (b) Thence a straight line to a point at 290726.21S 0244002.88E. (c) Thence anti-clockwise along an arc of a circle, radius 20NM, and centered at 284759.81S 0244537.32E, to a point at 284843.26S 0250822.34E. (d) Thence a straight line back to the starting point at 284406.49S 0251928.30E	FL145 FL085 Class C	APP Bloemfon-tein	Kimberley Approach English During Kimberley TWR HOD	119.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
KIMBERLEY TERMINAL CONTROL AREA C (TMA C)					
(a) From a point 284406.49S 0251928.30E, anti-clockwise along an arc of a circle, radius 30NM, and centered at 284759.81S 0244537.32E, to a point at 281923.69S 0245609.86E. (b) Thence a straight line to a point at 282758.43S 0244424.26E. (c) Thence clockwise along an arc of a circle, radius 20NM, and centered at 284759.81S 0244537.32E, to a point at 284843.26S 0250822.34E. (d) Thence a straight line back to the starting point at 284406.49S 0251928.30E	FL145 FL085 Class C	APP Bloemfon-tein	Kimberley Approach English During Kimberley TWR HOD	119.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
KIMBERLEY TERMINAL CONTROL AREA D (TMA D)					
(a) From a point 283738.56S 0242608.72E, anti-clockwise along an arc of a circle, radius 20NM, and centered at 284759.81S 0244537.32E, to a point at 290726.21S 0244002.88E. (b) Thence a straight line to a point at 291623.40S 0243420.23E. (c) Thence clockwise along an arc of a circle, radius 30NM, and centered at 284759.81S 0244537.32E, to a point at 285646.14S 0241256.40E. (d) Thence a straight line back to the starting point at 283738.56S 0242608.72E.	FL145 FL085 Class C	APP Bloemfon-tein	Kimberley Approach English During Kimberley TWR HOD	119.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
KIMBERLEY TERMINAL CONTROL AREA E (TMA E)					
(a) From a point 284406.49S 0251928.30E, anti-clockwise along an arc of a circle, radius 30NM, and centered at 284759.81S 0244537.32E, to a point at 281923.69S 0245609.86E. (b) Thence a straight line to a point at 280842.65S 0251043.96E. (c) Thence clockwise along an arc of a circle, radius 45NM, and centered at 284759.81S 0244537.32E, to a point at 283727.42S 0253523.02E. (d) Thence a straight line back to the starting point at 284406.49S 0251928.30E.	FL145 FL105 Class C	APP Bloemfon-tein	Kimberley Approach English During Kimberley TWR HOD	119.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
KIMBERLEY TERMINAL CONTROL AREA F (TMA F)					
(a) From a point 285646.14S 0241256.40E, anti-clockwise along an arc of a circle, radius 30NM, and centered at 284759.81S 0244537.32E, to a point at 291623.40S 0243420.23E. (b) Thence a straight line to a point at 292938.13S 0242551.12E. (c) Thence clockwise along an arc of a circle, radius 45NM, and centered at 284759.81S 0244537.32E, to a point at 291207.53S 0240215.94E. (d) Thence a straight line back to the starting point at 285646.14S 0241256.40E.	FL145 FL105 Class C	APP Bloemfon-tein	Kimberley Approach English During Kimberley TWR HOD	119.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
KIMBERLEY TERMINAL CONTROL AREA G (TMA G)					
(a) From a point 283738.56S 0242608.72E, clockwise along an arc of a circle, radius 20NM, and centered at 284759.81S 0244537.32E, to a point at 282758.43S 0244424.26E. (b) Thence a straight line to a point at 281923.69S 0245609.86E. (c) Thence anti-clockwise along an arc of a circle, radius 30NM, and centered at 284759.81S 0244537.32E, to a point at 285646.14S 0241256.40E. (d) Thence a straight line back to the starting point at 283738.56S 0242608.72E.	FL145 FL085 Class C	APP Bloemfon-tein	Kimberley Approach English HOD: During FAKM TWR HOD	119.4 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
Please see ENR 2.2 page 2, paragraph 1.2 for rules applicable for VFR FLT operating within the Kimberley TMA					

LANSERIA TERMINAL CONTROL A (TMA A)					
(a) From a point at 254629.70S 0275706.78E (b) Thence a straight line to a point at 254729.47S 0275758.82E (c) Thence a straight line to a point at 254837.17S 0275932.41E (d) Thence a straight line to a point at 255048.61S 0280126.98E (e) Thence a straight line to a point at 255810.04S 0280131.84E (f) Thence a straight line to a point at 261033.60S 0275356.73E (g) Thence a straight line to a point at 261216.53S 0275236.49E (h) Thence a straight line to a point at 261232.99S 0275039.06E (i) Thence a straight line to a point at 261207.56S 0274937.64E (j) Thence a straight line to a point at 261153.17S 0274902.70E (k) Thence a straight line to a point at 261138.34S 0274835.07E (l) Thence a straight line to a point at 261115.40S 0274757.17E (m) Thence a straight line to a point at 261048.00S 0274718.36E (n) Thence a straight line to a point at 261012.01S 0274626.72E	7600 FT ALT 6500 FT ALT Class C	APP Lanseria	Lanseria Approach English	124.0 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(o) Thence a straight line to a point at 260939.08S 0274547.34E (p) Thence a straight line to a point at 260328.40S 0273909.83E (q) Thence a straight line to a point at 260122.39S 0273611.64E (r) Thence clockwise along the arc of a circle, radius 35NM, centred at 260831.00S 0281415.00E to a point at 255422.54S 0273841.83E (s) Thence a straight line to a point at 254727.05S 0274827.02E (t) Thence a along a straight line back to the starting point at 254629.70S 0275706.78E					
LANSERIA TERMINAL CONTROL AREA B (TMA B)					
(a) From a point at 255219.64S 0273947.42E to a point at 254553.26S 0274851.97E (b) Thence a straight line to a point at 254506.31S 0275554.22E (c) Thence along a straight line to a point at 254621.07S 0275823.93E (d) Thence along a straight line to a point at 255026.79S 0280158.04E (e) Thence along a straight line to a point at 255744.22S 0280202.90E (f) Thence along a straight line to a point at 255810.04S 0280131.85E (g) Thence along a straight line to a point at 255048.61S 0280126.98E (h) Thence along a straight line to a point at 254837.17S 0275932.41E (i) Thence along a straight line to a point at 254729.47S 0275758.82E (j) Thence along a straight line to a point at 254629.70S 0275706.78E (k) Thence along a straight line to a point at 254727.05S 0274827.02E (l) Thence along a straight line to a point at 255422.54S 0273841.83E (m) Thence clockwise along the arc of a circle, radius 35NM, centered at 260831.00S 0281415.00E back to the starting point at 255219.64S 0273947.42E	7600 FT ALT 7000 FT ALT Class C	APP Lanseria	Lanseria Approach English	124.0 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
MAKHADO TERMINAL CONTROL AREA (MILITARY) TMA					
(a) From a point at 232700.000S 0290230.000E on a straight line to a point at 224856.161S 0291728.869E (b) Thence clockwise along the arc of a circle, radius 30NM, centred at 230930.55S 0294111.18E to a point at 231820.000S 301219.000E. (c) Thence a straight line to a point at 232700.000E 0300925.000E. (d) Thence a straight line to a point at 233858.00S 0300154.000E (e) Thence a straight line to a point at 234832.859S 0293738.144E (f) Thence a straight line to a point at 234305.000S 0293000.000E (g) Thence a straight line to a point at 233841.598S 0292352.817E (h) Thence a straight to line to the starting point at 232700.000S 0290230.000E.	FL195 8000 FT ALT Class C	APP Makhado	Makhado Approach English	121.2 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
LOWVELD MILITARY AIRSPACE SECTOR (LASS)					
(a) From a point at 253215.00S 0294630.00E along a straight line to a point at 235330S 0285200E (b) Thence along the eastern boundary of A405 to a point at 221754S 0292936E. (c) Thence a straight line to a point at 222130S 0293554E. (d) Thence a straight line to a point on the RSA/boundary with Zimbabwe at 220830S 0294406E. (e) Thence eastwards and southwards on the RSA boundary with Zimbabwe and Mozambique to a point at 252605.30S 0315921.52E. (f) Thence a straight line to a point at 251820.87S 0312810.73E. (g) Thence anti-clockwise along the arc of a circle. radius 20NM centered at 252251.70S 0310640.05E, to a point at 250428.11S 0305751.91E. (h) Thence a straight line to a point at 250332.91S 0305725.57E. (i) Thence anti-clockwise along the arc of a circle. radius 21 NM centered at 252251.70S 0310640.05E, to a point at 252150.65S 0304330.71E	FL195 1500 FT AGL Class G	Lowveld Sector Control Centre FIC	Lowveld Information English HR of SER: MON-FRI: 0600-1300. SAT/SUN/PUB HOL: 0700-1300. After HOD pilots to broadcast on FREQ 119.0 MHz	Primary frequency 119.0 MHz, Secondary frequency 129.4 MHz	Excluding controlled airspaces of Polokwane, Hoedspruit, Makhado, FAR 76, FAR 178, FAD 122, FAD 125 and FAD 170.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(j) Thence a straight line to a point at 252123.38S 0303335.50E. (k) Thence a straight line back to the starting point at 253215.00S 0294630.00E.					
Note: AFT Lowveld INFO HR of SER TFC to BCST on 119.0 MHz in the area designated as Lowveld INFO airspace. IFR TFC FL110 and ABV Intending to enter FAJA controlled airspace must CTC FAJA NE 134.40 MHz prior to entering for a joining CLR. TFC BLW FL110 must CTC FAJA FIS N 127.4 MHz at the Lowveld INFO BDRY, DRG FAJA FIS HR, AFT FAJA FIS HR TFC TO CTC FAJA NE ON 134.40 MHz. *When Lowveld Military Airspace Sector (LASS) FREQ 119.0 MHz and 129.4 MHz is CLSD, TFC FM the Lowveld area to CTC Kruger TWR on FREQ 119.2 MHz 10 NM or 10 MIN prior to entering FAKN airspace.*					
Re-allocation of the Lowveld Military Airspace Sector (LASS) *A1					
(a) From a point on the Matsapha TMA at 255400S 0310900E, southwards along the RSA/Eswatini border to a point 260415S 0310415E, (b) Thence southwest to a point 260645S 0310000E, (c) Thence a straight line to a point 255545S 0305050E, (d) Thence a straight line to a point at 255400S 0310900E.	FL195 1500 FT AGL	Lowveld Information	HR of SER: MON-FRI: 0600-1300. SAT/SUN/PUB HOL: 0700-1300.	119.0 MHz	For MIL activities Lowveld might be active outside these HR. Below 7500 FT ALT TFC to broadcast on FREQ 125.0 MHz. After HOD service transferred to Johannesburg ACC North/East FREQ *134.40* MHz
Re-allocation of the Lowveld Military Airspace Sector (LASS) *A2					
(a) From a point 255545S 0305050E a straight line to a point 255600S 0304730E, (b) Thence a straight line to a point 262948S 0304730E, (c) Thence along the RSA/Eswatini border to a point 260415S 0310415E, (d) Thence a straight line to a point 260645S 0310000E, (e) Thence a straight line to the starting point 255545S 0305050E.	FL195 1500 FT AGL	Lowveld Information	HR of SER: MON-FRI: 0600-1300. SAT/SUN/PUB HOL: 0700-1300.	119.0 MHz	After HOD service transferred to Johannesburg ACC North/East FREQ *134.40* MHz

Name *lateral limits*	*Vertical limits* *Class of Airspace*	*Unit providing service*	*Call signs* *Languages* *Area and conditions of use* *Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
Re-allocation of the Lowveld Military Airspace Sector (LASS) *B					
(a) From a point on the RSA/ Mozambique border at 254957S 0315612E, south along the border to a point 255700S 0315830E, (b) Thence northwards along the Matsapha TMA to a point 255124S 0313830E, (c) Thence a straight line to the starting point 254957S 0315612E.	FL195 1500 FT AGL	Lowveld Information	HR of SER: MON-FRI: 0600-1300. SAT/SUN/PUB HOL: 0700-1300.	119.0 MHz	Below 6600 FT ALT TFC to BCST on FREQ 125.0 MHz. After HOD service transferred to Johannes-burg ACC North/East FREQ. *134.40* MHz.
					Below 7100 FT ALT TFC to BCST on FREQ 125.0 MHz. After HOD service transferred to Johannes-burg ACC North/East FREQ. *134.40* MHz
***NOTE**: All aircraft departing FM unmanned airfields intending to climb 1500 FT AGL or above in the LASS airspace are to contact Lowveld FIS on frequency 119.0 MHz prior to departure and to Squawk 2000 once airborne.*					
***NOTE**: Due to MIL JET OPS taking place in portions of the lowveld MIL airspace SECT designated to FAHS and FALM, These areas will be allocated on a tactical level according to the principles of flexible use of airspace on a DLY basis. Only EPSEK and ORNAD will be used as exit and entry points to/FM FQBE FIR. FPL must be filed accordingly. REQ for DCT routings to DEST in the FQBE FIR will be considered on a tactical basis by FAJA ACC. Pilots can expect adjusted FPL routings. For DLY INFO on routings CTC the Central Airspace Management Unit (CAMU), TEL NR +27 11 928 6433. SFC - UNL*					

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
KRUGER MPUMALANGA TERMINAL CONTROL AREA A (TMA A)					
(a) From a point at 252517.23S 0305019.24E, thence a straight line to a point at 252438.61S 0305440.84E (b) Thence clockwise along the arc of a circle, radius 11NM, and centred at 252251.70S 0310640.05E, to a point at 251244.77S 0310149.27E (c) Thence a straight line to a point at 250428.11S 0305751.91E (d) Thence clockwise along the arc of a circle, radius 20NM centred at 252251.70S 0310640.05E to a point at 252127.89S 0312841.76E (e) Thence a straight line to a point at 252354.94S 0313414.96E (f) Thence a straight line to a point at 253024.26S 0312101.29E (g) Thence clockwise along the arc of a circle, radius 15NM, and centred at 252251.70S 0310640.05E to a point at 253751.21S 0310519.93E (h) Thence a straight line to a point at 254250.99S 0310447.84E (i) Thence clockwise along the arc of a circle, radius 20NM, and centred at 252251.70S 0310640.05E to a point at 253751.61S 0305159.40E (j) Thence a straight line to a point at 253406.80S 0305539.91E (k) Thence clockwise along the arc of a circle, radius 15NM, and centred at 252251.70S 0310640.05E back to the starting point at 252517.23S 0305019.24E	FL145 5500 FT ALT Class C	Kruger APP	Kruger Tower English ATC HOD: MON-FRI: 0500-1700 SAT: 0500-1700 SUN: 0500-1700	119.2 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
KRUGER MPUMALANGA TERMINAL CONTROL AREA B (TMA B)					
(a) From a point at 252438.61S 0305440.84E thence straight line to a point at 252614.92S 0304346.78E. (b) Thence clockwise along the arc of a circle, radius 21NM, and centred at 252251.70S 0310640.05E, to a point at 250332.91S 0305725.57E. (c) Thence a straight line to a point at 251244.77S 0310149.27E. (d) Thence anti-clockwise along the arc of a circle, radius 11NM, and centred at 252251.70S 0310640.05E, back to the starting point at 252438.61S 0305440.84E	FL145 6500 FT ALT Class C	Kruger APP	Kruger Tower English ATC HOD: MON-FRI: 0500-1700 SAT: 0500-1700 SUN: 0500-1700	119.2 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
KRUGER MPUMALANGA TERMINAL CONTROL AREA C (TMA C)					
(a) From a point at 253406.80S 0305539.91E thence a straight line to a point at 253836.56S 0305115.27E. (b) Thence clockwise along the arc of a circle, radius 21NM, and centered at 252251.70S 0310640.05E, to a point at 252614.92S 0304346.78E. (c) Thence a straight line to a point at 252517.23S 0305019.24E. (d) Thence anti-clockwise along the arc of a circle, radius 15NM centred at 252251.70S 0310640.05E, back to the starting point at 253406.80S 0305539.91E	FL145 7500 FT ALT Class C	Kruger APP	Kruger Tower English ATC HOD: MON-FRI: 0500-1700 SAT: 0500-1700 SUN: 0500-1700	119.2 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
KRUGER MPUMALANGA TERMINAL CONTROL AREA D (TMA D)					
a) From a point at 253943.75S 0303912.58E, thence a straight line to a point at 253149.25S 0304540.31E; b) Thence clockwise along the arc of a circle, radius 21NM, and centred at 252251.70S 0310640.05E, to a point at 252150.65S 0304330.71E; c) Thence a straight line to a point at 252123.38S 0303335.50E; d) Thence anti-clockwise along the arc of a circle, radius 30NM centred at 252251.70S 0310640.05E, back to the starting point at 253943.75S 0303912.58E	FL145 8500 FT ALT Class C	Kruger APP	Kruger Tower English ATC HOD: MON-FRI: 0500-1700 SAT: 0500-1700 SUN: 0500-1700	119.2 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
KRUGER MPUMALANGA TERMINAL CONTROL AREA E (TMA E)					
a) From a point at 251040.91S 0312412.72E, thence a straight line to a point at 250620.97S 0312725.62E; b) Thence clockwise along the arc of a circle, radius 25NM, and centred at 252251.70S 0310640.05E, to a point at 252354.94S 0313414.96E; c) Thence a straight line to a point at 252127.89S 0312841.76E; d) Thence anti-clockwise along the arc of a circle, radius 20NM centred at 252251.70S 0310640.05E back to the starting point at 251040.91S 0312412.72E;	FL105 5500 FT ALT Class C	Kruger APP	Kruger Tower English ATC HOD: MON-FRI: 0500-1700 SAT: 0500-1700 SUN: 0500-1700	119.2 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
KRUGER MPUMALANGA TERMINAL CONTROL AREA F (TMA F)					
a) From a point at 252354.94S 0313414.96E, thence a straight line to a point at 252616.06S 0313935.39E. b) Thence clockwise along the arc of a circle, radius 30NM, and centred at 252251.70S 0310640.05E, to a point at 254524.03S 0312839.07E c) Thence a straight line to a point at 254307.42S 0312458.96E d) Thence a straight line to a point at 254434.94S 0311857.04E e) Thence a straight line to a point at 254834.67S 0311548.85E f) Thence a straight line to a point at 255243.68S 0311042.74E g) Thence clockwise along the arc of a circle, radius 30NM centred at 252251.70S 0310640.05E to the point at 255250.61S 0310351.50E h) Thence a straight line to a point at 253751.21S 0310515.93E. i) Thence anti-clockwise along the arc of a circle, radius 15NM centred at 252251.70S 0310640.05E to the point at 253024.26S 0312101.29E j) Thence a straight line back to a starting point at 252354.94S 0313414.96E	FL145 FL105 Class C	Kruger APP	Kruger Tower English ATC HOD: MON-FRI: 0500-1700 SAT: 0500-1700 SUN: 0500-1700	119.2 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.
KRUGER MPUMALANGA TERMINAL CONTROL AREA G(TMA G)					
a) From a point at 255250.61S 0310351.50E, thence a straight line to a point at 254250.99S 0310447.84E b) Thence clockwise along the arc of a circle, radius 20NM, and centred at 252251.70S 0310640.05E, to a point at 253751.61S 0305159.40E c) Thence a straight line to a point at 253836.56S 0305115.27E d) Thence clockwise along the arc of a circle, radius 21NM centred at 252251.70S 0310640.05E to the point at 253149.25S 0304540.31E e) Thence a straight line to a point at 253943.75S 0303912.58E f) Thence anti-clockwise along the arc of a circle, radius 30NM centred at 252251.70S 0310640.05E back to the starting point at 255250.61S 0310351.50E	FL145 7500 FT ALT Class C	Kruger APP	Kruger Tower English ATC HOD: MON-FRI: 0500-1700 SAT: 0500-1700 SUN: 0500-1700	119.2 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
POLOKWANE TERMINAL CONTROL AREA (TMA)					
(a) From a point at 232700.000S 0290230.000E thence a straight line to a point at 233841.598S 0292352.817E (b) Thence a straight line to a point at 234305.000S 0293000.000E (c) Thence a straight line to a point at 234832.859S 0293738.144E (d) Thence a straight line to a point at 234346.729S 0294944.373E (e) Thence a straight line to a point at 241955.152S 0293354.100E (f) Thence a straight line to a point at 242616.518S 0290953.623E (g) Thence a straight line to a point at 235330.000S 0285200.000E (h) Thence a straight line to the starting point 232700.000S 0290230.000E	FL105 7600 FT ALT Class C	Polokwane	Polokwane Tower English	119.75 MHz	Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC.

WATERKLOOF TERMINAL CONTROL AREA (MILITARY) TMA					
(a) From a point at 254820S 0284545E a straight line to a point at 260000S 0282345E. (b) Thence a straight line to a point at 255630S 0281140E. (c) Thence clockwise along the arc of a circle, radius 7 NM and centred on a point at 254929S 0281349E, to a point at 254930S 02806E. (d) Thence a straight line to a point at 253830S 0280600E. (e) Thence a straight line to a point at 253400S 0280900E. (f) Thence clockwise along the arc of a circle, radius 35NM and centred on 260925.62S 0281351.69E, to the starting point 254820S 0284545E	FL195 7600 FT ALT Class C	APP Waterkloof	Waterkloof Approach English ATC HOD: MON-FRI 0400-1700 Excluding public holidays Outside Waterkloof APP HOD, Pilots are to contact Johannesburg Radar on 124.5 MHz or 123.7 MHz		Except where otherwise authorized, no ACFT is to be operated in this airspace unless two way RDO contact is maintained with ATC. Irrespective of weather conditions, no civil aircraft may enter this airspace during the HR of operation of ATC without prior per-mission from military ATC at Waterkloof.
All airways within the Johannesburg FIR - See ENR 3.1					

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
JOHANNESBURG OCEANIC FIR					
(a) From a point at 275000S 0350000E along a straight line to a point at 300000S 0400000E (b) Thence along a straight line to a point at 300000S 0570000E (c) Thence along a straight line to a point at 450000S 0570000E (d) Thence along a straight line to a point at 450000S 0750000E (e) Thence to the South Pole. (f) Thence along a straight line to a point at 200000S 0100000W (g) Thence along a straight line to a point at 180000S 0050000W (h) Thence along a straight line to a point at 180000S 0100000E (i) Thence along a straight line to a point at 273000S 0100000E (j) Thence along a straight line to a point at 273000S 0150000E (k) Thence along a straight line to a point at 303000S 0150000E (l) Thence along a straight line to a point at 370000S 0150000E (m) Thence along a straight line to a point at 370000S 0220000E (n) Thence along a straight line to a point at 370000S 0280000E (o) Thence along a straight line to a point at 330000S 0320000E (p) Thence along a straight line back to the starting point at 275000S 0350000E	FL650 MSL Class G: Below FL245 and above FL460 Class A: FL460 FL245	OR Tambo ATCC	Johannesburg Oceanic English H24	SAT: 3452; 5565; 6535; 8861; 11291; 13315; 17955 kHz INO: 3476; 5634; 8879; 13306; 17961 kHz. SATCOM for emergencies only: +27 11 928 6456. Johannesburg Filter: +27 11 9286454. Cape Town Filter +27 21 9371116. Durban Filter: +27 32 4365001	
See ENR 2.2 for communication contingency measures within the FAJO FIR					

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
JOHANNESBURG FLIGHT INFORMATION REGION (FIR) SECTOR DIMENSIONS					
JOHANNESBURG CENTRAL					
(a) From a point at 280023.00S 0274555.00E along a straight line to a point 305544.78S 0255953.35E (b) Thence along a straight line to a point at 311949.00S 0234558.00E (c) Thence along a straight line to a point at 303025.00S 0211621.00E (d) Thence along a straight line to a point at 275901.45S 0242134.48E (e) Thence along a straight line to a point at 280107.00S 0273040.00E (f) Thence along a straight line to the starting point 280023.00S 0274555.00E	FL460 1500 FT AGL Class of airspace outside other regulated airspace: FL195 1500 FT AGL Class G FL460 FL200 Class A	Johannes-burg Central	Johannesburg English H24	120.3 MHz	
JOHANNESBURG EAST					
(a) From a point at 265030.00S 0325350.00E along a straight line to a point at 275000.00S 0350000.00E (b) Thence along a straight line to a point at 330000.00S 0320000.00E (c) Thence along a straight line to a point at 313631.96S 0293111.46E (d) Thence along a straight line to a point at 302825.17S 0281717.99E (e) Thence along a straight line to a point at 305544.78S 0255953.35E (f) Thence along a straight line to a point at 280023.00S 0274555.00E (g) Thence along a straight line to a point at 275759.00S 0291020.00E (h) Thence along a straight line to a point at 271812.00S 0311004.00E (i) Thence eastwards along the Eswatini TMA Boundary to a point at 272031.00S 0315222.00E (j) Thence north-eastwards along the Eswatini TMA Boundary to a point at 264835.05S 0320417.67E (k) Thence eastwards along the Eswatini international boundary to a point at 265024.88S 0320805.29E	FL460 1500FT AGL Class of airspace outside other regulated airspace: FL195 1500 FT AGL Class G FL460 FL200 Class A	Johannes-burg East	Johannesburg English H24	129.1 MHz	

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
(l) Thence along the international boundaries between South Africa, Eswatini and Mozambique to the starting point at 265030.00S 0325350.00E					
JOHANNESBURG NORTH					
(a) From a point at 260925.63S 0281351.70E along a straight line to a point at 260150.00S 0273620.00E (b) Thence along a straight line to a point at 254933.23S 0253206.20E (c) Thence along a straight line to a point at 254757.00S 0252020.00E (d) Thence along a straight line to a point at 254528.17S 0252159.85E (e) Thence along the international boundaries between the South Africa and Botswana to a point at 222727.73S 0285028.09E. (f) Thence along a straight line back to the starting point at 260925.63S 0281351.70E	FL460 FL110 Class of airspace outside other regulated airspace: FL195 FL110 Class G FL460 FL200 Class A	Johannes-burg North	Johannesburg English H24	126.7 MHz	
JOHANNESBURG NORTHEAST					
(a) From a point at 260925.63S 0281351.70E along a straight line to a point at 222727.73S 0285028.09E (b) Thence clockwise along the international boundaries between South Africa, Botswana, Zimbabwe, Mozambique to a point at 255708.24S 0315830.52E (c) Thence anti-clockwise along the Eswatini TMA Boundary joining the following points consecutively: 255121.00S 0313849.00E 254303.23S 0312448.24E 254443.16S 0311909.63E 254853.05S 0311549.12E 255342.00S 0310947.00E 255548.00S 0304715.00E 263905.50S 0304708.61E (d) Thence along a straight line back to the starting point at 260925.63S 0281351.70E	FL460 FL110 Class of airspace outside other regulated airspace: FL195 FL110 Class G FL460 FL200 Class A	Johannes-burg North/East	Johannesburg English H24	134.40 MHz	

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
Note: The following airspace is Class "C" **Lateral Limits:** a) From a point at 255528.00S 0305052.00E, thence a straight line to a point at 255026.14S 0305322.58E b) Thence clockwise along the arc of a circle, radius 30NM, and centred at 252251.70S 0310640.05E, to a point at 252123.38S 0303335.50E c) Thence a straight line to a point 254659.57S 0301157.88E d) Thence anti-clockwise along the arc of a circle, radius 55NM centred at 252251.70S 0310640.05E to a point at 260641.96S 0302941.26E e) Thence a straight line to a point at 260336.95S 0304713.85E f) Thence a straight line to a point at 255548.00S 0304715.00E g) Thence a straight line back to the starting point at 255528.00S 0305052.00E	FL195 FL110	Johannesburg North/East	Johannesburg English H24	134.40 MHz	
JOHANNESBURG SOUTHEAST					
(a) From a point at 260925.63S 0281351.70E along a straight line to a point at 263905.50S 0304708.61E (b) Thence along a straight line along the Eswatini TMA boundary to a point at 264918.00S 0304707.00E (c) Thence along a straight line to a point 271812.00S 0311004.00E (d) Thence along a straight line to a point 275759.00S 0291020.00E (e) Thence along a straight line to a point at 280023.00S 0274555.00E (f) Thence along a straight line to a point at 280107.00S 0273040.00E (g) Thence along a straight line back to the starting point 260925.63S 0281351.70E	FL460 FL110 Class of airspace outside other regulated airspace: FL195 FL110 Class G FL460 FL200 Class A	Johannesburg Southeast	Johannesburg English DLY BTN: 0400-1800	132.15 MHz	Outside HOD traffic to contact Johannesburg on 126.7 MHz

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
JOHANNESBURG SOUTHWEST					
(a) From a point at 260925.63S 0281351.70E along a straight line to a point at 280107.00S 0273040.00E (b) Thence along a straight line to a point at 275901.45S 0242134.48E (c) Thence along a straight line to a point at 270215.47S 0252652.46E (d) Thence along a straight line to a point at 254933.23S 0253206.20E (e) Thence along a straight line to a point at 260150.00S 0273620.00E (f) Thence along a straight line back to the starting point at 260925.63S 0281351.70E	FL460 FL110 Class of airspace outside other regulated airspace: FL195 FL110 Class G FL460 FL200 Class A	Johannes-burg SouthWest	Johannesburg English H24	128.3 MHz	Outside HOD traffic to contact Johannes-burg on 126.7 MHz
JOHANNESBURG WEST					
(a) From a point at 273000.00S 0150000.00E along a straight line to a point at 273000.00S 0195439.00E (b) Thence along a straight line to a point at 273000.00S 0210000.00E (c) Thence along a straight line to a point at 264927.00S 0210136.00E (d) Thence along the Orange River, the international boundary between the South Africa and Botswana to a point at 254528.17S 0252159.85E (e) Thence along a straight line to a point at 254757.00S 0252020.00E (f) Thence along a straight line to a point 254933.23S 0253206.20E (g) Thence along a straight line to a point at 270215.47S 0252652.46E (h) Thence along a straight line to a point at 275901.45S 0242134.48E (i) Thence along a straight line to a point at 303025.00S 0211621.00E (j) Thence along a straight line to a point at 303000.00S 0150000.00E (k) Thence along a straight line back to the starting point at 273000.00S 0150000.00E	FL460 1500 FT AGL Class of airspace outside other regulated airspace: FL195 1500 FT AGL Class G FL460 FL200 Class A	Johannes-burg West	Johannesburg English H24	118.5 MHz West of E0195439 118.55 MHz East of E0195439	All ACFT entering Johannes-burg area W airspace FM FYWF FIR FL200 to FL460 to call Johannes-burg area W 10 MIN BFR FAJA on 118.50 MHz for an INBD CLR due to non-liaison.

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
JOHANNESBURG FLIGHT INFORMATION SERVICE (FIS) NORTH					
(a) From a point at 260925.63S 0281351.70E along a straight line to a point at 260150.00S 0273620.00E (b) Thence along a straight line along to a point at 254933.23S 0253206.20E (c) Thence along a straight line to a point 254757.00S 0252020.00E (d) Thence along a straight line to a point 254528.17S 0252159.85E (e) Thence along the international boundaries between the South Africa and Botswana to a point at 222727.73S 0285028.09E. (f) Thence clockwise along the international boundaries between South Africa, Botswana, Zimbabwe, Mozambique to a point at 255708.24S 0315830.52E (g) Thence anti-clockwise along the Eswatini TMA Boundary joining the following points consecutively: 255121.00S 0313849.00E 254303.23S 0312448.24E 254443.16S 0311909.63E 254853.05S 0311549.12E 255342.00S 0310947.00E 255548.00S 0304715.00E 263905.50S 0304708.61E (h) Thence along a straight line back to the starting point at 260925.63S 0281351.70E	FL105 1500 FT AGL Class G	Johannes-burg North	Johannesburg Information English H12	127.4 MHz	Outside HOD traffic to contact Johannes-burg Area on 126.7 MHz

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
FLIGHT INFORMATION SERVICE (FIS) JOHANNESBURG SOUTH					
(a) From a point at 260925.63S 0281351.70E along a straight line to a point at 263905.50S 0304708.61E (b) Thence along a straight line along the Eswatini TMA boundary to a point at 264918.00S 0304707.00E (c) Thence along a straight line to a point 271812.00S 0311004.00E (d) Thence along a straight line to a point 275759.00S 0291020.00E (e) Thence along a straight line to a point at 280023.00S 0274555.00E (f) Thence along a straight line to a point at 280107.00S 0273040.00E (g) Thence along a straight line to a point at 275901.45S 0242134.48E (h) Thence along a straight line to a point at 270215.47S 0252652.46E (i) Thence along a straight line to a point at 254933.23S 0253206.20E (j) Thence along a straight line to a point at 260150.00S 0273620.00E (k) Thence along a straight line back to the starting point at 260925.63S 0281351.70E	FL105 1500 FT AGL Class G	Johannes-burg South	Johannesburg Information English H12	119.5 MHz	Outside HOD traffic to contact Johannes-burg Area on 126.7 MHz

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
CAPE TOWN FLIGHT INFORMATION REGION (FIR) SECTOR DIMENSIONS					
CAPE TOWN WEST					
(a) From a point at 370000.00S 0150000.00E along a straight line to a point at 303000.00S 0150000.00E (b) Thence along a straight line to a point at 303025.00S 0211621.00E (c) Thence along a straight line to a point at 311949.00S 0234558.00E (d) Thence along a straight line to a point at 325448.40S 0223336.03E (e) Thence along a straight line to a point at 331930.39S 0222426.38E (f) Thence along a straight line to a point at 332522.58S 0222200.18E (g) Thence along a straight line to a point at 370000.00S 0222541.84E (h) Thence along a straight line back to the starting point at 370000.00S 0150000.00E	FL460 FL145 Class of airspace outside other regulated airspace: FL195 FL150 Class G FL460 FL200 Class A	Cape Town Area	Cape Town English H24	125.1 MHz	
CAPE TOWN EAST					
(a) From a point at 370000.00S 0222541.84E along a straight line to a point at 370000.00S 0280000.00E (b) Thence along a straight line to a point at 330000.00S 0320000.00E (c) Thence along a straight line to a point at 313631.96S 0293111.46E (d) Thence along a straight line to a point at 302825.17S 0281717.99E (e) Thence along a straight line to a point at 305544.78S 0255953.35E (f) Thence along a straight line to a point at 311949.00S 0234558.00E (g) Thence along a straight line to a point at 325448.40S 0223336.03E (h) Thence along a straight line to a point at 331930.39S 0222426.38E (i) Thence along a straight line to a point at 332522.58S 0222200.18E (j) Thence along a straight line back to the starting point at 370000.00S 0222541.84E	FL460 FL145 Class of airspace outside other regulated airspace: FL195 FL150 Class G FL460 FL200 Class A	Cape Town Area	Cape Town English H24	124.7 MHz	

Name lateral limits	*Vertical limits Class of Airspace*	*Unit providing service*	*Call signs Languages Area and conditions of use Hours of service*	*Frequency/ Purpose/ SATVOICE Nr*	*Remarks*
1	*2*	*3*	*4*	*5*	*6*
CAPE TOWN FLIGHT INFORMATION SERVICE (FIS) WEST					
(a) From a point at 370000.00S 0150000.00E along a straight line to a point at 303000.00S 0150000.00E (b) Thence along a straight line to a point at 303025.00S 0211621.00E (c) Thence along a straight line to a point at 311949.00S 0234558.00E (d) Thence along a straight line to a point at 325448.40S 0223336.03E (e) Thence along a straight line to a point at 331930.39S 0222426.38E (f) Thence along a straight line to a point at 332522.58S 0222200.18E (g) Thence along a straight line to a point at 370000.00S 0222541.84E (h) Thence along a straight line back to the starting point at 370000.00S 0150000.00E	FL145 1500 FT AGL Class	Cape Town Information	Cape Town Information English DLY BTN 0500-1700	131.125 MHz	Outside published HOD traffic to contact Cape Town Area on frequency 125.1 MHz
CAPE TOWN FLIGHT INFORMATION SERVICE (FIS) EAST					
(a) From a point at 370000.00S 0222541.84E along a straight line to a point at 370000.00S 0280000.00E (b) Thence along a straight line to a point at 330000.00S 0320000.00E (c) Thence along a straight line to a point at 313631.96S 0293111.46E (d) Thence along a straight line to a point at 302825.17S 0281717.99E (e) Thence along a straight line to a point at 305544.78S 0255953.35E (f) Thence along a straight line to a point at 311949.00S 0234558.00E (g) Thence along a straight line to a point at 325448.40S 0223336.03E (h) Thence along a straight line to a point at 331930.39S 0222426.38E (i) Thence along a straight line to a point at 332522.58S 0222200.18E (j) Thence along a straight line back to the starting point at 370000.00S 0222541.84E	FL145 1500 FT AGL Class G	Cape Town Information	Cape Town Information English DLY BTN 0500-1700	127.575 MHz	Outside published HOD traffic to contact Cape Town Area on frequency 124.7 MHz