ENR 5 NAVIGATION WARNINGS
ENR 5.1 PROHIBITED, RESTRICTED AND DANGER AREAS

1 Prohibited, restricted and danger areas.

All airspaces in which a potential hazard to aircraft operations exist and all areas over which the operation of civil aircraft are restricted or prohibited are classified according to the following three types of areas as defined by ICAO:-

1.1 DANGER AREA

An airspace of defined dimensions within which activities dangerous to the flight of aircraft may exist at specified times. This term is used only when the potential danger to aircraft has not led to the designation of the airspace as restricted or prohibited. The effect of the danger area is to caution operators or pilots of aircraft that it is necessary for them to assess the dangers in relation to their responsibility for the safety of their aircraft.

1.2 PROHIBITED AREA

An airspace of defined dimensions, above the land areas or territorial waters of a State, within which the flight of civil aircraft within the designated airspace is not permitted at any time under any circumstances.

1.3 RESTRICTED AREA

An airspace of defined dimensions, above the land areas or territorial waters of a State, within which the flight of aircraft is restricted in accordance with certain specified conditions. This term is used whenever the flight of civil aircraft within the designated airspace is not absolutely prohibited but may be made only if specified conditions are complied with. Thus, prohibition of flight except at certain specified times leads to the designation of the airspace a “restricted area” as would prohibition except in certain meteorological conditions. Similarly, prohibition of flight unless special permission had been obtained, leads to the designation of a restricted area. However conditions of flight imposed as a result of application of rules of the air or air traffic service practices or procedures (for example, compliance with minimum safe heights or with rules stemming from the establishment of controlled airspace) do not constitute calling for designation as a restricted area. Each area is numbered and a single series of numbers is used for all areas, regardless of type, to ensure that a number is never duplicated.

The type of area involved is indicated by the letter “P” for prohibited area. “R” for restricted areas and “D” for danger areas, preceded by the nationality letters “FA”, e.g. FAP1, FAD2, FAD3, FAP4, FAR5, FAD6, e.t.c.

Each area is described in the tabulations below which indicates its lateral and vertical limits, the type of restriction or hazard involved, the times at which it applies and other pertinent information.

These areas are also shown on World Aeronautical Charts ICAO 1:1 000 000 using the chart symbols shown in GEN 2.3 The upper and lower limits are shown in the manner indicated. Altitude and height are given in feet.

Information concerning such areas established in Botswana and Eswatini are published in AIP Botswana and AIP Eswatini and/or in NOTAM issued by these States and are not, therefore, included in AIP South Africa. The above mentioned relevant documents are available for reference at the Briefing Office, O R Tambo International Airport.

1.4 BUFFER AREAS

Buffer areas of at least the minimum applicable lateral separation standard shall be required between Temporary Segregated Areas (TSA) and controlled airspaces. If otherwise determined, a Safety Case Study taking all relevant factors into consideration must be performed. The following vertical buffer areas shall be applicable to these areas unless otherwise determined by a Safety Case Study:

a. at least 500FT between 1500AGL to FL195.

b. at least 1000FT between FL200 to FL280.

c. at least 2000FT between FL290 to FL650.

2 Entry procedures into restricted and danger areas.

The following entry procedures regarding Restricted and Danger Areas under SAAF jurisdiction will be implemented.

a. Air Force Headquarters will be responsible for the granting of authority and clearances to:-

(i) Foreign Military Flights.

(ii) Foreign State Flights.

(iii)Aerial Photographic/ Survey Flights.

Application must be made in writing to:-

The Chief South African Air Force; Air Force Headquarters

for attention: OC AFCP

Private bag X199

PRETORIA

0001

FAX: +2712 323 2796

TEL: +2712 312 2034/5 - or to any person designated by him.

Note:

Authority to carry out flights as described in (a) (i) (ii) and (iii) above, must also be obtained from the specific controlling authority responsible for the Restricted or Danger area within which the flight will be undertaken. [refer to paragraph b].

b. No person shall operate a civil aircraft in any SAAF Restricted area without obtaining prior permission.

A specific controlling authority will be allocated to each of the SAAF restricted and Danger areas.

Contact with the controlling authority of Restricted areas must, and of Danger areas should be established as follows:-

(i) by two way radio on the appropriate frequency.

(ii) by telephone.

Note:

Civil aircraft operating inside SAAF Restricted areas will, when necessary be required to deviate from flight plan route and or level when in conflict with military flying activities.

Within Danger areas a flight information service will be provided by the designated ATSU.

THIS PAGE INTENTIONALLY LEFT BLANK

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
DUE TO THE RATIONALISATION OF THE FIR's ALL FAP's, FAR's AND FAD's WILL BE PUBLISHED IN NUMERICAL ORDER				
PROHIBITED AREAS				
FAP 24 GANSPAN				
Circle: Radius 2 NM Centre: 275800S 0244700E	4000 FT AGL GND	Explosives store	No person shall in any ACFT whatsoever, fly into this area.	
FAP 31 ZOMERVELT (WELKOM)				
Circle: Radius 1.5 NM Centre: 280038S 0265324E	1000 FT AGL GND	Explosives factory	No person shall in any ACFT whatsoever, fly into this area.	
FAP 33 FIRGROVE				
The area bounded by lines drawn as FLW: a) From a point at 340329.845S 0184605.882E along a straight line to a point at 340318.847S 0184725.864E b) Thence clockwise along the arc of a circle radius 1.2NM and centred at 340430S 0184740E to a point at 340541.153S 0184754.142E c) Thence along a straight line to a point at 340552.155S 0184634.123E d) Thence clockwise along the arc of a circle radius 1.2NM and centred at 340441S 0184620E back to the starting point at 340329.845S 0184605.882E.	1500 FT AGL GND		No person shall in any ACFT whatsoever, fly into this area.	
FAP 35 LANGEBAAN NATURE RESERVE				
The area is situated on either side of the Saldanha Bay Lagoon, bounded by straight lines joining the following points consecutively: 330545S 01801E, 330710S 0180530E, 331250S 01810E, 331455S 0180650E, 330810S 01758E, 3306S 01756E, 330545S 01801E	500 FT AGL GND	Nature reserve	No person shall in any ACFT whatsoever, fly into this area.	
FAP 38 KRANTZKOP				
The area bounded by straight lines joining the following points consecutively: 332947S 0190538E, 333148S 0190504E, 333048S 0185951E, 332846S 0190025E, 332947S 0190538E	2000 FT AGL GND		No person shall in any ACFT whatsoever, fly into this area.	

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAP 60 VOORTREKKER MONUMENT				
Circle of 0.5 NM radius centred on the point 254635S 0281035E	1000 FT AGL GND	National Monument	No person shall, in any ACFT whatsoever, fly into this area.	
FAP 64 PELINDABA				
a) From a point at 254651.01S 0275355.72E a straight line to a point at 254700.68S 0275730.55E b) Thence a straight line to a point at 254851.97S 0275727.45E c) Thence a straight line to a point at 254926.63S 0275532.35E d) Thence a straight line to a point at 254827.01S 0275344.47E e) Thence a straight line to the starting point at 254651.01S 0275355.72E	6500FT ALT GND	Nuclear Energy Plant	No person shall, in any ACFT whatsoever, fly into this area.	South African Nuclear Energy Corporation (NECSA) TEL: (012) 3053333, Fax: (012) 3056362
FAP 66 PRETORIA (ISCOR)				
FAP 66 Pretoria (ISCOR) Circle of 0.5 NM radius centred on the point 254611S 0280756E	1000 FT AGL GND	Iron & Steel Works	No person shall, in any ACFT whatsoever, fly into this area.	
FAP 67 VANDERBIJLPARK				
Circle of 1 NM radius centred on the point 264010S 0274905E	1000 FT AGL GND	Steel Works	No person shall, in any ACFT whatsoever, fly into this area.	
FAP 68 MODDERFONTEIN				
Circle of 1 NM radius centred on the point 260443S 0280935E	1000 FT AGL GND	Explosives Factory	No person shall, in any ACFT whatsoever, fly into this area.	
FAP 80 DANTEX EXPLOSIVES (PTY) LTD.				
Circle of 1 NM radius centred on the point 261155S 0275400E	1000 FT AGL GND		No person shall, in any ACFT whatsoever, fly into this area.	

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAP 145 KEURBOOM NATURE RESERVE				
The area bounded by lines joining the following points consecutively: 340002S 0232405E 335755S 0232235E 335740S 0232335E 335625S 0232405E 335710S 0232655E 335820S 0232550E 335840S 0232510E 335855S 0232520E 335840S 0232600E Thence along the Plettenberg Bay Humansdorp road to a point 335950S 0232610E Then a straight line joining the following points consecutively: 335950S 0232610E, 335955S 0232435E, 340002S 0232405E	1000 FT AGL GND		No person shall, in any ACFT whatsoever, fly into this area.	
FAP 146 KEURBOOM BIRD COLONY				
Circle with 0.5 NM Radius centred on the point 340210S 0232310E	1000 FT AGL GND		No person shall, in any ACFT whatsoever, fly into this area.	
FAP 177 ROEDTAN AMMUNITION				
Circle of 1.5 NM radius centred on the point 244330S 0284700E	4000 FT AGL GND	Explosives Factory	No person shall, in any ACFT whatsoever, fly into this area.	
RESTRICTED AREAS				
FAR 20 SCHMIDTSDRIF MILITARY SHOOTING RANGE				
Lateral limits- the area bounded by straight lines joining the following points consecutively: 2834S 02406E 2836S 02407E 2851S 02400E 2847S 02354E 2842S 02356E 2841S 02359E 2837S 02357E 2836S 02403E 2834S 02406E	FL195 GND	Military firing range	No persons shall, without prior authority fly any ACFT into this area.	Commanding Officer Danie Theron Combat School, Kimberley or any person designated by him, Pilots wishing to fly into this airspace must contact Schmidtsdrif on FREQ 132.1 MHz or 132.3 MHz.

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 22 DE AAR				
Circle of 2 NM radius centred on the point 304010S 0235720E	4000 FT AGL GND	Ammunition depot	No persons shall, without prior authority fly any ACFT into this area.	Commanding Officer, 97 Ammunition Depot, De Aar or any person designated by him.
FAR 23 BOTTELDUIM MILITARY SHOOTING RANGE				
Circle of 14 NM radius centred on the point 274500S 0213000E	FL195 GND	Military firing range	No persons shall, without prior authority fly any ACFT into this area.	Ops Coordinator AFB Waterkloof TEL: (012) 6723260, or any person designated by him
FAR 25 GA-TLHOSE/MAREMANE MILITARY SHOOTING RANGE				
The area is bounded by straight lines drawn as follows: 273800S 0233020E 274300S 0230420E 281000S 0230400E 281000S 0233500E 280000S 0233730E 273800S 0233020E	FL195 GND	Military firing range	No persons shall, without prior authority fly any ACFT into this area	Commanding Officer, Combat School, Lohatla,or any person designated by him
FAR 29 DE BRUG RANGE				
Circle of 8 NM radius centred on the point 290530S 0255400E	FL195 GND	Ground-air firing, air-ground firing, bombing and rocket firing range.	Restrictions: As in ENR 5-1 para 2 a and b SAAF ACFT at times operate up to 3000 FT GND and 6 NM outside this area due to high speeds and the restricted manoeuvring area of the range.	Officer Commanding AFB Bloemspruit. TEL: (051) 405 6911 FAX: (051) 405 6166

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 32 MOSSEL BAY HARBOUR				
Mossel Bay Harbour The area bounded by straight lines joining the following points consecutively: 341109.92S 0220923.13E 341046.52S 0220905.37E 341048.54S 0220905.13E 341048.57S 0220904.46E 341048.67S 0220902.32E 341048.61S 0220900.81E 341049.22S 0220900.53E 341050.11S 0220859.95E 341050.64S 0220859.34E 341051.19S 0220858.43E 341051.59S 0220857.53E 341051.24S 0220857.41E 341051.74S 0220856.13E 341051.91S 0220854.60E 341051.91S 0220852.07E 341051.82S 0220851.00E 341051.32S 0220849.11E 341051.20S 0220849.17E 341050.66S 0220847.57E 341050.40S 0220847.50E 341049.92S 0220846.71E 341049.30S 0220845.96E 341045.51S 0220842.20E 341045.06S 0220841.66E 341044.72S 0220841.15E 341044.43S 0220840.57E 341044.16S 0220839.77E 341043.97S 0220838.94E 341043.87S 0220837.96E 341043.89S 0220837.00E 341044.13S 0220835.62E 341044.85S 0220835.56E 341044.90S 0220835.92E 341045.63S 0220835.86E 341045.59S 0220835.16E 341044.89S 0220835.18E 341044.19S 0220835.24E 341044.36S 0220834.02E 341044.47S 0220833.29E 341044.67S 0220832.41E 341044.93S 0220831.62E 341045.66S 0220829.64E 341045.88S 0220829.05E 341046.52S 0220827.24E 341046.75S 0220826.19E 341046.56S 0220826.00E 341036.96S 0220811.59E 341021.24S 0220756.42E 341002.96S 0220714.62E 340949.10S 0220639.00E 340838.68S 0220637.30E 340835.82S 0220640.46E 340703.77S 0220722.09E 340656.52S 0220720.38E 340535.78S 0220850.56E 340524.84S 0220825.82E 340519.63S 0220833.84E 340524.92S 0220900.10E 341109.92S 0220923.13E	500 FT ALT GND	Harbour Area	No person shall fly over this harbour area below an altitude of 500 FT, except whilst taking off or landing, therein without prior authorisation	Port authority.
FAR 36 KOEBERG NUCLEAR POWER STATION				
Circle with 2.5 NM radius centred on the point 334100S 0182650E excluding area East of R27.	2000 FT AGL GND		No person shall without prior authority fly any ACFT into this area.	Power Station Manager, TEL: +2721 550 4911 FAX: +2721 550 5100

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 39 SIMONSTOWN				
Circle of 2.5 NM radius centred on the point 3411S 01826E	1500 FT ALT GND	Naval Base	No person shall without prior authorisation, fly any ACFT into this area.	Commanding Officer Simonstown Silvermine or of any person designated by him.
FAR 40 DONKERGAT				
Circle of 1.5 NM radius centred on the points 3305S 01759E	FL030 GND		Restrictions: As in ENR 5-1 para 2 a and b	Controlling authority: Chief ATC AIr Force Base TEL: +2722 706 2259 FREQ: 122.5 MHz.
FAR 41 SKURWERUG				
Circle of 1 NM radius centred on the point 330054S 0180314E	1500 FT AGL GND		Restrictions: As in ENR 5-1 para 2 a and b	Controlling authority: Chief ATC Air Force Base TEL: +2722 706 2259 FREQ: Langebaan APCH 122.5 MHz
FAR 42 LANGEBAANWEG RANGE				
This area bounded by lines joining the following points consecutively: 324500S 0174000E 324500S 0174900E 325800S 0175500E 330600S 0175600E 330810S 0175800E 331455S 0180550E 332100S 0180900E 332900S 0180430E 332700S 0175900E 330000S 0174000E 324500S 0174000E	1500 FT AGL GND	SAAF training area Air-ground firing, bombing and rocket firing range.	Restrictions: As in ENR 5-1 para 2 a and b	Controlling authority: Chief ATC Air Force Base TEL: +2722 706 2259 FREQ: Langebaan APCH 122.5 MHz

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 43 TABLE BAY HARBOUR				
The area bounded by straight lines joining the following points consecutively: 334852.85S 0182226.70E 334854.50S 0182819.99E 335142.88S 0182921.51E 335155.46S 0182921.60E 335216.08S 0182920.85E 335232.90S 0182918.18E 335243.11S 0182914.97E 335305.30S 0182906.94E 335318.79S 0182903.41E 335321.34S 0182902.74E 335321.48S 0182902.97E 335326.53S 0182900.94E 335328.69S 0182859.91E 335328.60S 0182856.67E 335328.97S 0182856.50E 335334.64S 0182853.80E 335350.65S 0182846.19E 335350.72S 0182846.42E 335339.19S 0182854.87E 335339.11S 0182854.95E 335336.01S 0182858.46E 335334.16S 0182901.65E 335334.36S 0182902.09E 335335.36S 0182901.35E 335336.70S 0182900.09E 335339.71S 0182856.28E 335345.63S 0182851.85E 335359.92S 0182841.20E 335401.71S 0182839.98E 335403.85S 0182838.52E 335405.09S 0182837.71E 335406.98S 0182836.65E 335413.76S 0182833.22E 335415.52S 0182832.25E 335417.26S 0182831.18E 335418.92S 0182830.02E 335420.56S 0182828.78E 335422.16S 0182827.45E 335430.07S 0182820.44E 335431.32S 0182819.20E 335432.49S 0182817.86E 335436.28S 0182812.90E 335437.23S 0182812.07E 335438.38S 0182810.35E 335439.27S 0182809.17E 335439.78S 0182808.60E 335440.60S 0182807.72E 335443.59S 0182804.58E 335445.62S 0182802.34E 335449.06S 0182758.35E 335451.51S 0182755.36E 335451.72S 0182755.09E 335453.75S 0182752.33E 335455.79S 0182749.29E 335457.39S 0182746.64E 335459.35S 0182743.38E 335501.87S 0182739.57E 335504.09S 0182735.99E 335506.30S 0182732.04E 335505.97S 0182730.43E 335506.13S 0182729.78E 335507.91S 0182727.66E 335509.98S 0182724.48E 335513.03S 0182719.39E 335515.83S 0182714.60E 335515.92S 0182706.88E 335516.42S 0182706.90E 335516.46S 0182705.34E 335516.34S 0182704.92E 335516.32S 0182704.24E 335516.28S 0182703.80E 335516.27S 0182702.76E 335517.28S 0182658.02E 335517.29S 0182656.82E 335515.75S 0182655.84E 335515.79S 0182652.53E 335516.02S 0182650.42E 335516.45S 0182647.53E 335516.26S 0182647.49E 335516.39S 0182645.02E 335516.45S 0182642.92E 335516.52S 0182637.66E 335516.47S 0182632.21E 335516.56S 0182632.21E	500 FT ALT GND	Harbour Area	No person shall fly over this harbour area below an altitude of 500 FT, except whilst taking off or landing, or take-off or land therein without prior authorisation	Port authority.

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
335516.51S 0182630.11E 335516.19S 0182623.38E 335516.13S 0182622.88E 335516.06S 0182622.39E 335515.93S 0182621.75E 335515.69S 0182620.78E 335515.53S 0182620.13E 335515.33S 0182619.49E 335515.17S 0182618.99E 335514.92S 0182618.28E 335514.62S 0182617.54E 335514.36S 0182616.99E 335514.02S 0182616.31E 335513.76S 0182615.81E 335513.44S 0182615.26E 335513.03S 0182614.61E 335512.64S 0182614.02E 335512.18S 0182613.38E 335510.61S 0182611.25E 335509.64S 0182609.93E 335509.54S 0182609.88E 335506.56S 0182605.84E 335506.87S 0182605.54E 335502.59S 0182556.98E 335500.77S 0182554.47E 335457.09S 0182549.38E 335457.46S 0182548.99E 335457.14S 0182548.55E 335456.90S 0182548.21E 335455.08S 0182550.09E 335449.81S 0182542.81E 335448.62S 0182539.86E 335446.37S 0182534.02E 335442.88S 0182525.02E 335441.47S 0182524.50E 335441.07S 0182523.89E 335440.80S 0182523.56E 335440.49S 0182523.27E 335440.16S 0182523.02E 335439.79S 0182522.79E 335439.41S 0182522.62E 335439.01S 0182522.51E 335438.64S 0182522.44E 335438.26S 0182522.44E 335437.64S 0182522.53E 335437.15S 0182522.70E 335436.79S 0182522.87E 335436.45S 0182523.10E 335436.13S 0182523.37E 335435.84S 0182523.68E 335435.75S 0182523.79E 335435.12S 0182524.58E 335434.92S 0182524.85E 335434.51S 0182525.37E 335431.64S 0182528.42E 335423.71S 0182538.37E 335416.67S 0182547.19E 335415.64S 0182546.01E 335415.43S 0182546.28E 335415.23S 0182546.05E 335413.37S 0182548.35E 335412.84S 0182543.67E 335411.70S 0182542.35E 335411.56S 0182542.35E 335411.57S 0182543.13E 335411.44S 0182543.13E 335411.43S 0182540.16E 335407.98S 0182536.24E 335407.57S 0182536.21E 335405.50S 0182533.82E 335404.42S 0182534.76E 335402.27S 0182533.71E 335401.34S 0182534.17E 335400.24S 0182536.35E 335358.72S 0182541.97E 335358.39S 0182543.21E 335357.79S 0182542.98E 335357.36S 0182542.81E 335357.08S 0182542.71E 335400.09S 0182531.57E 335404.74S 0182525.72E 335403.16S 0182524.02E 335404.53S 0182515.02E 335405.50S 0182514.62E 335409.21S 0182506.74E 335407.90S 0182502.61E 335404.41S 0182457.29E 335404.92S 0182455.32E 335403.62S 0182454.46E 335402.91S 0182455.73E				

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
335403.00S 0182456.85E 335402.80S 0182456.88E 335402.65S 0182455.66E 335402.87S 0182454.53E 335403.43S 0182454.04E 335405.09S 0182359.73E 334852.85S 0182226.70E				
FAR 45 LANGEBAANWEG MILITARY FLYING AREA				
AREA A (a) The area bounded by straight lines joining the following points consecutively, but excluding the Langebaanweg CTR: 320540S 0181900E 320900S 0184400E 321100S 0185340E 331200S 0185900E. (b)Thence anti-clockwise along the arc of a circle, radius 50 NM centred on 335810S 0183621E to a point at 330900S 0183700E. (c) Thence straight lines joining the following points consecutively: 333100S 0183530E 333400S 0181900E 332000S 0174000E 322000S 0174000E (d) Thence a straight line to the starting point at 320540S 0181900E **AREA B** (a) The area bounded by straight lines joining the following points consecutively: 331200S 0185900E 332900S 0184700E 333100S 0183530E 330900S 0183700E (b) Thence clockwise along the arc of a circle, radius 50NM centred on 335810S 0183621E to the starting point at 331200S 0185900E.	Area "A" FL 195 1500 FT AGL Area "B" FL195 FL120	SAAF Training Area	Restrictions: As in ENR 5-1 para 2 a and b No person shall, without the authorisation of the Chief Air Traffic Controller, Flying Training School, Langebaanweg or of any person designated by him, fly any civil ACFT into these areas.	SAAF Training area Chief ATC Air Force Base TEL: +2722 706 2259 FREQ: Langebaan APCH 122.5 MHz Aircrew wishing to utilize FAR 45 BTN 1500 FT AGL and FL195 must establish CTC during HR of SER, and BCST outside HR of SER on FREQ 122.5 MHz callsign "Langebaan".
FAR 46 TOUWS RIVER WEAPONS TRAINING AREA				
a) From a point at 331600S 0194400E to a point at 331600S 0195700E. b) Thence to a point at 332300S 0195700E. c) Thence back to the starting point at 331600S 0194400E.	FL080 GND	Shooting range/ Mortar fire/ Small arms fire		Area Support base (ASB) Western Cape Range Safety TEL: +2721 787 1859
FAR 47 OUDTSHOORN MILITARY SHOOTING RANGE				
Circle of 3.8 NM radius centred on the point 333203S 0220840E	FL195 GND	Air-ground firing, bombing and rocket firing range	No person shall, without prior authorisation fly any ACFT into this area.	Commanding Officer, Artillery School, TEL: +2744 203 4141 or by any person designated by him.

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 48 SALDANHA BAY HARBOUR				
The area bounded by straight lines joining the following points consecutively: 330300.84S 0174957.31E 330140.00S 0175326.00E 330157.60S 0175337.67E 330200.70S 0175345.01E 330207.43S 0175346.21E 330208.06S 0175350.30E 330223.73S 0175347.21E 330223.55S 0175403.66E 330234.80S 0175408.96E 330237.87S 0175413.80E 330247.45S 0175409.11E 330256.57S 0175432.18E 330303.42S 0175432.31E 330306.98S 0175441.02E 330240.85S 0175523.61E 330214.56S 0175619.28E 330154.79S 0175559.11E 330135.03S 0175621.14E 330135.78S 0175629.22E 330132.11S 0175631.83E 330134.79S 0175710.26E 330143.64S 0175717.32E 330143.31S 0175728.51E 330142.87S 0175728.65E 330142.03S 0175728.98E 330141.70S 0175729.09E 330141.05S 0175729.23E 330140.79S 0175728.80E 330140.55S 0175728.33E 330139.82S 0175728.02E 330139.15S 0175727.77E 330138.84S 0175727.65E 330138.52S 0175727.47E 330137.98S 0175727.08E 330136.38S 0175725.80E 330135.88S 0175725.38E 330135.61S 0175725.07E 330135.46S 0175724.87E 330135.13S 0175724.16E 330135.30S 0175721.17E 330135.11S 0175720.75E 330132.50S 0175722.04E 330123.79S 0175701.37E 330119.50S 0175648.15E 30107.88S 0175647.06E 330059.24S 0175654.78E 330100.27S 0175658.15E 330053.99S 0175656.73E 3330050.87S 0175700.90E 330049.43S 0175700.23E 330049.22S 0175658.62E 330042.72S 0175700.21E 330041.01S 0175704.15E 330038.08S 0175703.03E 330037.86S 0175659.76E 330029.48S 0175651.05E 330025.94S 0175644.63E 330001.35S 0175713.40E 325945.47S 0175800.55E 325943.48S 0175824.26E 325941.71S 0175837.06E 325940.55S 0175837.04E 325940.60S 0175834.00E 325926.78S 0175834.09E 325918.60S 0175834.13E 325911.03S 0175834.18E 325909.86S 0175836.11E 325916.04S 0175836.08E 325921.08S 0175856.27E 325922.07S 0175913.01E 325916.26S 0175913.58E 325916.95S 0175914.98E 325920.84S 0175922.90E 325921.69S 0175922.34E 325923.96S 0175927.03E 325921.91S 0175928.42E 325922.50S 0175929.64E 325922.80S 0175931.31E 325922.98S 0175933.81E 325923.13S 0175940.99E 325924.06S 0175953.82E 325924.57S 0175955.73E 325925.21S 0175956.86E 325926.70S 0175956.60E	500 FT ALT GND	Harbour Area	No person shall fly over these harbour areas below an altitude of 500 FT, except whilst taking off or landing, or take-off or land therein without prior authority	Port authority

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
325927.44S 0175957.35E 325928.91S 0180002.83E 325930.06S 0180004.40E 325906.37S 0180015.06E 325855.94S 0180019.76E 325852.46S 0180027.38E 325914.61S 0180017.41E 325939.99S 0180005.97E 325940.48S 0180006.97E 325950.42S 0180027.61E 330000.16S 0180047.81E 330004.61S 0180058.55E 330016.69S 0180118.53E 330025.57S 0180104.12E 330033.34S 0180051.53E 330104.24S 0180128.94E 330126.14S 0180150.06E 330132.69S 0180154.35E 330158.49S 0180208.91E 330207.16S 0180211.49E 330207.35S 0180210.05E 330227.83S 0180216.16E 330230.96S 0180210.54E 330239.02S 0180211.98E 330242.71S 0180221.99E 330243.00S 0180226.12E 330246.03S 0180230.31E 330250.17S 0180229.62E 330252.64S 0180233.48E 330312.69S 0180234.44E 330316.92S 0180231.43E 330321.22S 0180233.82E 330339.33S 0180231.55E 330343.57S 0180228.71E 330345.66S 0180228.86E 330415.33S 0175942.47E 330417.48S 0175924.52E 330401.36S 0175846.19E 330529.45S 0175850.41E 330546.54S 0175836.21E 330557.45S 0175805.85E 330540.37S 0175735.85E 330611.86S 0175724.73E 330624.76S 0175708.39E 330644.37S 0175741.11E 330646.24S 0175808.44E 330740.41S 0175840.93E 330809.77S 0175812.96E 330832.42S 0175839.26E 330858.00S 0175958.00E 331100.81S 0175657.35E 330300.84S 0174957.31E				
FAR 49 PORT NOLLOTH HARBOUR				
The area bounded by straight lines joining the following points consecutively: 291533.00S 0164836.00E 291427.00S 0165118.00E 291449.46S 0165203.17E 291524.20S 0165204.37E 291524.27S 0165204.36E 291524.21S 0165205.40E 291524.13S 0165205.75E 291525.08S 0165206.04E 291525.28S 0165205.88E 291525.55S 0165205.73E 291525.82S 0165205.62E 291525.99S 0165205.58E 291526.16S 0165205.58E 291529.24S 0165206.40E 291529.29S 0165206.17E 291536.01S 0165209.60E 291550.96S 0165211.05E 291556.41S 0165203.19E 291558.65S 0165216.29E 291621.06S 0165226.82E 291633.19S 0165240.10E 291704.80S 0165246.20E 291709.41S 0165238.57E 291713.44S 0165242.77E 291725.82S 0165240.54E 291728.00S 0165235.00E 291827.00S 0165008.00E 291533.00S 0164836.00E	500 FT ALT GND		No person shall fly over these harbour areas below an altitude of 500 FT, except whilst taking off or landing, or take-off or land therein without prior authority	Port authority

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 50 DURBAN				
Area bounded by lines drawn as FLW: a) From a point at 295833.78S 0305557.56E thence a straight line to a point at 295733.59S 0305637.54E b) Thence a straight line to a point at 295659.06S 0305713.23E c) Thence a straight line to a point at 295819.91S 0305916.26E (0.5NM out to sea) d) Thence a straight line to a point at 300006.13S 0305726.07E (0.5NM out to sea) e) Thence a straight line back to the starting point at 295833.78S 0305557.56E	500 FT ALT GND		Class G Airspace	Prior permission to enter airspace to be obtained from the Officer Commanding at the base. TEL: +2731 450 4712
FAR 51 DURBAN HARBOUR				
The area bounded by straight lines joining the following points consecutively: 294843.00S 0310230.99E 294842.99S 0310728.99E 295407.00S 0310728.99E 295406.99S 0310226.99E 295408.62S 0310226.46E 295406.97S 0310224.49E 295404.67S 0310225.27E 295358.36S 0310228.59E 295340.24S 0310242.08E 295328.94S 0310252.36E 295307.80S 0310311.12E 295304.73S 0310313.84E 295257.98S 0310318.48E 295259.27S 0310319.82E 295258.20S 0310321.09E 295256.95S 0310322.22E 295254.82S 0310323.80E 295252.94S 0310325.24E 295248.87S 0310328.22E 295247.75S 0310329.09E 295243.64S 0310332.46E 295239.63S 0310335.60E 295238.80S 0310336.20E 295237.92S 0310336.78E 295236.92S 0310337.36E 295235.95S 0310337.83E 295234.89S 0310338.19E 295231.76S 0310339.13E 295231.70S 0310339.03E 295225.83S 0310340.11E 295221.63S 0310338.72E 295219.88S 0310337.59E 295218.62S 0310336.12E 295218.60S 0310334.16E 295219.10S 0310333.02E 295224.46S 0310328.48E 295227.06S 0310324.75E 295232.88S 0310320.31E 295242.24S 0310316.39E 295246.73S 0310313.37E 295250.48S 0310309.59E 295254.57S 0310305.11E 295256.81S 0310300.54E 295259.48S 0310256.98E 295300.78S 0310255.26E 295305.72S 0310250.97E 295311.04S 0310245.58E 295316.37S 0310241.36E 295324.19S 0310230.71E 295328.61S 0310227.54E 295332.33S 0310221.43E 295332.97S 0310222.45E 295334.05S 0310221.42E 295332.61S 0310220.96E 295333.53S 0310217.30E 295336.83S	500 FT ALT GND	Harbour Area	No person shall fly over the harbour areas below an altitude of 500 FT, except whilst taking off or landing, or take-off or land therein, without prior authority	Port authority

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
0310217.18E 295341.04S 0310227.46E 295349.54S 0310220.01E 295350.86S 0310215.20E 295354.12S 0310209.79E 295353.52S 0310209.06E 295352.91S 0310209.71E 295352.41S 0310209.05E 295352.47S 0310208.59E 295352.83S 0310208.21E 295346.05S 0310159.88E 295341.51S 0310200.95E 295331.84S 0310205.11E 295331.75S 0310204.86E 295331.79S 0310204.84E 295331.59S 0310204.25E 295330.92S 0310203.90E 295330.66S 0310203.17E 295330.30S 0310203.33E 295330.15S 0310202.90E 295330.01S 0310202.42E 295329.96S 0310202.20E 295329.92S 0310202.01E 295329.88S 0310201.81E 295329.86S 0310201.62E 295329.84S 0310201.43E 295329.82S 0310201.23E 295329.81S 0310201.03E 295329.80S 0310200.83E 295329.81S 0310200.64E 295329.80S 0310200.42E 295329.81S 0310200.23E 295329.86S 0310200.01E 295329.88S 0310159.74E 295329.93S 0310159.45E 295329.98S 0310159.26E 295330.03S 0310159.07E 295330.11S 0310158.79E 295330.24S 0310158.43E 295330.42S 0310158.05E 295330.57S 0310157.75E 295330.77S 0310157.43E 295330.98S 0310157.11E 295331.22S 0310156.82E 295331.53S 0310156.49E 295331.94S 0310156.12E 295332.74S 0310155.61E 295333.67S 0310155.14E 295333.92S 0310153.35E 295334.75S 0310152.57E 295338.79S 0310145.71E 295338.87S 0310145.77E 295339.33S 0310144.88E 295339.19S 0310144.79E 295340.24S 0310142.50E 295340.32S 0310141.87E 295340.23S 0310141.31E 295340.16S 0310141.00E 295340.10S 0310140.74E 295340.50S 0310140.26E 295340.73S 0310140.13E 295340.94S 0310140.00E 295340.96S 0310139.78E 295341.57S 0310138.85E 295342.12S 0310138.92E 295342.54S 0310138.22E 295342.91S 0310137.95E 295343.19S 0310138.14E 295344.51S 0310136.24E 295347.92S 0310130.49E 295351.54S 0310124.39E 295352.58S 0310122.25E 295353.11S 0310120.23E 295353.28S 0310118.49E 295353.25S 0310115.46E 295353.55S 0310112.62E 295355.21S 0310106.31E 295355.92S 0310104.57E 295357.24S 0310102.70E 295359.08S 0310101.27E 295359.00S 0310101.00E 295405.91S 0310058.99E 295412.18S 0310057.24E 295413.94S 0310056.47E 295413.64S 0310055.89E 295415.33S 0310054.46E 295420.37S 0310047.08E 295424.73S 0310036.18E 295424.75S 0310035.65E 295424.11S 0310034.66E 295418.88S				

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
0310039.47E 295418.54S 0310039.01E 295422.76S 0310032.86E 295421.48S 0310031.02E 295419.85S 0310030.58E 295419.84S 0310030.38E 295419.87S 0310029.65E 295418.64S 0310025.59E 295417.53S 0310024.01E 295359.75S 0310012.77E 295357.74S 0310011.54E 295351.78S 0310007.73E 295352.00S 0310007.26E 295351.75S 0310006.67E 295336.17S 0305957.09E 295334.88S 0305956.20E 295333.95S 0305955.42E 295332.95S 0305954.42E 295331.73S 0305952.94E 295326.66S 0305946.56E 295326.20S 0305946.15E 295318.97S 0305936.83E 295317.94S 0305934.80E 295317.73S 0305933.85E 295317.30S 0305930.98E 295316.93S 0305930.09E 295316.98S 0305930.06E 295316.56S 0305929.31E 295316.64S 0305929.23E 295315.69S 0305927.88E 295315.26S 0305927.32E 295314.34S 0305926.35E 295312.91S 0305925.46E 295312.84S 0305925.45E 295311.08S 0305925.21E 295309.48S 0305925.88E 295308.47S 0305926.69E 295307.10S 0305925.01E 295305.99S 0305925.83E 295304.97S 0305926.72E 295252.49S 0305941.59E 295250.87S 0305943.52E 295249.06S 0305945.41E 295244.65S 0305949.64E 295243.27S 0305950.65E 295240.18S 0305952.92E 295239.21S 0305953.70E 295234.64S 0305957.04E 295233.32S 0305958.19E 295227.48S 0310003.82E 295211.30S 0310021.16E 295210.69S 0310021.75E 295208.01S 0310024.96E 295206.66S 0310026.16E 295206.70S 0310026.22E 295206.03S 0310026.81E 295206.11S 0310026.94E 295203.93S 0310028.72E 295202.93S 0310029.54E 295201.31S 0310031.29E 295159.88S 0310032.87E 295159.01S 0310031.80E 295157.12S 0310034.31E 295156.98S 0310034.69E 295156.84S 0310035.29E 295156.78S 0310035.73E 295156.76S 0310036.94E 295157.01S 0310038.15E 295157.17S 0310038.55E 295157.34S 0310038.92E 295157.44S 0310039.09E 295157.54S 0310039.27E 295157.64S 0310039.44E 295157.76S 0310039.60E 295157.86S 0310039.77E 295159.10S 0310041.49E 295159.42S 0310041.94E 295159.18S 0310042.17E 295159.75S 0310042.78E 295159.61S 0310042.94E 295200.64S 0310044.25E 295201.23S 0310046.74E 295201.25S 0310047.60E 295201.02S 0310049.32E 295200.64S 0310050.77E 295159.96S 0310052.49E 295157.83S 0310056.45E 295159.02S 0310055.01E 295158.59S 0310055.83E 295158.63S 0310055.84E 295156.47S				

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
0310059.85E 295156.38S 0310059.70E 295155.75S 0310100.87E 295155.68S 0310100.86E 295155.05S 0310102.02E 295154.30S 0310103.31E 295153.69S 0310104.24E 295153.19S 0310104.93E 295153.05S 0310105.10E 295146.33S 0310113.76E 295146.33S 0310113.84E 295146.31S 0310114.02E 295146.35S 0310114.24E 295146.45S 0310114.41E 295146.68S 0310114.64E 295146.74S 0310114.77E 295146.77S 0310114.88E 295146.74S 0310115.01E 295146.07S 0310116.05E 295145.61S 0310116.95E 295145.18S 0310118.05E 295144.87S 0310119.31E 295144.77S 0310120.06E 295144.73S 0310120.56E 295144.69S 0310120.73E 295144.57S 0310120.93E 295144.38S 0310121.02E 295143.89S 0310121.13E 295143.60S 0310121.35E 295142.37S 0310149.18E 295142.23S 0310149.17E 295142.07S 0310150.86E 295142.08S 0310151.70E 295142.13S 0310152.53E 295142.22S 0310153.36E 295142.34S 0310154.18E 295142.39S 0310154.48E 295142.44S 0310154.78E 295142.62S 0310155.63E 295142.89S 0310156.75E 295143.78S 0310157.24E 295144.65S 0310158.20E 295142.85S 0310158.83E 295142.50S 0310201.22E 295140.06S 0310200.74E 295140.00S 0310201.05E 295140.15S 0310202.35E 295138.89S 0310209.78E 295140.12S 0310210.97E 295202.84S 0310222.74E 295203.58S 0310223.12E 295204.69S 0310223.90E 295205.07S 0310224.26E 295205.56S 0310224.71E 295206.42S 0310225.90E 295207.16S 0310227.67E 295208.23S 0310230.97E 295208.72S 0310232.20E 295209.43S 0310233.19E 295211.19S 0310234.84E 295215.17S 0310236.91E 295218.32S 0310241.60E 295218.88S 0310243.24E 295220.10S 0310246.79E 295220.69S 0310248.50E 295221.41S 0310250.60E 295222.45S 0310253.78E 295223.40S 0310258.74E 295223.34S 0310259.12E 295223.58S 0310300.66E 295224.38S 0310304.48E 295214.31S 0310312.52E 295213.26S 0310312.73E 295212.67S 0310313.83E 295155.28S 0310246.03E 295144.39S 0310238.49E 295129.34S 0310231.20E 295110.74S 0310224.92E 295052.52S 0310218.36E 295032.11S 0310213.88E 295012.67S 0310213.31E 294950.11S 0310212.76E 294930.83S 0310215.13E 294911.73S 0310220.65E 294843.00S 0310230.99E				

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 52 RICHARDS BAY HARBOUR				
284939.54S 0321340.22E 285520.51S 0320726.20E 285106.26S 0320235.84E 285034.02S 0320307.36E 285008.13S 0320234.93E 285003.69S 0320224.61E 284935.70S 0320201.51E 284830.08S 0320119.94E 284815.01S 0320049.71E 284803.12S 0315915.28E 284756.10S 0315858.99E 284750.21S 0315907.56E 284756.10S 0315912.53E 284807.31S 0320044.61E 284803.76S 0320050.38E 284655.23S 0320117.83E 284650.51S 0320103.31E 284649.16S 0320103.85E 284651.88S 0320112.63E 284651.77S 0320112.67E 284650.24S 0320113.28E 284649.70S 0320111.54E 284649.79S 0320116.76E 284652.74S 0320126.28E 284651.09S 0320131.73E 284655.07S 0320149.45E 284653.90S 0320419.85E 284653.78S 0320420.36E 284653.77S 0320421.48E 284653.88S 0320422.09E 284703.78S 0320439.15E 284711.44S 0320446.59E 284712.88S 0320447.56E 284714.54S 0320447.91E 284715.16S 0320447.91E 284715.93S 0320447.72E 284728.83S 0320439.54E 284730.03S 0320439.16E 284731.30S 0320439.20E 284731.97S 0320439.37E 284734.27S 0320439.85E 284734.28S 0320439.80E 284735.90S 0320440.14E 284735.86S 0320440.39E 284736.08S 0320440.44E 284736.12S 0320440.24E 284738.35S 0320440.71E 284738.22S 0320441.55E 284738.31S 0320441.57E 284738.05S 0320443.15E 284738.22S 0320443.18E 284738.03S 0320444.38E 284736.28S 0320444.03E 284736.20S 0320444.47E 284800.46S 0320523.80E 284803.62S 0320533.27E 284804.88S 0320532.87E 284805.22S 0320533.32E 284809.04S 0320538.61E 284722.92S 0320644.93E 284939.54S 0321340.22E	500 FT ALT GND	Harbour Area	No person shall fly over the harbour areas below an altitude of 500 FT, except whilst taking off or landing, or take-off or land therein, without prior authority.	Port authority
FAR 62 HEYSTEKRAND				
The area bounded by straight lines joining the FLW points consecutively: 2509S 02715E - 2508S 02724E - 2517S 02719E - 2517S 02717E - 2509S 02715E	1000 FT AGL GND	Ammunition Depot	No person shall, without prior authorisation fly any aircraft into this area.	Factory Manager, or any person designated by him Mankwe Explosives Factory, PB 1234, Heystekrand 0302.

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 63 SECUNDA				
The area bounded by straight lines joining the following points consecutively: 263248S 0291046E 263417S 0291054E 263504S 0290821E 263312S 0290812E 263248S 0291046E	FL080 GND	Explosives Factory	No person shall, without prior authorisation, fly any aircraft into this area.	Chief Manager of Sasol Two, or any person designated by him
FAR 65 SASOLBURG				
The area bounded by the arcs of circles with radius of 1 NM and centre points: 264935S 0275052E and 264821S 0275117E and the other common tangents to these circles.	1000 FT AGL GND		No person shall, without prior authority to fly any aircraft into this area.	General Manager or Assistant General Manager of the South African Coal, Oil and Gas Corporation
FAR 71 TRANSVAAL MILITARY MIDDLE FLYING AREA				
The area bounded by lines drawn as follows, but excluding FAR 181: a) From the starting point 220815S 0293710E on the Limpopo River, Eastwards and Southwards along the RSA boundary with Zimbabwe and Mozambique to a point 252600S 0315900E. b) Then a straight line to a point at 251820.87S 0312810.73E. c) Then anti-clockwise along the arc of a circle, radius 20NM centred at 252251.70S 0310640.05E, to a point at 250428.11S 0305751.91E. d) Then a straight line to a point at 250332.91S 0305725.57E. e) Then anti-clockwise along the arc of a circle, radius 21NM centred at 252251.70S 0310640.05E, to a point at 252150.65S 0304330.71E. f) Then a straight line to a point at 252123.38S 0303335.50E. g) Then a straight line to a point at 253311S 0293614E h) Then a straight line to a point at 244252S 0302648E i) Then a straight line to a point at 243558S 0301839E j) Then a straight line to a point at 254054S 0291320E on the arc of a circle, radius 60 NM, centred on 260831S 0281415E k) Then anti-clockwise along this arc to a point at 251000S 0282946E l) Then a straight line to a point at 242628S 0290910E m) Then a straight line to a point at 235940S 0285450E	FL195 FL105	SAAF Training Area	Restrictions: As in ENR 5-1 para 2 a and b	ATC Executive Lowveld Airspace Control Sector TEL: +2715 799 2251 Lowveld FIS: FREQ 119.0 MHz.

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
n) Then a straight line to the starting point at 220815S 0293710E.				
FAR 75 POTCHEFSTROOM MILITARY SHOOTING RANGE				
Circle of 7 NM radius centred on the point 263800S 0265900E	FL195 GND	Mortar, machine gun, armoured vehicle and bombing range.	Restrictions: As in ENR 5-1 para 2 a and b.	Officer Commanding (Range Management & Safety) Army Support Base TEL: (018) 289 3388 / 3381
FAR 76 ROODEWAL				
The area bounded by lines drawn as follows: (a) From a point at 234305.000S 0293000.000E along a straight line to a point at 232703.592S 0293523.009E. (b) Thence a straight line to a point at 232702.102S 0295730.771E (c) Thence a straight line to a point at 233858.000S 0300154.000E. (d) Thence a straight line to a point at 234346.729S 0294944.373E (e) Thence a straight line to a point at 234832.859S 0293738.144E (f) Thence a straight line back to the starting point 234305.000S 0293000.000E.	FL195 GND	Air-ground firing range.	Restrictions: As in ENR 5.1 para 2 a and b Note: When not active FAR 76 becomes part of Makhado CTR/ TMA.	Chief ATC Air Force Base Makhado TEL: (015) 5772240 FREQ: Makhado APCH 121.2 MHz. Makhado TWR 119.8 MHz
FAR 78 KRUGER NATIONAL PARK RESTRICTED AREA				
The area bounded by lines drawn as follows: (a) From a point at 2220S 0303630E on the Limpopo river, Eastwards and Southwards along the RSA. International boundary with Zimbabwe and Mozambique to a point at 2526S 03159E (b) Thence a straight line to a point at 2529S 0314130E (c) Thence a straight line to a point at 2436S 03135E (d) Thence a straight line to a point at 241030S 03128E (e) Thence a straight line to a point at 2329S 03102E (f) Thence a straight line to the starting point.	FL 105 GND	SAAF Training Area	Restrictions: As in ENR 5-1 para 2 a and b	ATC Executive Lowveld Airspace Control Sector TEL: (015) 799 2251 Lowveld FIS: FREQ 119.0 MHz.

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 82 PIENAARS RIVER				
The area bounded by straight lines joining the following points consecutively: 252200S 0281800E 251600S 0281815E 251600S 0282200E 252100S 0282200E 252200S 0281800E	FL105 GND		Restrictions: As in ENR 5-1 para 2 a and b	Officer Commanding SA Air Force Command Post TEL: (012) 312 2034/5 FAX: (012) 323 2796
FAR 86 GRAHAMSTOWN MILITARY SHOOTING RANGE				
The area bounded by straight lines joining the following points consecutively: 331153S 0263005E 331306S 0263459E 331200S 0263431E 331245S 0263719E 331327S 0263745E 331438S 0263659E 331449S 0263553E 331430S 0263352E 331354S 0263210E 331610S 0263026E 331533S 0262803E 331351S 0262706E 331154S 0262738E 331153S 0263005E	FL120 GND	Military Firing Range	No person shall, without prior authorisation fly any civil ACFT into this area.	Commanding Officer, 6 SA. Infantry, Grahamstown, or any person designated by him.
FAR 87 EAST LONDON HARBOUR				
The area bounded by straight lines joining the following points consecutively: 325950.90S 0275706.24E 330018.56S 0275804.73E 330312.55S 0275531.74E 330238.81S 0275355.86E 330237.69S 0275351.71E 330237.22S 0275351.58E 330235.78S 0275357.33E 330234.72S 0275400.83E 330232.02S 0275405.98E 330229.55S 0275409.67E 330227.55S 0275412.30E 330225.58S 0275414.85E 330223.31S 0275417.17E 330222.21S 0275418.31E 330209.55S 0275429.28E 330156.11S 0275440.92E 330155.68S 0275440.84E 330152.83S 0275443.31E 330152.71S 0275443.34E 330152.44S 0275443.40E 330152.01S 0275443.29E 330146.31S 0275434.05E 330146.18S 0275432.52E 330146.14S 0275432.14E 330145.90S 0275429.40E 330145.36S 0275423.39E 330145.31S 0275422.75E 330144.79S 0275421.39E 330143.56S 0275418.24E 330143.22S 0275417.04E 330140.52S 0275410.85E 330139.92S 0275408.93E 330139.25S 0275408.14E 330137.93S 0275404.95E 330137.63S 0275404.07E 330136.34S 0275400.76E 330134.31S 0275401.88E 330133.34S 0275359.38E 330135.36S 0275358.27E 330133.85S 0275354.69E 330132.23S 0275353.23E 330131.36S 0275352.38E 330130.56S 0275351.03E 330130.21S 0275350.08E 330129.43S 0275345.43E 330128.83S 0275343.81E 330128.08S 0275342.67E 330128.25S 0275341.47E 330129.03S 0275341.09E 330128.94S	500 FT ALT GND	Harbour Area	No ACFT shall fly over these harbour areas below an altitude of 500 FT, except whilst taking off or landing, or take-off and land therein, without prior authorisation	Port authority

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
0275340.90E 330129.38S 0275339.29E 330128.87S 0275337.93E 330128.55S 0275336.60E 330128.57S 0275336.13E 330127.64S 0275336.23E 330127.95S 0275332.59E 330128.47S 0275329.93E 330128.60S 0275328.92E 330129.23S 0275327.04E 330129.57S 0275326.44E 330130.06S 0275326.33E 330130.67S 0275325.82E 330130.56S 0275323.63E 330128.40S 0275323.07E 330122.16S 0275328.49E 330119.20S 0275327.86E 330117.81S 0275336.48E 330117.58S 0275340.36E 330107.61S 0275341.20E 330105.08S 0275341.04E 330105.32S 0275343.16E 330106.57S 0275343.45E 330108.10S 0275344.39E 330110.80S 0275344.63E 330111.29S 0275344.72E 330112.45S 0275345.48E 330112.38S 0275346.38E 330114.28S 0275350.19E 330114.63S 0275350.94E 330115.28S 0275351.91E 330116.15S 0275355.01E 330117.22S 0275356.90E 330117.80S 0275357.79E 330118.24S 0275359.72E 330117.25S 0275402.20E 330117.56S 0275403.33E 330117.73S 0275403.44E 330120.09S 0275406.26E 330118.83S 0275407.74E 330118.91S 0275409.37E 330119.82S 0275409.71E 330119.85S 0275411.45E 330119.72S 0275412.01E 330120.34S 0275412.74E 330120.61S 0275413.56E 330122.10S 0275417.10E 330122.44S 0275417.39E 330122.52S 0275417.42E 330123.18S 0275418.88E 330123.11S 0275419.19E 330124.66S 0275425.61E 330124.68S 0275426.22E 330124.47S 0275427.14E 330123.93S 0275428.38E 330123.49S 0275429.01E 330122.51S 0275429.74E 330121.71S 0275429.97E 330120.37S 0275430.01E 330115.86S 0275428.40E 330115.47S 0275428.99E 330114.15S 0275429.57E 330113.97S 0275429.54E 330113.33S 0275429.91E 330112.21S 0275430.58E 330111.56S 0275430.35E 330111.51S 0275433.24E 330111.31S 0275433.75E 330110.13S 0275434.12E 330106.60S 0275435.93E 330106.31S 0275437.17E 330108.19S 0275437.90E 330112.69S 0275435.54E 330113.48S 0275435.54E 330114.21S 0275434.56E 330114.88S 0275433.86E 330114.98S 0275433.78E 330115.07S 0275433.73E 330118.13S 0275433.78E 330118.98S 0275433.92E 330121.11S 0275436.03E 330120.24S 0275437.28E 330122.24S 0275437.73E 330123.73S 0275436.99E 330125.64S 0275437.21E 330126.28S 0275437.71E 330126.60S 0275439.45E 330126.23S 0275439.56E 330127.01S 0275441.15E 330127.47S 0275442.77E 330128.01S				

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
0275442.70E 330130.54S 0275442.70E 330130.82S 0275443.33E 330131.06S 0275444.24E 330130.75S 0275444.47E 330130.68S 0275444.68E 330130.56S 0275445.24E 330127.53S 0275449.03E 330126.63S 0275450.50E 330127.07S 0275451.49E 330127.71S 0275451.21E 330128.41S 0275451.18E 330130.48S 0275451.13E 330131.16S 0275451.80E 330118.93S 0275504.17E 330058.81S 0275515.62E 330037.68S 0275522.47E 330019.98S 0275554.15E 330006.24S 0275634.19E 325950.90S 0275706.24E				
FAR 88 PORT ELIZABETH HARBOUR				
335148.31S 0253806.31E 335147.99S 0253908.91E 340144.02S 0254305.08E 340130.35S 0254156.80E 340126.41S 0254154.18E 340123.92S 0254150.44E 340121.25S 0254149.05E 340116.56S 0254145.13E 340111.75S 0254141.92E 340105.35S 0254139.55E 340051.23S 0254133.57E 340037.99S 0254128.74E 340036.87S 0254126.43E 340027.74S 0254122.49E 340019.15S 0254119.67E 340017.58S 0254119.15E 340010.88S 0254116.05E 340002.35S 0254110.82E 335958.61S 0254105.73E 335947.58S 0254057.41E 335942.78S 0254053.65E 335934.92S 0254045.29E 335932.07S 0254041.13E 335927.29S 0254035.63E 335921.61S 0254027.43E 335913.67S 0254022.19E 335902.21S 0254016.80E 335901.57S 0254016.30E 335902.40S 0254012.40E 335858.78S 0254002.87E 335856.68S 0253955.13E 335854.46S 0253939.09E 335850.50S 0253932.38E 335848.03S 0253930.43E 335848.60S 0253926.69E 335844.70S 0253917.65E 335842.95S 0253913.58E 335836.07S 0253859.90E 335833.99S 0253855.59E 335833.73S 0253855.78E 335833.57S 0253855.83E 335832.97S 0253855.81E 335832.81S 0253855.68E 335832.41S 0253855.18E 335831.86S 0253853.77E 335831.11S 0253852.42E 335830.99S 0253852.07E 335830.93S 0253851.62E 335830.93S 0253851.20E 335831.02S 0253850.87E 335831.15S 0253850.71E 335814.07S 0253847.23E 335806.91S 0253845.77E 335811.73S 0253838.49E 335812.03S 0253838.77E 335817.56S 0253830.52E 335817.62S 0253826.22E 335818.19S 0253825.48E 335819.26S 0253826.03E 335818.67S 0253824.87E 335819.21S 0253824.08E 335817.63S 0253818.30E 335817.75S 0253818.22E 335817.57S 0253817.55E 335815.91S 0253813.24E 335815.65S 0253812.74E	500 FT ALT GND	Harbour Area	No ACFT shall fly over these harbour areas below an altitude of 500 FT, except whilst taking off or landing, or take-off and land therein, without prior authorisation	Port authority

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
335813.56S 0253809.55E 335812.85S 0253810.11E 335812.69S 0253809.01E 335812.44S 0253807.99E 335812.15S 0253807.14E 335810.34S 0253803.27E 335810.02S 0253803.49E 335807.89S 0253758.86E 335806.44S 0253756.39E 335806.06S 0253756.64E 335804.16S 0253753.91E 335801.71S 0253750.83E 335801.51S 0253750.58E 335758.92S 0253748.29E 335758.61S 0253747.80E 335755.91S 0253746.09E 335751.56S 0253743.65E 335750.63S 0253742.77E 335750.27S 0253742.48E 335749.06S 0253741.69E 335743.30S 0253738.96E 335741.45S 0253737.26E 335740.98S 0253736.57E 335739.60S 0253734.06E 335739.13S 0253733.39E 335738.61S 0253732.80E 335737.99S 0253732.13E 335737.48S 0253731.58E 335737.38S 0253731.47E 335729.53S 0253722.55E 335729.16S 0253722.04E 335725.51S 0253716.34E 335724.28S 0253714.11E 335713.11S 0253656.65E 335711.31S 0253654.23E 335709.96S 0253652.74E 335708.43S 0253651.32E 335706.94S 0253650.15E 335703.60S 0253647.88E 335702.56S 0253647.21E 335701.82S 0253646.79E 335701.13S 0253646.48E 335700.05S 0253646.12E 335654.01S 0253644.72E 335652.17S 0253644.38E 335633.86S 0253641.67E 335550.68S 0253640.04E 335548.20S 0253640.04E 335544.97S 0253640.00E 335534.93S 0253641.94E 335510.67S 0253646.60E 335504.90S 0253647.71E 335452.73S 0253651.37E 335450.84S 0253653.16E 335449.23S 0253654.67E 335447.32S 0253655.88E 335446.35S 0253656.34E 335435.20S 0253700.45E 335431.90S 0253701.54E 335338.08S 0253717.69E 335331.69S 0253719.42E 335324.73S 0253721.05E 335321.48S 0253721.71E 335315.53S 0253723.62E 335217.24S 0253750.41E 335214.41S 0253744.76E 335156.91S 0253752.83E 335148.31S 0253806.31E				

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 88 PORT ELIZABETH HARBOUR (PORT OF NGQURA PORTION)				
The area bounded by straight lines joining the following points consecutively: 334315.86S 0255112.50E 334351.45S 0255155.36E 340144.02S 0254305.08E 335147.99S 0253908.91E 335148.31S 0253806.31E 334926.18S 0253944.87E 334920.72S 0253935.75E 334859.44S 0253900.24E 334825.67S 0253914.05E 334810.29S 0253920.24E 334804.22S 0253922.82E 334801.13S 0253924.20E 334758.29S 0253925.59E 334756.81S 0253926.40E 334755.46S 0253927.47E 334754.30S 0253928.84E 334753.38S 0253930.44E 334752.74S 0253932.22E 334752.39S 0253934.12E 334752.36S 0253936.07E 334752.63S 0253937.98E 334753.01S 0253939.19E 334753.21S 0253939.80E 334754.90S 0253943.12E 334757.93S 0253947.88E 334756.39S 0253949.30E 334753.19S 0253944.27E 334751.94S 0253942.63E 334750.71S 334751.94S 0253942.63E 334750.71S 0253941.33E 334749.33S 0253940.32E 334747.80S 0253939.69E 334736.21S 0253936.86E 334734.85S 0253936.70E 334733.24S 0253936.90E 334731.70S 0253937.50E 334730.77S 0253938.25E 334729.77S 0253938.42E 334727.60S 0253939.62E 334722.54S 0253942.90E 334715.71S 0253948.02E 334713.86S 0253949.96E 334705.61S 0253954.72E 334703.75S 0253955.32E 334658.96S 0253956.85E 334655.16S 0253957.91E 334652.03S 0253958.96E 334648.60S 0254000.10E 334645.11S 0254001.06E 334641.53S 0254003.06E 334636.43S 0254004.66E 334636.74S 0254005.16E 334632.37S 0254005.77E 334630.94S 0254006.14E 334628.03S 0254007.45E 334625.31S 0254009.27E 334622.76S 0254011.41E 334620.44S 0254013.90E 334617.10S 0254019.24E 334612.88S 0254026.14E 334611.85S 0254027.82E 334606.97S 0254035.79E 334603.73S 0254040.21E 334601.22S 0254044.70E 334558.83S 0254049.27E 334556.18S 0254054.74E 334553.53S 0254059.54E 334547.77S 0254111.78E 334544.30S 0254119.14E 334538.87S 0254131.07E 334632.58S 0254252.95E 334709.77S 0254209.78E 334716.69S 0254216.85E 334315.86S 0255112.50E	500 FT ALT GND	Harbour Area	No ACFT shall fly over these harbour areas below an altitude of 500 FT, except whilst taking off or landing, or take-off and land therein, without prior authorisation	Port authority

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 105 JAN KEMPDORP DEMOLITION RANGE				
Circle: Radius 2.5 NM Centre: 280430S 0244300E	4000 FT AGL GND	Demolition range	No persons shall, without prior authority fly any ACFT into this area	Commanding Officer, 93 Ammunition Depot, Jan Kempdorp, or any person designated by him
FAR 144 CAPE OF GOOD HOPE NATURE RESERVE				
The area bounded by lines drawn as follows: From a point at 341200S 0182230E (Scarborough on the Atlantic coast) a straight line Eastwards to 341600S 0182820E (Smitswinkel Bay on the False Bay coast) Thence clockwise along the coastline to the starting point.	2000 FT ALT GND		No person shall fly any aircraft, other than an aircraft engaged in search and rescue operations under the directions of a Rescue Coordination Centre or a helicopter engaged on marine operations requiring to land to refuel, within this area.	Rescue Coordination Centre
FAR 147 OVERBERG (CP)				
The area bounded by lines drawn as follows, but excluding the Overberg TMA and CTR/ATZ: a) From a point at 341739.88S 0193147.56E a straight line to a point at 341718.44S 0200953.25E. b) Thence a straight line to a point at 341720.00S 0205900.00E c) Thence a straight line to a point at 341714.51S 0211925.47E d) Thence a straight line to a point at 341440.42S 0212447.60E e) Thence a straight line to a point at 341419.20S 0215029.73E f) Thence Anti-Clockwise along the arc of a circle radius 30NM and centred at 340026.66S 0222233.62E to a point at 342356.66S 0220000.00E g) Thence a straight line to a point at 350311.36S 0220000.00E h) Thence a straight line to a point at 351300.00S 0220000.00E i) Thence a straight line to a point at 351300.00S 0190400.00E j) Thence a straight line to a point at 344241.29S 0190400.00E	FL195 GND	Flight Test area	No person shall without prior authorisation fly any civil aircraft into this area;	Base command post.Chief Air Traffic Controller OVERBERG TEL: +2728 425 4081 After Hours: +2728 425 4182 ACFT to broadcast on FREQ 119.8 MHz whilst in FAR 147

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
k) Thence Anti-Clockwise along the arc of a circle radius 50NM and centred at 335810.82S 0183618.19E to a point at 343650.03S 0191440.96E l) Thence Anti-Clockwise along the arc of a circle radius 50NM and centred at 335810.82S 0183618.19E to a point at 342404.44S 0192753.82E m) Thence Anti-Clockwise along the arc of a circle radius 50NM and centred at 335810.82S 0183618.19E back to the starting point at 341739.88S 0193147.56E.				
FAR 148 ALKANTPAN TEST RANGE				
The area bounded by lines joining the following points consecutively: 300045S 0211724E 294659S 0211724E 294659S 0214308E 295324S 0221234E 295512S 0221638E 295753S 0221633E 295842S 0221439E 300320S 0215125E 300045S 0213649E 300045S 0211724E	FL195 GND		No aircraft may be operated within this airspace without the permission of the controlling authority.	Gerotek Toetsfasiliteite (Edms) Bpk Chief of Security TEL: +2753 355 5000 FAX: +2753 355 5001
FAR 149 VALS BAY				
The area bounded by lines drawn as follows:- excluding FAP 33 and FAR 39: (a) From a point at 340520S 0183330E a straight line to a point at 340600S 0182850E (b) Thence a straight line to a point at 340810S 0182600E (c) Thence a straight line to a point at 341100S 0182600E (d) Thence a straight line to a point at 341400S 0182830E (e) Thence a straight line to a point at 342000S 0183000E (f) Thence a straight line to a point at 342000S 0184930E (g) Thence a straight line to a point at 341800S 0184830E (h) Thence a straight line to a point at 341440S 0185120E (i) Thence a straight line to a point at 341120S 0184845E (j) Thence a straight line to a point at 340930S 0185200E (k) Thence a straight line to a point at 340530S 0184830E (l) Thence a straight line to a point at 340500S 0184650E (m) Thence clockwise along the arc of a circle, radius 11 NM and centre at 335810S 0183621E to a point 340909S 0183430E	2500 FT ALT MSL	Weapons Firing Range	No person shall without prior authorisation fly any aircraft into this area. No weapons firing of any description shall take place in this area unless authorisation is obtained from and continuous radio communication is maintained with Cape Town International Airport Air Traffic Control via Sector Control on frequency 132.7 MHz	Manager ATS Cape Town International Airport TEL: +2721 937 1116 FREQ: Cape Town APCH 119.7 MHz

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
(n) Thence a straight line to a point at 340520S 0183330E				
FAR 150 MOSSGAS				
Circle of 1 NM radius centred on 341010S 0215900E	1500 FT ALT GND	No person shall, without the prior authorisation fly any aircraft into this area.	Plant Protection Manager or the Security Manager TEL: +2744 490 2911 Fax: +2744 490 2904	Plant Protection Manager or the Security Manager MOSSGAS or any person designated by them.
FAR 151 VOORBAAI				
Area bounded by lines drawn as follows: a) From 340844.01S 0220610.84E a straight line to a point at 340844.01S 0220649.88E b) Thence a straight line to a point at 340900.23S 0220649.88E c) Thence a straight line to a point at 340900.23S 0220610.84E (d) Thence a straight line to the starting point at 340844.01S 0220610.84E	1000 FT ALT GND	No person shall, without prior authorisation fly any aircraft into this area.	PetroSA Tank Farm Complex, Mossel Bay Plant Protection Manager or the Security Manager PetroSA: TEL: +2744 601 2911 FAX: +2744 601 2390	Plant Protection Manager or the Security Manager PetroSA or any person designated by them.
FAR 171 WALLMANSTHAL WEAPONS RANGE				
The area bounded by straight lines joining the following points consecutively: 252200S 0281800E 253100S 0281740E 253100S 0282500E 252100S 0282200E 252200S 0281800E	FL140 GND	Military Firing Range	Restrictions: As in ENR 5-1 para 2 a and b	Officer Commanding SA Air Force Command Post TEL: +2712 312 2034/5 FAX: +2712 323 2796
FAR 172 HARTBEESHOEK COMMUNICATION STATION				
Circle radius 1 NM Centre: 2553S 02741E	1000 FT AGL GND		No person shall, without prior authorisation fly any aircraft into this area.	Postmaster General, Telecommuni-cations Division, PB x74, Pretoria, 0001
FAR 173 BOSKOP MUNITIONS FACTORY				
1.8 NM radius centered at 263400S 0270950E	7500 FT ALT GND	Ammunitions testing	Permission to enter restricted airspace should be directed to Head of Security on TEL: +2718 299 8500	NASCEM Division of Denel (Boskop Factory)

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAR 178 MESSINA WEAPONS RANGE				
The area bounded by lines drawn as follows: (a) From a point 221640S 0300455E South Eastwards along the Limpopo river to a point at 221835S 0300730E (b) Thence South Westward along the Sand river to a point at 222130S 0300558E (c) Thence a straight line to a point at 222030S 0300358E (d) Thence a straight line to a point at 221800S 0300420E (e) Thence a straight line to the starting point at 221640S 0300455E	1500 FT AGL GND	Military firing range	No person shall, without prior authorisation, fly any aircraft into this area.	Officer Commanding Far North Command or of any person designated by him. TEL: (01521) 3982 Telex: 28317
FAR 179 HOEDSPRUIT: NORTHERN RESTRICTED AREA				
Northern Restricted Area (a) From a point 232145S 0303420E a straight line to a point at 231910S 0305800E (b) Thence a straight line to a point at 232900S 0310200E (c) Thence a straight line to a point at 233630S 0310645E (d) Thence a straight line to 234030S 0310220E (e) Thence anticlockwise along the arc of a circle radius 15NM centred at 235402.73S 0310907.09E to 234900S 0305330E (f) Thence a straight line to 234320S 0303305E Excluding the Tzaneen Flying Training Area (FAD 170) (g) Thence to the starting point 232145S 0303420E	FL105 GND	SAAF Training Area	Restrictions: As in ENR 5-1 para 2 a and b	ATC Executive Lowveld Airspace Control Sector TEL: +2715 799 2251 Lowveld FIS: FREQ 119.0 MHz.
FAR 181 GRAVELOTTE: RESTRICTED AREA				
Lateral limits: (a) From a point at 234900S 0305030E a straight line to Rubbervale station 235500S 0303300E (b) Thence a straight line to 234320S 0303300E (c) Thence to the starting point 234900S 0305030E	FL140 GND	Military Firing Range SAAF Training Area	Restrictions: As in ENR 5-1 para 2 a and b	ATC Executive Lowveld Airspace Control Sector TEL: +2715 799 2251 Lowveld FIS: FREQ 119.0 MHz.

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
DANGER AREAS				
FAD 28 BLOEMFONTEIN MILITARY LOW FLYING AREA				
The area bounded by lines drawn as FLW: (a) From a point at 291000S 0263500E thence a straight line to a point at 291218S 0265024E. (b) Thence a straight line to a point at 291100S 0270000E. (c) Thence a straight line to a point at 292400S 0270000E. (d) Thence a straight line to Uysklip Station at 292307S 0263809E. (e) Thence a straight line to Dewetsdorp at 293207S 0263844E. (f) Thence a straight line to a point at 293434S 0264214E. (g) Thence a straight line to a point at 294104S 0265616E. (h) Thence a straight line to Jammersdrif at 294045S 0265718E. (i) Thence a straight line to a point at 300559S 0262911E. (j) Thence a straight line to a point at 293944S 0260904E. (k) Thence a straight line to a point at 293637S 0260812E. (l) Thence a straight line to a point at 293450S 0260825E. (m) Thence a straight line to a point at 292528E 0261225E. (n) Thence anti-clockwise along the arc of a circle, radius 20NM, centred at a point 290602,38S 0261802,31E to a point at 292525S 0262352E. (o) Thence a straight line to a point at 292011S 0262352E. (p) Thence anti-clockwise around the arc of a circle, radius 15NM, centred at a point 290602,38S 0261802,31E back to the starting point at 291000S 0263500E.	1000 FT AGL GND	SAAF Training Area	On request the Bloemfontein Flight Information Centre will inform pilots whether or not military flying is taking place in this area.	Chief ATC Bloemfontein Airport TEL: +2751 503 7201/6 FREQ: Bloemfontein APCH 124.3 MHz

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 29 BEAUFORT WEST GENERAL FLYING AREA				
The area bounded by lines drawn as follows: (a) From a point at 322000.00S 0220000.00E, thence a straight line to a point at 322437.09S 0222806.96E. (b) Thence a straight line to a point at 321946.52S 223530.92E. (c) Thence anti-clockwise along the arc of a circle, radius 4 NM, centred at 321812.00S 0223952.00E, to a point at 322141.89S 0224211.51E. (d) Thence a straight line to a point at 321932.82S 0224640.62E. (e) Thence anti-clockwise along the arc of a circle, radius 4 NM, centred at 321603.00S 0224421.00E to a point at 321354.73S 0224821.13E. (f) Thence a straight line to a point at 321600.00S 0231800.00E. (g) Thence a straight line to a point at 325400.00S 0230900.00E. (h) Thence a straight line to a point at 325400.00S 0220000.00E. (i) Thence a straight line back to the start point at 322000.00S 0220000.00E	8000 FT ALT GND		124.4 MHz	
FAD 46 LANGEBAANWEG MILITARY LOW FLYING AREA				
The area bounded by lines drawn as follows: (a) From Lamberts Bay a straight line to the Graafwater railway station (b) Thence along the railway line to the Het Kruis railway station. (c) Thence a straight line to the point 325400S 0183515E on the Groot Berg river (d) Thence Westwards along the river to the Langebaanweg CTR boundary. (e) Thence Northwards along the CTR boundary to the coast. (f) Thence along the coast to Lamberts Bay.	1500 FT AGL GND	SAAF Training Area		Chief ATC Air Force Base TEL: +2722 706 2259 FREQ: Langebaan APCH 122,5 MHz

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 55 MARGATE GENERAL FLYING AREA				
The area bounded by lines drawn as follows: (a) From a point at 310230.00S 0301030.00E, thence a straight line to a point 311400.00S 0300000.00E. (b) Thence a straight line to a point 310730.00S 0294500.00E. (c) Thence a straight line to a point 310300.00S 0293200.00E. (d) Thence a straight line to a point at 305300.00S 0293700.00E. (e) Thence a straight line to a point 304230.00S 0294800.00E. (f) Thence a straight line to a point 304700.00S 0295700.00E. (g) Thence a straight line to a point 305200.00S 0300600.00E. (h) Thence a straight line to a point 305600.00S 0300900.00E. (i) Thence a straight line back to the starting point at 310230.00S 0301030.00E.	8000 FT ALT GND Class G airspace		FREQ 124.4 MHz	
FAD 56 DURBAN/VIRGINIA GENERAL FLYING AREA				
(a) From the starting point at Umbumbulu, 295916.22S 0304213.31E (b) thence along a straight line to a point at Dududu 301131.67S 0303651.16E (c) thence a straight line to a point at Renishaw 301604.50S 0304518.63E (d) thence along the National Road, N2, to a point at Toti/Doonside 300409.45S 0305219.72E e) thence a straight line back to the starting point at Umbumbulu, 295916.22S 0304213.31E.	5000 FT ALT GND		FREQ 124.4 MHz	
FAD 57 NSHONGWENI MILITARY HELICOPTER FLYING TRAINING AREA				
Lateral limits -The area bounded by lines drawn as follows: 295320S 0304630E; 295600S 0304430E; 295530S 0304020E; 295400S 0303530E; 295000S 0303645E 295130S 0304010E; 295000S 0304230E; 295020S 0304500E; 295320S 0304630E	500 FT AGL GND			

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 58 DURBAN/VIRGINIA HELICOPTER GENERAL FLYING AREA				
The area bounded by lines drawn as follows: (a) From a point 292316.56S 0305948.93E, thence along the Mhlali River to a point 292428.78S 0310704.58E. (b) From the point 292428.78S 0310704.58E, thence anti-clockwise along the arc of a circle, radius 8NM, centered at the point 293059.50S 0311225.31E to a point 292607.62S 0310507.97E. (c) From the point 292607.62S 0310507.97E, thence a straight line to a point 293635.46S 0305600.71E, thence anti-clockwise along the arc of a circle, radius 8NM, centered at the point 294126.74S 0310319.28E to a point 293817.33S 0305452.95E. These consecutive three lines ensure a 2NM buffer along FALE CTR. (d) From the point 293817.33S 0305452.95E, thence a straight line to a point 294028.06S 0305325.92E, thence a straight line to a point 293651.90S 0304518.94E. (e) From the point 293651.9S 0304518.94E, thence along the Mqeku River to a point 293153.41S 0304448.31E, thence a straight line to the starting point 292316.56S 0305948.93E.	2500 FT ALT GND	Pilots are to exercise extra caution when operating in this airspace as certain areas of terrain exceed 3000FT ALT.	FREQ 124.4MHz	
FAD 59 PIETERMARITZBURG FLYING TRAINING AREA				
The area bounded by lines drawn as follows: (a) From a point 294953S 0302400E thence a straight line to a point at 300700S 0302100E (b) Thence a straight line to a point at 300800S 0300400E. (c) Thence a straight line to a point at 294511S 0301339E. (d) Thence a straight line back to the starting point at 294953S 0302400E.	6000 FT ALT GND			
FAD 60 NYLSTROOM FLYING TRAINING AREA				
The area bounded by lines drawn as follows: (a) From a point at 244641.69S 0282826.39E (N1 highway/R33 intersection) eastwards along the R33 road to a point at 245209.78S 0285057.92E (R33/R516 road intersection).	FL085 GND		FREQ: 131.1 MHz	

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
(b) Thence westwards along the R516 road to a point at 245507.61S 0282222.08E (R516/N1 highway intersection). (c) Thence northwards along the N1 highway to the starting point.				
FAD 69 STELLENBOSCH GENERAL FLYING AREA				
Area A: (a) From the starting point 334409.2775S 0185328.0833E thence along the R44 Road to a point 333433.7518S 0185835.4465E (b) From the point 333433.7518S 0185835.4465E, thence anticlockwise along the arc of a circle, radius 30NM, and centred at 335810.82S 0183618.19E to a point 332911.5572S 0184553.5309E (c) From the point 332911.5572S 0184553.5309E, thence a straight line to a point 333004.9026S 0184047.5822E (d) From a point 333004.9026S 0184047.5822E, thence southwards along the Kalbaskraal Road to a point 333809.4753S 0183734.3945E. (e) From the point 333809.4753S 0183734.3945E, thence clockwise along the arc of a circle, radius 20NM, and centred at 335810.82S 0183618.19E to the starting point 334409.2775S 0185328.0833E	4000FT ALT GND		FREQ 124.200 MHz	
Area B: (a) From the starting point 333433.7518S 0185835.4465E, thence northwards along the R44 Road to a point 331851.7212S 0190244.7000E. (b) From the point 331851.7212S 0190244.7000E, thence anticlockwise along the arc of a circle, radius 45NM, and centred at 335810.82S 0183618.19E to a point 331315.3336S 0184140.8041E. (c) From the point 331315.3336S 0184140.8041E, thence a straight line to a point 331839.2885S 0184119.4565E. (d) From the point 331839.2885S 0184119.4565E, thence southwards along the N7 Road to a point 332827.0968S 0184145.0407E. (e) From the point 332827.0968S 0184145.0407E, thence a straight line to the point 332911.5572S 0184553.5309E.	8000FT ALT GND		FREQ 124.200 MHz	

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
(f) From point 332911.5572S 0184553.5309E, thence clockwise along the arc of a circle, radius 30NM, and centred at 335810.82S 0183618.19E to the starting point 333433.7518S 0185835.4465E.				
FAD 70 MAGALIESBERG FLYING TRAINING AREA (EAST SECTOR)				
FAD 70 (East Sector) (a) From a point at 255630S 0272900E along a straight line to 254130S 0272900E (Marikana); (b) Then eastwards along the railway line to 254020S 0274030E (Wolhuterskop); (c) Then southwards along a straight line to 255100S 0274055E (Road); (d) Then south westwards along the road to 255640S 0273100E (Cross Roads); (e) Then westwards along the road to the starting point.	FL100 GND	Combined Civilian/ SAAF Flying Training Area	VHF Frequency: 124.8 MHz Call sign: Magaliesberg Flying Training Area-East	Chief ATC Air Force Base TEL:+2712 672 3251/3264 FREQ: 124.8 MHz.
NIL EMERG Training manoeuvres permitted BTN GND/1500FT AGL in the southern part of FAD70E REF Part 91.06.32(1)(B) MIN HGT is applicable WI FAD70. Area bounded by straight lines joining FLW points consecutively by coordinates: 255002S 0273430E, 254955S 0273540E, 254835S 0273555E, 254830S 0273600E, 254740S 0273850E, 254700S 0274000E, 255005S 0274055E, 255045S 0274000E, 255230S 0274100E, 255300S 0274020E, 255250S 0273940E, 255335S 0273930E, 255430S 0273900E and back to the start PSN 255002S 0273430E. GND - 1500FT AGL. EXC on weekdays BTN 0700-1400 and SAT and SUN BTN 0800-1200.				
FAD 70 MAGALIESBERG FLYING TRAINING AREA (WEST SECTOR)				
FAD 70 (West Sector) The area bounded by lines drawn as follows: (a) From a point at 255630S 0272900E north westwards along the road to 254800S 0271420E (Olifantsnekdam); (b) Then along the road northwards to 254020S 0271500E (Rustenburg Railway Station); (c) Then eastwards along the railway line to 254130S 0272900E (Marikana); (d) Then southwards along a straight line to the starting point.	FL100 GND	Combined Civilian/ SAAF Flying Training Area	VHF Frequency 124.8 MHz Call sign: Magaliesberg Flying Training Area-West	Chief ATC Air Force Base TEL:+2712 672 3251/3264 FREQ: 124.8 MHz.
FAD 71 HARTEBEESPOORT DANGER AREA				
2 NM radius centred at 254230S 0275300E	7600 FT ALT GND	Paragliding		
FAD 84 BETHAL EXPLOSIVES FACTORY				
Circle of 1.5 NM radius centred on the point S262730 E0293200	2000 FT AGL GND			
FAD 89 SADA MILITARY SHOOTING RANGE				
Circle: radius 3 NM centre 320810S 0264500E	3500 FT AGL GND	Small Arms Shooting Range		

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 106 BLOEMFONTEIN/ NEW TEMPE FLYING AREA				
(a) From a point at 285225.31S 0255954.52E a straight line to a point at (Dealesville) 284059.98S 0254600.00E (b) Thence a straight line to a point at 283907.05S 254725.75E (c) Thence eastwards along the ESKOM power lines to a point at 283107.73S 0260413.53E (d) Thence Southwards along the Bultfontein/Bloemfontein road to a point at 284831.42S 0260633.23E (e) Thence Westwards along the Modderriver to the starting point at 285225.31S 0255954.52E	6500 FT ALT GND			
FAD 107 BLOEMFONTEIN MILITARY FLYING AREAS				
FAD 107 Bloemfontein Military Helicopter Northern Flying Area -The area bounded by lines drawn as follows: (a) From a point at 290500S 0263200E, thence a straight line to a point at 290514S 0262857E. (b) Thence a straight line to a point at 290350S 0262757E. (c) Thence a straight line to a point at 290318S 0262713E. (d) Thence a straight line to a point at 290323S 0262351E. (e) Thence a straight line to a point at 285804S 0262351E. (f) Thence a straight line to a point at 285500S 0263100E. (g) Thence a straight line back to the starting point at 290500S 0263200E.	6000 FT ALT GND	SAAF Training Area		
FAD 107 BLOEMFONTEIN MILITARY FLYING AREAS				
Bloemfontein Military Helicopter Southern Flying Area -The area bounded by lines drawn as follows: (a) From a point at 291200S 0263100E a straight line to a point at 291600S 0263000E. (b) Thence a straight line to a point at 291446S 0262352E. (c) Thence a straight line to a point at 291059S 0262351E. (d) Thence a straight line back to the starting point at 291200S 0263100E.	6000 FT ALT GND	SAAF Training Area		

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 108 KIMBERLEY GENERAL FLYING TRAINING AREA				
Lateral limits -The area bounded by lines drawn as follows: (a) From the McFarlane railway station 283300S 0244615E westwards along the railway line to the Fieldsview railway station 283455S 0243950E (b) Thence Northwards along the railway line to the Vaalriver railway bridge 283115S 0243600E (c) Thence a straight line to a point at 283000S 0243300E on the tar road between Barkley-West and Windsorton. (d) Thence north and eastwards along this road to Windsorton Road railway station 282100S 0244930E (e) Thence Southwards along the railway line to the starting point at 283300S 0244615E	5000 FT ALT GND		This area is situated below the Kimberley TMA. The lower limit of the TMA is 5500 FT ALT. The TMA is declared Class C airspace. Aircraft wishing to operate above 5000 FT ALT whilst remaining within the lateral limits of the training area, must obtain a clearance to enter controlled airspace.	Kimberley Tower on 118.2 MHz.
FAD 110 WELKOM FLYING TRAINING AREA				
The area bounded by lines drawn as follows: (a) From Ganspan 275530S 0262700E a straight line to Wesselsbron 275100S 0262130E (b) Thence a straight line to a point at 275100S 0260000E (c) Thence a straight line to a point at 280230S 0261800E (d) Thence a straight line to the starting point at Ganspan 275530S 0262700E.	FL090 GND			
FAD 122 LOUIS TRICHARDT LOW-FLYING AREAS				
Area A: Lateral limits - The area bounded by the lines drawn as follows: (a) From a point at 230000S 0292245E a straight line to a point at 224939S 0292850E. (b) Thence along a straight line to a point at 224124.02S 0295240.95E. (c) Thence clockwise along the arc of a circle, radius 30NM centred at 230930.55S 0294111.18E to a point at 224842.42S 0300437.65E. (d) Thence a straight line to a point at 230000.000S 0300017.000E (e) Thence along a straight line back to the starting point at 230000S 0292245E.	8000 FT ALT GND	SAAF Training Area		

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
Area B: Lateral limits - The area bounded by the lines drawn as follows: (a) From a point at 224124.02S 0295240.95E a straight line to a point at 223000S 0302517E. (b) Thence along a straight line to a point at 224842.42S 0300437.65E. (c) Thence anti-clockwise along the arc of a circle, radius 30NM centred at 230930.55S 0294111.18E to the starting point at 224124.02S 0295240.95E.	FL105 GND	SAAF Training Area		
FAD 123 MAFIKENG GENERAL FLYING AREA				
Lateral limits - The area bounded by lines drawn as follows: (a) From a point 255932.72S 0253304.23E a straight line to a point at 263430.85S 0253628.66E. (b) Thence clockwise along the arc of a circle, radius 45 NM, centred on 254933.21S 0253206.19E to a point 254816.40S 0244215.66E on the international boundary between South Africa and Botswana. (c) Thence clockwise along the international boundary to a point at 254442.87S 0252226.64E (d) Thence anti-clockwise along the arc of a circle, radius 10NM centred on 254933.21S 0253206.19E to the starting point at 255932.72S 0253304.23E.	FL105 GND		FREQ: 124.4 MHz	
FAD 125 PHALABORWA FLYING TRAINING AREA				
Lateral limits -The area bounded by lines drawn as follows: 235515S 0310530E 235520S 0305420E 234835S 0310000E 234900S 0310415E 235515S 0310530E	6000 FT ALT GND except for that portion below the Hoedspruit TMA which will have an upper limit of 5000FT ALT			ATC Executive Lowveld Airspace Control Sector TEL: +2715 799 2251 Lowveld FIS:FREQ 119.0 MHz.
FAD 126 PILANESBERG GENERAL FLYING AREA				
Lateral limits -The area bound by the lines drawn as follows: (a) From a point at 252000S 0270000E a line skirting the Game Reserve then direct to a point at 250500S 0265530E (b) Thence along the road to a point at 251200S 0264800E (c) Thence along the Rustenburg road to the starting point.	8500 FT ALT GND			

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 127 PRETORIA FLYING TRAINING AREA I				
Lateral limits -The area bounded by lines drawn as follows: (a) From a point 253230S 0281630E on the Wonderboom CTR boundary. A straight line North to a position at 252330S 0281800E (b) Thence West and Southwards along the Bophuthatswana international boundary to Mabopane (c) Thence Southwards along the railway line to a point at 253430S 0280530E on the Johannesburg TMA boundary (d) Thence clockwise along the arc of a circle, radius 35 NM and centred on a point at 260831S 0281415E to a point at 2534S 02809E on the Wonderboom CTR boundary (e) Thence North and Eastwards along the Wonderboom CTR to the starting point at 253230S 0281630E	FL100 GND		Communication Frequency: 124.4 MHz	
FAD 128 PRETORIA FLYING TRAINING AREA II				
Lateral limits - The area bounded by lines drawn as follows: (a) From a point 253520S 0282630E on the Wonderboom CTR, clockwise along the arc of a circle radius 35 NM and centred on a point 260831S 0281415E to a point at 254820S 0284545E (b) Thence Northwards along the main road between Bronkhorstspruit and Groblersdal to a point at Verena position 252920S 0290145E (c) Thence a straight line to a point at Leeuwdraai at position 252045S 0283545E (d) Thence a straight line to a point at S252100 E0282500 (e) Thence a straight line to a point at 253100S 0282500E (f) Thence a straight line to a point at 253230S 0282200E on the Wonderboom CTR boundary (g) Thence clockwise along the Wonderboom CTR boundary to starting point at 253520S 0282630E	FL100 GND			
FAD 129 BRITS/GRAND CENTRAL FLYING TRAINING AREA				
The area bounded by lines drawn as follows: (a) From a point at 253920S 0280250E (Cross Roads) northwards along a straight line to 252745S 0280000E (Klipgat); (b) Then westwards along a straight line to 252900S 0274920E (Cross Roads);	7500 FT ALT GND		VHF Frequency: 124.8 MHz. Call sign: Brits/ Grand Central Flying Training Area	

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
(c) Then southwards along a straight line to 253930S 0275630E (Road); (d) Then eastward along the road to the starting point at 253920S 0280250E.				
FAD 143 WEST CAPE FLEET TRAINING AREA				
(a) The area bounded by lines drawn as follows: (b) From a point at 343700S 0191500E clockwise along the arc of a circle, radius 50 NM, and centre at 335810S 0183621E, to a point at 342000S 0174230E (c) Thence a straight line to a point at 342000S 0184700E (d) Thence a straight line to a point at 342600S 0184900E (e) Thence a straight line to a point at 343700S 0191500E	FL 195 GND			
FAD 153 CAPE TOWN MARITIME FLYING TRAINING AREA				
Lateral limits -The area bounded by lines drawn as follows: (a) From a point 333400S 0181830E a straight line to a point 334759S 0182154E. (b) Thence a straight line to a point 335540S 0180000E. (c) Thence a straight line to a point 332700S 0180000E. (d) Thence back to the starting point 333400S 0181830E.	2000 FT ALT MSL			
FAD 157 WORCESTER/ROBERTSON GENERAL FLYING AREA				
Lateral limits - The area bounded by lines drawn as follows: (a) From Worcester along the railway line to Robertson; (b) Thence along the road to McGregor. (c) Thence a straight line to Genadendal; (d) Thence a straight line to Worcester.	FL070 GND			
FAD 159 YSTERPLAAT MILITARY HELICOPTER MOUNTAIN FLYING AREA				
Lateral limits -The area bounded by lines drawn as follows: 334000S 0190000E 334000S 0191500E 335200S 0191500E 335200S 0190000E 334000S 0190000E	1000 FT AGL GND			

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 170 TZANEEN FLYING TRAINING AREA				
(a) From a point at 234300S 0301400E, NE to a point at 233500S 0302700E (b) Thence SE along the Merekome river to the Letaba river to a point at 233800S 0303700E (c) Thence SW along the Letaba river to the Mwanedzi river to a point at 234500S 0302800E (d) Thence a straight line Westward to the starting point.	FL090 GND			
FAD 182 JOHANNESBURG FLYING TRAINING AREA				
(a) From a point at 261800S 0274850E along the railway line to a point at 262600S 0275150E (b) Thence South Westwards along the road to a point at 263710S 0274650E (c) Thence Westwards along the road to a point at 263740S 0273030E (d) Thence Northwards along the road, via Fochville to a point at 262630S 0272900E (e) Thence North-Eastwards along the road to the starting point at 261800S 0274850E	FL100 GND		Excluding the area under the Johannesburg TMA where the upper limit of FAD 182 will be 7600FT ALT. Communication FREQ: 122.35MHz	
FAD 183 JOHANNESBURG HELICOPTER GENERAL FLYING AREA				
Lateral limits -The area bounded by lines drawn as follows: (a) From the road intersection at a point at 261900S 0280350E, Westwards along the road to a point at 261930S 0280000E (b) Thence a straight line to a point at 262800S 0280000E (c) Thence along the road in a South-Easterly direction to a point at 262920S 0280330E (d) Thence Northwards along the R26 to a point at 262100S 0280600E (e) Thence North-Westwards along the road to the road to the starting point at 261900S 0280350E.	6500FT ALT GND		FREQ: 124.4MHz	

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 184 SYFERFONTEIN AEROBATIC AREA				
Circle: 0.6 NM Radius Centre: 262047S 0274631E	FL090 GND	Aerobatic area	Communication FREQ 122.35 MHz callsign RABBIT. Area available on SAT & SUN from SR-SS, WED and Public HOL from 0800-SS. All days require prior liaison with JHB Radar at TEL +2711 928 6448/9 or before entering the area on FREQ 124.5 MHz or 123.7 MHz. As part of this area falls in the JHB Special Rules Area users must also listen out & report on FREQ 125.6 MHz	
FAD 185 EAST RAND FLYING TRAINING AREA				
(a) From Nigel along the road R42 to the intersection with road R29 (b) Thence along the R29 to Devon (c) Thence Westwards along the road to the starting point at Nigel.	7600FT ALT GND	Flying Training Area	Communication FREQ: 124.4 MHz.	
FAD 192 PORT ALFRED FLYING TRAINING AREA				
Lateral limits - The area bounded by lines drawn as follows: (a) From a point at 333525.00S 0271249.00E along a straight line to the Fish River Mouth. (b) Thence northwards along the Fish River to where it passes under the N2 highway (331500.00S 0265930.00E) (c) Thence westwards along the N2 highway to the junction of the N2 highway and the Grahamstown / Kenton-on-Sea road (via Salem) (332300.00S 0262800.00E). (d) Thence along the Kenton-on-Sea road through Kenton-on-Sea to a point at 334725.00S 0264339.00E. (e) Thence a straight line back to the starting point at 333525.00S 0271249.00E.	FL085 GND Class 'G' airspace			

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 193 PORT ELIZABETH AND UITENHAGE CIVIL GENERAL FLYING AREA				
Lateral limits -The area bounded by lines drawn as follows: a) From a point at 334656.07S 0252251.00E in a straight line to Glensomer. (b) Thence along the crest of the Groot Winterberg mountain range to Groot Cockcomb (333416.57S 0244704.47E). (c) Thence a straight line to Patensie. (d) Thence a straight line to Sunnyside railway station. (e) Thence a straight line to Witteklip (335410.57S 0251525.65E). (f) Thence along the R334 back to the starting point at 334656.07S 0252251.00E.	FL060 GND Class 'G' airspace		FREQ: 124.2 MHz	
FAD 194 OUDTSHOORN GENERAL FLYING AREA				
AREA A The area bounded by lines joining the following points: (a) From a point at 332733S 0213622E a straight line to a point at 332655S 0220032E. (b) Thence a straight line to a point at 333611.58S 0220501.00E (c) Thence anti-clockwise along the arc of a circle 5NM centered at 333600S 0221100E to a point at 333959.85S 0220723.33E (d) Thence a straight line to a point at 333950.16S 0213901.90E (e) Thence a straight line back to the starting point at 332733S 0213622E	8000FT ALT GND		122.35MHz	
AREA B (a) From a point at 333950.16S 0213901.90E a straight line to a point at 333959.85S 0220723.33E (b) Thence anti-clockwise along the arc of a circle 24NM centered at 340026.66S 0222233.62E to a point at 335117.82S 0215552.65E (c) Thence a straight line to a point at 334554.95S 0214021.33E (d) Thence a straight line back to the starting point at 333950.16S 0213901.90E	8000FT ALT GND		122.35MHz	

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 195 OUDTSHOORN GENERAL FLYING AREA				
AREA A (a) From a point at 332741S 0221507E a straight line to a point at 333202.21S 0221439.96E (b) Thence clockwise along the arc of a circle 5NM centered at 333600S 0221100E to a point at 333651.88S 0221653.89E (c) Thence clockwise along the arc of a circle 24NM centered at 340026.66S 0222233.62E to a point at 333838.29S 0223442.42E (d) Thence a straight line to a point at 333703.29S 0231537.69E (e) Thence anti-clockwise along the arc of a circle 50NM centered at 340026.66S 0222233.62E to a point at 332447.04S 0230439.60E (f) Thence a straight line to a point at 332522.58S 0222200.16E (g) Thence a straight line back to the starting point at 332741S 0221507E	8000FT ALT GND		122.35MHz	
AREA B (a) From a point at 333838.29S 0223442.42E a straight line to a point at 333703.29S 0231537.69E (b) Thence clockwise along the arc of a circle 50NM centered at 340026.66S 0222233.62E to a point at 334406.64S 0231919.78E (c) Thence a straight line to a point at 335239.43S 0224951.42E (d) Thence anti-clockwise along the arc of a circle 24NM centered at 340026.66S 0222233.62E back to the starting point 333838.29S 0223442.42E	8000FT ALT GND		122.35MHz	

Identification and Name *Lateral Limits*	*Upper Limit* *Lower Limit*	*Type of hazard or Restriction*	*Remarks*	*Controlling authority*
FAD 200 CAPE TOWN FLYING TRAINING AREA				
The area bounded by lines joining the following points: **Area A:** (a) From a point 333936.716S 0182714.027E (on the R27 road) southwards along the R27 road to a point 334338.590S 0182714.022E (R27/M19 road intersection). (b) Thence eastwards along the M19 road to a point 334333.037S 0183235.289E (M19/N7 intersection). (c) Thence a straight line to a point at 334332.995S 0183410.415E on the Kalbaskraal road. (d) Thence northwards along the Kalbaskraal road to point at 333809.477S 0183734.397E (e) Thence anti-clockwise along a circle, radius 20 NM, centered at 335810.82S 0183618.19E to the starting point.	2000FT ALT GND		124.4 MHz	
The area bounded by lines joining the following points: **Area B:** (a) From a point 333936.716S 0182714.027E (on the R27 road) northwards along the R27 road to a point 333322.571S 0182226.828E. (b) Thence a straight line to a point 333004.895S 0184047.586E on the Malmesbury/Kalbaskraal road. (c) Thence southwards along the Kalbaskraal road to a point 333809.477S 0183734.397E. (d) Thence anti-clockwise along a circle, radius 20 NM, centered at 335810.82S 0183618.19E to the starting point.	4000FT ALT GND		124.4 MHz	
FAD 201 NEW CASTLE GENERAL FLYING AREA				
The area bounded by lines drawn as follows: (a) From a point at 273955S 0301743E, thence a straight line to a point at 280023S 0300304E. (b) Thence a straight line to a point at 281314S 0304013E. (c) Thence a straight line to a point at 275848S 0304350E. (d) Thence a straight line back to the starting point at 273955S 0301743E.	9000FT AMSL GND			