

Bandit Overthewire

- ✓ **Level (0):**
ssh -p 2220 bandit0@bandit.labs.overthewire.org
Password- bandit0
- ✓ **Level (0-1):**
ssh -p 2220 bandit0@bandit.labs.overthewire.org
Command- #cat readme
Password- boJ9jbbUNNfktD78OOpsqOltutMc3MY1
- ✓ **Level (1-2):**
ssh -p 2220 bandit1@bandit.labs.overthewire.org
Command- #cat ./-
Password- CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9
- ✓ **Level (2-3):**
ssh -p 2220 bandit2@bandit.labs.overthewire.org
Command - #cat spaces\ in\ this\ filename
Password- UmHadQclWmgdLOKQ3YNgjWxGoRMb5luK
- ✓ **Level (3-4):**
ssh -p 2220 bandit3@bandit.labs.overthewire.org
Command-
#cd inhere
#ls -a
#cat .hidden
Password- plwrPrtPN36QITSp3EQaw936yaFoFgAB
- ✓ **Level (4-5):**
ssh -p 2220 bandit4@bandit.labs.overthewire.org
Command –
#find inhere -type f | xargs file | grep text
#cat inhere/-file07
Password- koReBOKuIDDepwhWk7jZCORTdopnAYKh
- ✓ **Level (5-6):**
ssh -p 2220 bandit5@bandit.labs.overthewire.org
Command –
#find . -size 1033c
#cat ./inhere/maybeh ere07/.file2
Password- DXjZPULLxYr17uwoI01bNLQbtFemEgo7

- ✓ **Level (6-7):**
ssh -p 2220 bandit6@bandit.labs.overthewire.org
Command –
#cd /
#find . -user bandit7 -group bandit6
#cat /var/lib/dpkg/info/bandit7.password
Password- HKBPTKQnlay4Fw76bEy8PVxKEDQRKTzs
- ✓ **Level (7-8):**
ssh -p 2220 bandit7@bandit.labs.overthewire.org
Command - #cat data.txt | grep millionth
Password- cvX2JJJa4CFAltqS87jk27qwqGhBM9pIV
- ✓ **Level (8-9):**
ssh -p 2220 bandit8@bandit.labs.overthewire.org
Command - #cat data.txt | sort | uniq -u
Password- UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUHR
- ✓ **Level (9-10):**
ssh -p 2220 bandit9@bandit.labs.overthewire.org
Command - #strings data.txt | grep =
Password- truKLdjsbJ5g7yyJ2X2R0o3a5HqJFuLk
- ✓ **Level (10-11):**
ssh -p 2220 bandit10@bandit.labs.overthewire.org
Command - #echo
"VGhllHBhc3N3b3JkIGlzIEIGdWt3S0dzRlc4TU9xM0ISRnFyeEUxaHhUTkViVVBSCg=="
| base64 -d
Password- IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR
- ✓ **Level (11-12):**
ssh -p 2220 bandit11@bandit.labs.overthewire.org
Command - #echo 'Gur cnffjbeq vf 5Gr8L4qetPEsPk8htqjhRK8XSP6x2RHH' | tr 'A-Za-z' 'N-ZA-Mn-za-m'
Password- 5Te8Y4drgCRfCx8ugdwuEX8KFC6k2EUu
- ✓ **Level (12-13):**
ssh -p 2220 bandit12@bandit.labs.overthewire.org
Command –
#mkdir /tmp/hex
#cd /tmp/hex
#cp data.txt /tmp/hex
#xxd -r data.txt hexdump.bin
#file hexdump.bin
#zcat hexdump.bin | bzip2 -d | tar xO | tar xO | bzip2 -d | tar xO | zcat | file -
#zcat hexdump.bin | bzip2 -d | tar xO | tar xO | bzip2 -d | tar xO | zcat
Password- 8ZjyCRiBWFYkneahHwxCv3wb2a1ORpYL

- ✓ **Level (13-14):**
ssh -p 2220 bandit13@bandit.labs.overthewire.org
Command - #ssh -i sshkey.private bandit14@localhost
Password- 4wcYUJFw0k0XLShlDzztnTBHlqxU3b3e(cat /etc/bandit_pass/bandit14 after logging in bandit 14 you can see the password)
- ✓ **Level (14-15):**
ssh -p 2220 bandit14@bandit.labs.overthewire.org
Command - #echo 4wcYUJFw0k0XLShlDzztnTBHlqxU3b3e | nc localhost 30000
Password- BfMYroe26WYalil77FoDi9qh59eK5xNr
- ✓ **Level (15-16):**
ssh -p 2220 bandit15@bandit.labs.overthewire.org
Command - #openssl s_client -quiet -connect localhost:30001
Password- cluFn7wTiGryunymYOu4RcffSxQluehd
- ✓ **Level (16-17):**
ssh -p 2220 bandit16@bandit.labs.overthewire.org
Command -
#echo cluFn7wTiGryunymYOu4RcffSxQluehd | openssl s_client -quiet -connect
#localhost:31790
#mkdir /tmp/dinesh
#cd /tmp/dinesh
#nano ssh.private
#chmod 400 ssh.private
#ssh -i ssh.privatekey bandit17@localhost
Password- xLYVMN9WE5zQ5vHacb0sZEVqbrp7nBTn
- ✓ **Level (17-18):**
ssh -p 2220 bandit17@bandit.labs.overthewire.org
Command -
#diff password.new password.old
#grep -vf passwords.old passwords.new
Password- kfBf3eYk5BPBRzwjqtbbfE887SVc5Yd
- ✓ **Level (18-19):**
ssh -p 2220 bandit18@bandit.labs.overthewire.org
Command - #ssh -t bandit18@bandit.labs.overthewire.org /bin/sh
Password- lueksS7Ubh8G3DCwVzrTd8rAVOwq3M5x
- ✓ **Level (19-20):**
ssh -p 2220 bandit19@bandit.labs.overthewire.org
Command - # ./bandit20-do cat /etc/bandit_pass/bandit20
Password- GbKksEFF4yrVs6il55v6gwY5aVje5f0j

✓ **Level (20-21):**

ssh -p 2220 bandit20@bandit.labs.overthewire.org

Command - #echo "GbKksEFF4yrVs6il55v6gwY5aVje5f0j" | nc -lvp 1212(open another bandit terminal and give command **#!/suconnect 1212**)

Password- gE269g2h3mw3pwgrj0Ha9Uoqen1c9DGr

✓ **Level (21-22):**

ssh -p 2220 bandit21@bandit.labs.overthewire.org

Command - #cat /usr/bin/cronjob_bandit22.sh

#cat /tmp/t7O6lds9S0RqQh9aMcz6ShpAoZKF7fgv

Password- Yk7owGAcWjwMVRwrTesJEwB7WVOiILLI

✓ **Level (22-23):**

ssh -p 2220 bandit22@bandit.labs.overthewire.org

Command -

#echo I am user bandit23 | md5sum

#cat /tmp/8ca319486bfbbc3663ea0fbe81326349

Password- jc1udXuA1tiHqjlsL8yaapX5XIAI6i0n

✓ **Level (23-24):**

ssh -p 2220 bandit23@bandit.labs.overthewire.org

Command -

#echo I am user bandit24 | md5sum

#cat /tmp/ee4ee1703b083edac9f8183e4ae70293

Password- UoMYTrfrBFHyQXmg6gzctqAwOmw1IohZ

✓ **Level (24-25):**

ssh -p 2220 bandit24@bandit.labs.overthewire.org

Command -

#Mkdir /tmp/linux

#Cd /tmp/linux

#Cp data.txt /tmp/linux

#nano script.sh

#!/bin/bash

for i in {0000..9999}

do

echo "UoMYTrfrBFHyQXmg6gzctqAwOmw1IohZ \$i" | netcat localhost 30002 >>

/tmp/linux/secret

done

chmod +x script.sh

./script.sh

#Cat secret | nc localhost 30002 | grep pass

Password - uNG9O58gUE7snukf3bvZ0rxhtnjzSGzG

- ✓ **Level (25-26):**
ssh -p 2220 bandit25@bandit.labs.overthewire.org
Command - #ssh -i bandit26.sshkey bandit26@localhost :e
/etc/bandit_pass/bandit26
Password - 5czgV9L3Xx8JPOyRbXh6lQbmIOWvPT6Z
- ✓ **Level (26-27):**
ssh -p 2220 bandit26@bandit.labs.overthewire.org
Command -
:set shell=/bin/bash
:shell
ls
./bandit27-do cat /etc/bandit_pass/bandit27
Password- 3ba3118a22e93127a4ed485be72ef5ea
- ✓ **Level (27-28):**
ssh -p 2220 bandit27@bandit.labs.overthewire.org
Command -
#Mkdir /tmp/dinesh
#Cd /tmp/dinesh
#git clone ssh://bandit27-git@localhost/home/bandit27-git/repo
#cd repo
#ls
#cat README
Password- 0ef186ac70e04ea33b4c1853d2526fa2
- ✓ **Level (28-29):**
ssh -p 2220 bandit28@bandit.labs.overthewire.org
Command -
#Mkdir /tmp/dinesh
#Cd /tmp/dinesh
#git clone ssh://bandit27-git@localhost/home/bandit27-git/repo
#git diff 186a1038cc54d1358d42d468cdc8e3cc28a93fcb
b67405defc6ef44210c53345fc953e6a21338cc7
Password-bbc96594b4e001778eee9975372716b2
- ✓ **Level (29-30):**
ssh -p 2220 bandit29@bandit.labs.overthewire.org
Command -
#git checkout dev
#ls
#cat README.md
password: 5b90576bedb2cc04c86a9e924ce42faf
- ✓ **Level (30-31):** ssh -p 2220 bandit30@bandit.labs.overthewire.org
Command -tmp/tm/repo/.git/refs/tags\$ git show secret
Password: 47e603bb428404d265f59c42920d81e5