1 m 19 s

Collapse | Expand

testCreateAccount	passed	4.64 s
testSearchAccounts	passed	1.41 s
testIntentAccountCreation	passed	433 ms
testChangeParentAccount	passed	3.12 s
shouldShowWizardOnFirstRun	passed	605 ms
testDeleteAccountWithSubaccounts	passed	2.28 s
testEditAccount	passed	3.89 s
testDeleteAccountMovingSubaccounts	passed	1.78 s
editingAccountShouldNotDeleteTransactions	passed	1.51 s
shouldHideParentAccountViewWhenNoParentsExist	error	2.51 s

android.support.test.espresso.NoMatchingViewException: No views in hierarchy found matching: with id: org.gnucash.android:id/checkbox\_parent\_account

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following AdapterViews:android.support.v7.widget.AppCompatSpinner{47f3997 VFED..CL. ....... 216,47-779,120 #7f090209 app:id/toolbar spinner}

#### View Hierarchy:


+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1 fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}

+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focused=false, is-focused=false, is-focused=false, is-focused=false, is-selected=false, layout-params=android.widget.FrameLayout\$LayoutParams@ce05036, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}

+-->ViewStub{id=16908678, res-name=action\_mode\_bar\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-params=android.widget.LinearLayout\$LayoutParams@3b6cb37, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0}

+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params@a4978a4, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=72.0, child-count=1}

1 m 19 s




1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s

```
params=android.support.v7.widget.LinearLayoutCompat$LayoutParams@54b0632, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
+--->ViewStubCompat{id=2131296284, res-name=action mode bar stub, visibility=GONE, width=0,
height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@9810f83, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080,
height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@ffb500, tag=null, root-is-layout-requested=false,
has-input-connection=false, x=0.0, y=1776.0}
+->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=72,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@4064139, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1536)
android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.je
at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52)
android.support.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java
at android.support.test.espresso.ViewInteraction.check(ViewInteraction.java:291)
at
org.gnucash.android.test.ui.AccountsActivityTest.shouldHideParentAccountViewWhenNoParentsExist(A
at java.lang.reflect.Method.invoke(Native Method)
at org.junit.runners.model.FrameworkMethod$1.runReflectiveCall(FrameworkMethod.java:50)
at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12)
at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:47)
at org.junit.internal.runners.statements.lnvokeMethod.evaluate(InvokeMethod.java:17)
at android.support.test.internal.runner.junit4.statement.RunBefores.evaluate(RunBefores.java:80)
at android.support.test.internal.runner.junit4.statement.RunAfters.evaluate(RunAfters.java:61)
at
android.support.test.rule.GrantPermissionRule$RequestPermissionStatement.evaluate(GrantPermission
at android.support.test.rule.ActivityTestRule$ActivityStatement.evaluate(ActivityTestRule.java:433)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:325)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
```

1 m 19 s

at org.junit.runners.Suite.runChild(Suite.java:128)
at org.junit.runners.Suite.runChild(Suite.java:27)
at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
at org.junit.runner.JUnitCore.run(JUnitCore.java:115)
at android.support.test.internal.runner.TestExecutor.execute(TestExecutor.java:58)
at android.support.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:369)

at android.app.Instrumentation\$InstrumentationThread.run(Instrumentation.java:2074)

should\_IncludeFutureTransactionsInAccountBalance

passed 400 ms

### org.gnucash.android.test.ui.CalculatorEditTextTest

692 ms

### test Showing Hiding Of Calculator Keyboard

error 692 ms

android.support.test.espresso.NoMatchingViewException: No views in hierarchy found matching: with id: org.gnucash.android:id/input\_transaction\_amount

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following AdapterViews:android.support.v7.widget.AppCompatSpinner{9e761a9 VFED..CL. ........ 216,47-816,120 #7f090209 app:id/toolbar\_spinner}

#### View Hierarchy:

+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1 fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}

+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.FrameLayout\$LayoutParams@6928638, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}

+-->ViewStub{id=16908678, res-name=action\_mode\_bar\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-params=android.widget.LinearLayout\$LayoutParams@8986611, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0}

+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-

1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s

```
+----->ViewStub{id=2131296404, res-name=design_menu_item_action_area_stub, visibility=GONE,
width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.support.v7.widget.LinearLayoutCompat$LayoutParams@a8e9a7d, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
+--->ViewStubCompat{id=2131296284, res-name=action mode bar stub, visibility=GONE, width=0,
height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@b780d72, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080,
height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@e62a5c3, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=1776.0}
+->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=72,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@6542e40, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1536)
android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.ja
at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52)
android.support.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java
at android.support.test.espresso.ViewInteraction.desugaredPerform(ViewInteraction.java:167)
at android.support.test.espresso.ViewInteraction.perform(ViewInteraction.java:110)
org.gnucash.android.test.ui.CalculatorEditTextTest.testShowingHidingOfCalculatorKeyboard(CalculatorE
at java.lang.reflect.Method.invoke(Native Method)
at org.junit.runners.model.FrameworkMethod$1.runReflectiveCall(FrameworkMethod.java:50)
at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12)
at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:47)
at org.junit.internal.runners.statements.InvokeMethod.evaluate(InvokeMethod.java:17)
at android.support.test.internal.runner.junit4.statement.RunBefores.evaluate(RunBefores.java:80)
at android.support.test.internal.runner.junit4.statement.RunAfters.evaluate(RunAfters.java:61)
android.support.test.rule.GrantPermissionRule$RequestPermissionStatement.evaluate(GrantPermission
at android.support.test.rule.ActivityTestRule$ActivityStatement.evaluate(ActivityTestRule.java:433)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
```

1 m 19 s

Collapse | Expand

at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.gnucash.android.test.ui.util.DisableAnimationsRule\$1.evaluate(DisableAnimationsRule.java:48) at org.junit.rules.RunRules.evaluate(RunRules.java:20) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.junit.runners.Suite.runChild(Suite.java:128) at org.junit.runners.Suite.runChild(Suite.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at android.support.test.internal.runner.TestExecutor.execute(TestExecutor.java:58) at android.support.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:369) at android.app.Instrumentation\$InstrumentationThread.run(Instrumentation.java:2074) org.gnucash.android.test.ui.ExportTransactionsTest 2.67 s testCreateBackup 2.67 s passed org.gnucash. and roid. test. ui. First Run Wizard Activity Test6.93 sshouldRunWizardToEnd 3.53 spassed shouldDisplayFullCurrencyList 3.40 spassed org.gnucash.android.test.ui.MultiBookTest 8.70 screatingNewAccounts\_shouldCreatedNewBook passed 5.18 stestCreateNewBook 2.10 spassed shouldOpenBookManager passed 1.41 s org.gnucash.android.test.ui.OwnCloudExportTest 11.64 s **OwnCloudCredentials** passed 11.64 s org.gnucash.android.test.ui.PieChartReportTest 6.31 s testSelectingValue passed 1.19 s testNoData 1.14 s passed 3.98 stestSpinner passed

1 m 19 s

```
....... 216,47-816,120 #7f090209 app:id/toolbar spinner}
View Hierarchy:
+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true,
has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-
layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1
fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}
+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@63e0e48, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
+-->ViewStub{id=16908678, res-name=action_mode_bar_stub, visibility=GONE, width=0, height=0,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.LinearLayout$LayoutParams@47634e1, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.LinearLayout$LayoutParams@1774206, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=72.0, child-count=1}
+--->FitWindowsFrameLayout{id=2131296273, res-name=action bar root, visibility=VISIBLE,
width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-
clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-
selected=false, layout-params=android.widget.FrameLayout$LayoutParams@f49c6f4, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
+--->ContentFrameLayout{id=16908290, res-name=content, visibility=VISIBLE, width=1080,
height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@1c03e1d, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=1}
+---->DrawerLayout{id=2131296410, res-name=drawer_layout, visibility=VISIBLE, width=1080,
height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@9357892, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
+----->CoordinatorLayout{id=2131296372, res-name=coordinatorLayout, visibility=VISIBLE,
```

1 m 19 s




1 m 19 s




1 m 19 s

Collapse | Expand target=false, has-links=false} +---->ViewPager{id=2131296632, res-name=pager, visibility=VISIBLE, width=1080, height=1392, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, isfocused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.design.widget.CoordinatorLayout\$LayoutParams@c389c45, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=312.0, child-count=2} +---->RelativeLayout{id=2131296459, res-name=fragment transaction list, visibility=VISIBLE, width=1080, height=1392, has-focus=true, has-focusable=true, has-window-focus=true, isclickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, isselected=false, layout-params=android.support.v4.view.ViewPager\$LayoutParams@2bfb0cb, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} +----->EmptyRecyclerView{id=2131296787, res-name=transaction\_recycler\_view, visibility=VISIBLE, width=1080, height=1392, has-focus=true, has-focusable=true, has-window-focus=true, isclickable=false, is-enabled=true, is-focused=true, is-focusable=true, is-layout-requested=false, isselected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@b7e50a8, tag=null, rootis-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=1} ----->CardView{id=-1, visibility=VISIBLE, width=1050, height=265, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@b4bb7c1, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=15.0, y=0.0, child-count=1} +---->RelativeLayout{id=-1, visibility=VISIBLE, width=1038, height=247, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@1803b66, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=6.0, y=9.0, child-count=5} height=130, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.RelativeLayout\$LayoutParams@c968ea7, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=30.0, y=18.0, child-count=2} width=130, height=73, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@7bbcf54, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, text=Pizza, input-type=0, ime-target=false, has-links=false} +----->AppCompatTextView{id=2131296694, res-name=secondary text, visibility=VISIBLE,

1 m 19 s




1 m 19 s



1 m 19 s

Collapse | Expand



+----->NavigationMenuItemView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false,

1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s

Collapse | Expand has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, isfocused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@8df8d81, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0} at dalvik.system.VMStack.getThreadStackTrace(Native Method) at java.lang.Thread.getStackTrace(Thread.java:1536) at android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.ja at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52) at android.support.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java at android.support.test.espresso.ViewInteraction.check(ViewInteraction.java:291) org.gnucash.android.test.ui.TransactionsActivityTest.testAddTransactionShouldRequireAmount(Tr at java.lang.reflect.Method.invoke(Native Method) at org.junit.runners.model.FrameworkMethod\$1.runReflectiveCall(FrameworkMethod.java:50) at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12) at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:47) at org.junit.internal.runners.statements.InvokeMethod.evaluate(InvokeMethod.java:17) at android.support.test.internal.runner.junit4.statement.RunBefores.evaluate(RunBefores.java:80) at android.support.test.internal.runner.junit4.statement.RunAfters.evaluate(RunAfters.java:61) android.support.test.rule.GrantPermissionRule\$RequestPermissionStatement.evaluate(GrantPermission at android.support.test.rule.ActivityTestRule\$ActivityStatement.evaluate(ActivityTestRule.java:433) at org.junit.rules.RunRules.evaluate(RunRules.java:20) at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:325) at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78) at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.gnucash.android.test.ui.util.DisableAnimationsRule\$1.evaluate(DisableAnimationsRule.java:48) at org.junit.rules.RunRules.evaluate(RunRules.java:20) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.junit.runners.Suite.runChild(Suite.java:128) at org.junit.runners.Suite.runChild(Suite.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268)

at org.junit.runners.ParentRunner.run(ParentRunner.java:363)

1 m 19 s

Collapse | Expand

error 769 ms

### $opening And Saving Multi Currency Transaction\_should Not Modify The Splits$

android.support.test.espresso.NoMatchingViewException: No views in hierarchy found matching: with id: org.gnucash.android:id/input transaction name

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following AdapterViews:android.support.v7.widget.AppCompatSpinner{a677d6b VFED..CL. ........ 216,47-816,120 #7f090209 app:id/toolbar\_spinner}

#### View Hierarchy:

```
+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1 fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}
```

+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.FrameLayout\$LayoutParams@e7fac00, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}

+-->ViewStub{id=16908678, res-name=action\_mode\_bar\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-params=android.widget.LinearLayout\$LayoutParams@ac46c39, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0}

+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focused=false, is-focused=false, is-focused=false, is-selected=false, layout-params=android.widget.LinearLayout\$LayoutParams@bb1a27e, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=72.0, child-count=1}

+--->FitWindowsFrameLayout{id=2131296273, res-name=action\_bar\_root, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.FrameLayout\$LayoutParams@b33882c, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}

+---->ContentFrameLayout{id=16908290, res-name=content, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.FrameLayout\$LayoutParams@67692f5, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=1}

1 m 19 s



1 m 19 s

Collapse | Expand

visibility=VISIBLE, width=144, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.ActionMenuView\$LayoutParams@bbd5a9, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=12.0, text=, input-type=0, ime-target=false, haslinks=false} +---->OverflowMenuButton{id=-1, desc=More options, visibility=VISIBLE, width=120, height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=true, is-enabled=true, isfocused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.ActionMenuView\$LayoutParams@4c9a72e, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=144.0, y=12.0} +---->TabLayout{id=2131296737, res-name=tab\_layout, visibility=VISIBLE, width=1080, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, isfocused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.design.widget.AppBarLayout\$LayoutParams@66062cf, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=168.0, child-count=1} +----->SlidingTabStrip{id=-1, visibility=VISIBLE, width=1080, height=144, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@3f545c, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} +---->TabView{id=-1, visibility=VISIBLE, width=540, height=144, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.widget.LinearLayout\$LayoutParams@cd083a, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} +----->AppCompatImageView{id=-1, visibility=GONE, width=0, height=0, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.widget.LinearLayout\$LayoutParams@6aa5ceb, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0} +----->AppCompatTextView{id=-1, visibility=VISIBLE, width=311, height=57, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.LinearLayout\$LayoutParams@79b5a48, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=114.0, y=43.0, text=Sub-Accounts, input-type=0, imetarget=false, has-links=false} --->TabView{id=-1, visibility=VISIBLE, width=540, height=144, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-


1 m 19 s




1 m 19 s




1 m 19 s




1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s

Collapse | Expand +----->AppCompatTextView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@e627efa, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=1413.0, text=Preferences, input-type=0, imetarget=false, has-links=false} +----->NavigationMenuItemView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@8d88f08, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=1557.0, child-count=2} +------>AppCompatCheckedTextView{id=2131296405, res-name=design menu item text, visibility=VISIBLE, width=744, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@7f986a1, tag=null, root-islayout-requested=false, has-input-connection=false, x=48.0, y=0.0, text=Settings, input-type=0, imetarget=false, has-links=false, is-checked=false} +----->ViewStub{id=2131296404, res-name=design\_menu\_item\_action\_area\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@dc990c6, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=0.0} +---->NavigationMenuItemView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@5eb93b4, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=1701.0, child-count=2} ----->AppCompatCheckedTextView{id=2131296405, res-name=design menu item text, visibility=VISIBLE, width=744, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@d86ebdd, tag=null, root-islayout-requested=false, has-input-connection=false, x=48.0, y=0.0, text=Help & Feedback, inputtype=0, ime-target=false, has-links=false, is-checked=false} +----->ViewStub{id=2131296404, res-name=design\_menu\_item\_action\_area\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-

params=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@83df352, tag=null, root-is-

1 m 19 s

```
+->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080,
height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@7883720, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=1776.0}
+->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=72,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@88b68d9, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1536)
android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.ja
at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52)
android.support.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java
at android.support.test.espresso.ViewInteraction.desugaredPerform(ViewInteraction.java:167)
at android.support.test.espresso.ViewInteraction.perform(ViewInteraction.java:110)
at
org.gnucash.android.test.ui.TransactionsActivityTest.openingAndSavingMultiCurrencyTransaction_shoul
at java.lang.reflect.Method.invoke(Native Method)
at org.junit.runners.model.FrameworkMethod$1.runReflectiveCall(FrameworkMethod.java:50)
at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12)
at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:47)
at org.junit.internal.runners.statements.InvokeMethod.evaluate(InvokeMethod.java:17)
at android.support.test.internal.runner.junit4.statement.RunBefores.evaluate(RunBefores.java:80)
at android.support.test.internal.runner.junit4.statement.RunAfters.evaluate(RunAfters.java:61)
android.support.test.rule.GrantPermissionRule$RequestPermissionStatement.evaluate(GrantPermission
at android.support.test.rule.ActivityTestRule$ActivityStatement.evaluate(ActivityTestRule.java:433)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:325)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26)
at org.gnucash.android.test.ui.util.DisableAnimationsRule$1.evaluate(DisableAnimationsRule.java:48)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
```

1 m 19 s

Collapse | Expand

at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at android.support.test.internal.runner.TestExecutor.execute(TestExecutor.java:58) at android.support.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:369) at android.app.Instrumentation\$InstrumentationThread.run(Instrumentation.java:2074)

#### testAddMultiCurrencyTransaction

error 732 ms

android.support.test.espresso.NoMatchingViewException: No views in hierarchy found matching: with id: org.gnucash.android:id/input\_transaction\_name

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following AdapterViews:android.support.v7.widget.AppCompatSpinner{f5a03e0 VFED..CL. ....... 216,47-816,120 #7f090209 app:id/toolbar spinner}

#### View Hierarchy:

+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1 fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}

+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.FrameLayout\$LayoutParams@56c79e2, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}

+-->ViewStub{id=16908678, res-name=action\_mode\_bar\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-params=android.widget.LinearLayout\$LayoutParams@31ef173, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0}

+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focused=false, is-focused=false, is-focused=false, is-selected=false, layout-params=android.widget.LinearLayout\$LayoutParams@3b00830, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=72.0, child-count=1}

+--->FitWindowsFrameLayout{id=2131296273, res-name=action\_bar\_root, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.FrameLayout\$LayoutParams@a5c522e, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}

+---->ContentFrameLayout{id=16908290, res-name=content, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-

1 m 19 s



1 m 19 s




1 m 19 s




1 m 19 s

Collapse | Expand has-links=false} +------AppCompatTextView{id=2131296694, res-name=secondary\_text, visibility=VISIBLE, width=316, height=57, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@2c7c3af, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=73.0, text=Transfer account, input-type=0, imetarget=false, has-links=false} ------>AppCompatImageView{id=2131296624, res-name=options menu, visibility=VISIBLE, width=144, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@507d3bc, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=894.0, y=103.0} width=144, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@6409f45, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=894.0, y=0.0} width=134, height=73, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@e69069a, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=730.0, y=174.0, text=\$9.99, input-type=0, imetarget=false, has-links=false} width=114, height=57, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@7d6ebcb, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=30.0, y=178.0, text=Today, input-type=0, imetarget=false, has-links=false} height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.widget.RelativeLayout\$LayoutParams@c5c6fa8, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, text=No transactions to display, inputtype=0, ime-target=false, has-links=false} +----->RelativeLayout{id=2131296454, res-name=fragment account list, visibility=VISIBLE, width=1080, height=1392, has-focus=false, has-focusable=true, has-window-focus=true, isclickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, isselected=false, layout-params=android.support.v4.view.ViewPager\$LayoutParams@150eac1, tag=null,

1 m 19 s



1 m 19 s



1 m 19 s

Collapse | Expand target=false, has-links=false} +----->NavigationMenuItemView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@4164f0, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=639.0, child-count=2} +----->AppCompatCheckedTextView{id=2131296405, res-name=design menu item text, visibility=VISIBLE, width=744, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@a394a69, tag=null, root-islayout-requested=false, has-input-connection=false, x=48.0, y=0.0, text=Favorites, input-type=0, imetarget=false, has-links=false, is-checked=false} +----->ViewStub{id=2131296404, res-name=design menu item action area stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@546dcee, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=0.0} +----->NavigationMenuItemView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@96fe01c, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=783.0, child-count=2} +------->AppCompatCheckedTextView{id=2131296405, res-name=design\_menu\_item\_text, visibility=VISIBLE, width=744, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@c932425, tag=null, root-islayout-requested=false, has-input-connection=false, x=48.0, y=0.0, text=Reports, input-type=0, imetarget=false, has-links=false, is-checked=false} +----->ViewStub{id=2131296404, res-name=design menu item action area stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@947d9fa, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=0.0} +---->FrameLayout{id=-1, visibility=VISIBLE, width=840, height=27, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layout-

params=android.support.v7.widget.RecyclerView\$LayoutParams@95e2bab, tag=null, root-is-layout-

1 m 19 s



1 m 19 s



1 m 19 s

```
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@b3b0d4d, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080,
height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@cc05002, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=1776.0}
+->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=72,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@9cedd13, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1536)
at
android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.ja
at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52)
at
android.support.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java
at android.support.test.espresso.ViewInteraction.desugaredPerform(ViewInteraction.java:167)
at android.support.test.espresso.ViewInteraction.perform(ViewInteraction.java:110)
org.gnucash.android.test.ui.TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTest.testAddMultiCurrencyTransaction(TransactionsActivityTestAddMultiCurrencyTransaction(TransactionsActivityTestAddMultiCurrencyTransaction(TransactionsActivityTestAddMultiCurrencyTransaction(TransactionsActivityTestAddMultiCurrencyTransaction(TransactionsActivityTestAddMultiCurrencyTransaction(TransactionsActivityTestAddMultiCurrencyTransaction(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Transaction)(Tran
at java.lang.reflect.Method.invoke(Native Method)
at org.junit.runners.model.FrameworkMethod$1.runReflectiveCall(FrameworkMethod.java:50)
at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12)
at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:47)
at org.junit.internal.runners.statements.lnvokeMethod.evaluate(InvokeMethod.java:17)
at android.support.test.internal.runner.junit4.statement.RunBefores.evaluate(RunBefores.java:80)
at android.support.test.internal.runner.junit4.statement.RunAfters.evaluate(RunAfters.java:61)
android.support.test.rule.GrantPermissionRule$RequestPermissionStatement.evaluate(GrantPermission
at android.support.test.rule.ActivityTestRule$ActivityStatement.evaluate(ActivityTestRule.java:433)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:325)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
```

1 m 19 s

Collapse | Expand

```
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at android.support.test.internal.runner.TestExecutor.execute(TestExecutor.java:58) at android.support.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:369) at android.app.Instrumentation$InstrumentationThread.run(Instrumentation.java:2074)
```

testEditTransaction

passed 1.62 s

#### testDefaultTransactionType

error 660 ms

android.support.test.espresso.NoMatchingViewException: No views in hierarchy found matching: with id: org.gnucash.android:id/input\_transaction\_type

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following AdapterViews:android.support.v7.widget.AppCompatSpinner{3035020 VFED..CL. ........ 216,47-816,120 #7f090209 app:id/toolbar spinner}

```
View Hierarchy:
+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true,
has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-
layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1
fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}
+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@aa77fb1, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
+-->ViewStub{id=16908678, res-name=action mode bar stub, visibility=GONE, width=0, height=0,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.LinearLayout$LayoutParams@61f7c96, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.LinearLayout$LayoutParams@561f017, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=72.0, child-count=1}
+--->FitWindowsFrameLayout{id=2131296273, res-name=action bar root, visibility=VISIBLE,
```

width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-

clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-

1 m 19 s

Collapse | Expand +---->DrawerLayout{id=2131296410, res-name=drawer layout, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@fbd73e9, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} +----->CoordinatorLayout{id=2131296372, res-name=coordinatorLayout, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, isclickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, isselected=false, layout-params=android.support.v4.widget.DrawerLayout\$LayoutParams@c31886e, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=4} +----->AppBarLayout{id=2131296456, res-name=fragment container, visibility=VISIBLE, width=1080, height=312, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.support.design.widget.CoordinatorLayout\$LayoutParams@bbccb0f, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} +---->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=168, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.support.design.widget.AppBarLayout\$LayoutParams@3f065a5, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} +----->ProgressBar{id=2131296776, res-name=toolbar progress, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@ef1bd7a, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0} +----->Toolbar{id=2131296774, res-name=toolbar, visibility=VISIBLE, width=1080, height=168, hasfocus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, isfocused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@b05092b, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3} +----->AppCompatSpinner{id=2131296777, res-name=toolbar\_spinner, visibility=VISIBLE, width=600, height=73, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layout-params=android.support.v7.widget.Toolbar\$LayoutParams@c323188, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=216.0, y=47.0, child-count=1} +----->AppCompatTextView{id=16908308, res-name=text1, visibility=VISIBLE, width=456, height=73, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-

enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-

1 m 19 s

Collapse | Expand root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0} +---->ActionMenuView{id=-1, visibility=VISIBLE, width=264, height=168, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.Toolbar\$LayoutParams@2490d07, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=816.0, y=0.0, child-count=2} +----->ActionMenuItemView{id=2131296571, res-name=menu favorite account, desc=Favorite, visibility=VISIBLE, width=144, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.ActionMenuView\$LayoutParams@57cde34, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=12.0, text=, input-type=0, ime-target=false, haslinks=false} +---->OverflowMenuButton{id=-1, desc=More options, visibility=VISIBLE, width=120, height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=true, is-enabled=true, isfocused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.ActionMenuView\$LayoutParams@216a45d, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=144.0, y=12.0} +---->TabLayout{id=2131296737, res-name=tab\_layout, visibility=VISIBLE, width=1080, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, isfocused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.design.widget.AppBarLayout\$LayoutParams@6a681d2, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=168.0, child-count=1} +----->SlidingTabStrip{id=-1, visibility=VISIBLE, width=1080, height=144, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@adf72a3, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} ----->TabView{id=-1, visibility=VISIBLE, width=540, height=144, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.widget.LinearLayout\$LayoutParams@59e2959, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} +----->AppCompatImageView{id=-1, visibility=GONE, width=0, height=0, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.widget.LinearLayout\$LayoutParams@8c6e91e, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0}


1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s

```
params=android.support.v7.widget.LinearLayoutCompat$LayoutParams@485d051, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
+--->ViewStubCompat{id=2131296284, res-name=action mode bar stub, visibility=GONE, width=0,
height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@21890b6, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080,
height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@35141b7, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=1776.0}
+->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=72,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@628ed24, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1536)
android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.je
at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52)
android.support.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java
at android.support.test.espresso.ViewInteraction.check(ViewInteraction.java:291)
at
org.gnucash.android.test.ui.TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionsActivityTest.testDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionStatut)TestDefaultTransactionType(TransactionType(TransactionStatut)TestDefaultTransactionType(
at java.lang.reflect.Method.invoke(Native Method)
at org.junit.runners.model.FrameworkMethod$1.runReflectiveCall(FrameworkMethod.java:50)
at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12)
at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:47)
at org.junit.internal.runners.statements.lnvokeMethod.evaluate(InvokeMethod.java:17)
at android.support.test.internal.runner.junit4.statement.RunBefores.evaluate(RunBefores.java:80)
at android.support.test.internal.runner.junit4.statement.RunAfters.evaluate(RunAfters.java:61)
at
android.support.test.rule.GrantPermissionRule$RequestPermissionStatement.evaluate(GrantPermission
at android.support.test.rule.ActivityTestRule$ActivityStatement.evaluate(ActivityTestRule.java:433)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:325)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
```

1 m 19 s

Collapse | Expand

```
at org.junit.runners.Suite.runChild(Suite.java:128)
at org.junit.runners.Suite.runChild(Suite.java:27)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
at org.junit.runner.JUnitCore.run(JUnitCore.java:115)
at android.support.test.internal.runner.TestExecutor.execute(TestExecutor.java:58)
at android.support.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:369)
at android.app.Instrumentation$InstrumentationThread.run(Instrumentation.java:2074)
```

#### editingSplit\_shouldNotSetAmountToZero


692 ms error

android.support.test.espresso.NoMatchingViewException: No views in hierarchy found matching: with id: org.gnucash.android:id/input transaction name If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from

one of the following AdapterViews:android.support.v7.widget.AppCompatSpinner{62cb611 VFED..CL. ....... 216,47-816,120 #7f090209 app:id/toolbar spinner}

```
View Hierarchy:
+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true,
has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-
layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1
fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}
+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@ed1336e, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
+-->ViewStub{id=16908678, res-name=action mode bar stub, visibility=GONE, width=0, height=0,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.LinearLayout$LayoutParams@1d29a0f, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.LinearLayout$LayoutParams@8365a9c, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=72.0, child-count=1}
```

1 m 19 s



1 m 19 s



1 m 19 s

Collapse | Expand target=false, has-links=false} +---->TabView{id=-1, visibility=VISIBLE, width=540, height=144, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=true, layoutparams=android.widget.LinearLayout\$LayoutParams@117f64, tag=null, root-is-layout-requested=false, has-input-connection=false, x=540.0, y=0.0, child-count=2} focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=true, is-selected=true, layoutparams=android.widget.LinearLayout\$LayoutParams@79be5cd, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0} +----->AppCompatTextView{id=-1, visibility=VISIBLE, width=311, height=57, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=true, layoutparams=android.widget.LinearLayout\$LayoutParams@6f37e82, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=114.0, y=43.0, text=Transactions, input-type=0, imetarget=false, has-links=false} +---->ViewPager{id=2131296632, res-name=pager, visibility=VISIBLE, width=1080, height=1392, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, isfocused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.design.widget.CoordinatorLayout\$LayoutParams@c4a993, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=312.0, child-count=2} +----->RelativeLayout{id=2131296459, res-name=fragment transaction list, visibility=VISIBLE, width=1080, height=1392, has-focus=true, has-focusable=true, has-window-focus=true, isclickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, isselected=false, layout-params=android.support.v4.view.ViewPager\$LayoutParams@78e11c9, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2} +----->EmptyRecyclerView{id=2131296787, res-name=transaction\_recycler\_view, visibility=VISIBLE, width=1080, height=1392, has-focus=true, has-focusable=true, has-window-focus=true, isclickable=false, is-enabled=true, is-focused=true, is-focusable=true, is-layout-requested=false, isselected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@b5f00ce, tag=null, rootis-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=1} +----->CardView{id=-1, visibility=VISIBLE, width=1050, height=265, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@7064bef, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=15.0, y=0.0, child-count=1} ----->RelativeLayout{id=-1, visibility=VISIBLE, width=1038, height=247, has-focus=false, has-

1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s

```
+----->ViewStub{id=2131296404, res-name=design_menu_item_action_area_stub, visibility=GONE,
width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.support.v7.widget.LinearLayoutCompat$LayoutParams@7192a90, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
+--->ViewStubCompat{id=2131296284, res-name=action mode bar stub, visibility=GONE, width=0,
height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@c0f2f89, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080,
height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@fe92b8e, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=1776.0}
+->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=72,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@f60ffaf, tag=null, root-is-layout-requested=false,
has-input-connection=false, x=0.0, y=0.0}
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1536)
android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.ja
at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52)
android.support.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java
at android.support.test.espresso.ViewInteraction.desugaredPerform(ViewInteraction.java:167)
at android.support.test.espresso.ViewInteraction.perform(ViewInteraction.java:110)
org.gnucash.android.test.ui.TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactionsActivityTest.editingSplit_shouldNotSetAmountToZero(TransactivityTest.editingSplit_shouldNotSetAmountToZero(TransactivityTest.editingSplit_shouldNotSetAmountToZero(TransactivityTest.editingSplit_shouldNotSetAmountToZero(TransactivityTest.editi
at java.lang.reflect.Method.invoke(Native Method)
at org.junit.runners.model.FrameworkMethod$1.runReflectiveCall(FrameworkMethod.java:50)
at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12)
at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:47)
at org.junit.internal.runners.statements.InvokeMethod.evaluate(InvokeMethod.java:17)
at android.support.test.internal.runner.junit4.statement.RunBefores.evaluate(RunBefores.java:80)
at android.support.test.internal.runner.junit4.statement.RunAfters.evaluate(RunAfters.java:61)
android.support.test.rule.GrantPermissionRule$RequestPermissionStatement.evaluate(GrantPermission
at android.support.test.rule.ActivityTestRule$ActivityStatement.evaluate(ActivityTestRule.java:433)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
```

1 m 19 s

Collapse | Expand

```
at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26)
at org.gnucash.android.test.ui.util.DisableAnimationsRule$1.evaluate(DisableAnimationsRule.java:48)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at org.junit.runners.Suite.runChild(Suite.java:128)
at org.junit.runners.Suite.runChild(Suite.java:27)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
at org.junit.runner.JUnitCore.run(JUnitCore.java:115)
at android.support.test.internal.runner.TestExecutor.execute(TestExecutor.java:58)
at android.support.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:369)
at android.app.Instrumentation$InstrumentationThread.run(Instrumentation.java:2074)
```

testDeleteTransaction	passed	1.00 s
testDuplicateTransaction	passed	938 ms
testMoveTransaction	passed	1.34 s
testToggleTransactionType	passed	1.48 s
testSplitEditor	error	716 ms

android.support.test.espresso.NoMatchingViewException: No views in hierarchy found matching: with id: org.gnucash.android:id/input\_transaction\_name

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following AdapterViews:android.support.v7.widget.AppCompatSpinner{b25efca VFED..CL. ....... 216,47-816,120 #7f090209 app:id/toolbar spinner}


#### View Hierarchy:

```
+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1 fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}
```

+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focused=false, is-focused=false, is-focused=false, is-selected=false, layout-params=android.widget.FrameLayout\$LayoutParams@2190289, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}

+-->ViewStub{id=16908678, res-name=action\_mode\_bar\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-

1 m 19 s



1 m 19 s

Collapse | Expand requested=false, has-input-connection=false, x=216.0, y=47.0, child-count=1} +----->AppCompatTextView{id=16908308, res-name=text1, visibility=VISIBLE, width=456, height=73, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.view.ViewGroup\$LayoutParams@51b2043, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, text=Transactions Account, input-type=0, ime-target=false, has-links=false} ----->AppCompatImageButton{id=-1, desc=Navigation drawer opened, visibility=VISIBLE, width=168, height=168, has-focus=false, has-focusable=false, has-window-focus=true, isclickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, isselected=false, layout-params=android.support.v7.widget.Toolbar\$LayoutParams@73356c0, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0} +---->ActionMenuView{id=-1, visibility=VISIBLE, width=264, height=168, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.Toolbar\$LayoutParams@dca9ff9, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=816.0, y=0.0, child-count=2} +---->ActionMenuItemView{id=2131296571, res-name=menu favorite account, desc=Favorite, visibility=VISIBLE, width=144, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.ActionMenuView\$LayoutParams@f9a2b3e, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=12.0, text=, input-type=0, ime-target=false, haslinks=false} +---->OverflowMenuButton{id=-1, desc=More options, visibility=VISIBLE, width=120, height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=true, is-enabled=true, isfocused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.ActionMenuView\$LayoutParams@dc57d9f, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=144.0, y=12.0} +---->TabLayout{id=2131296737, res-name=tab\_layout, visibility=VISIBLE, width=1080, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, isfocused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.design.widget.AppBarLayout\$LayoutParams@1571eec, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=168.0, child-count=1} +----->SlidingTabStrip{id=-1, visibility=VISIBLE, width=1080, height=144, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@40c42b5, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}

1 m 19 s



1 m 19 s

Collapse | Expand +----->RelativeLayout{id=-1, visibility=VISIBLE, width=1038, height=247, has-focus=false, hasfocusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@b0f0c8f, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=6.0, y=9.0, child-count=5} height=130, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.RelativeLayout\$LayoutParams@d61b1c, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=30.0, y=18.0, child-count=2} +------AppCompatTextView{id=2131296644, res-name=primary text, visibility=VISIBLE, width=130, height=73, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@b144325, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0, text=Pizza, input-type=0, ime-target=false, has-links=false} ------>AppCompatTextView{id=2131296694, res-name=secondary\_text, visibility=VISIBLE, width=316, height=57, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@7b40cfa, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=73.0, text=Transfer account, input-type=0, imetarget=false, has-links=false} width=144, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@6f9e2ab, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=894.0, y=103.0} width=144, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@6b7cd08, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=894.0, y=0.0} width=134, height=73, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.RelativeLayout\$LayoutParams@8eaeca1, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=730.0, y=174.0, text=\$9.99, input-type=0, imetarget=false, has-links=false}

1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s

Collapse | Expand requested=false, has-input-connection=false, x=0.0, y=1701.0, child-count=2} +------->AppCompatCheckedTextView{id=2131296405, res-name=design menu item text, visibility=VISIBLE, width=744, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@b3fca62, tag=null, root-islayout-requested=false, has-input-connection=false, x=48.0, y=0.0, text=Help & Feedback, inputtype=0, ime-target=false, has-links=false, is-checked=false} +---->ViewStub{id=2131296404, res-name=design\_menu\_item\_action\_area\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@39f37f3, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=0.0} +--->ViewStubCompat{id=2131296284, res-name=action mode bar stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@6c90cb0, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0} +->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080, height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@5983729, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=1776.0} +->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=72, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, isfocused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@5542aae, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=0.0} at dalvik.system.VMStack.getThreadStackTrace(Native Method) at java.lang.Thread.getStackTrace(Thread.java:1536) android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.ja at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52) android.support.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java at android.support.test.espresso.ViewInteraction.desugaredPerform(ViewInteraction.java:167) at android.support.test.espresso.ViewInteraction.perform(ViewInteraction.java:110) org.gnucash.android.test.ui.TransactionsActivityTest.testSplitEditor(TransactionsActivityTest.java:414)

at java.lang.reflect.Method.invoke(Native Method)

1 m 19 s

Collapse | Expand

```
at android.support.test.rule.ActivityTestRule$ActivityStatement.evaluate(ActivityTestRule.java:433)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:325)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26)
at org.gnucash.android.test.ui.util.DisableAnimationsRule$1.evaluate(DisableAnimationsRule.java:48)
at org.junit.rules.RunRules.evaluate(RunRules.java:20)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at org.junit.runners.Suite.runChild(Suite.java:128)
at org.junit.runners.Suite.runChild(Suite.java:27)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
at org.junit.runner.JUnitCore.run(JUnitCore.java:115)
at android.support.test.internal.runner.TestExecutor.execute(TestExecutor.java:58)
at android.support.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:369)
at android.app.Instrumentation$InstrumentationThread.run(Instrumentation.java:2074)
                                                                                             4.52 s
                                                                                  passed
```

# editingTransferAccount\_shouldKeepSplitAmountsConsistentpassed4.52 stestOpenTransactionEditShouldNotModifyTransactionpassed1.12 stestAddTransactionerror646 ms

android.support.test.espresso.NoMatchingViewException: No views in hierarchy found matching: with id: org.gnucash.android:id/input\_transaction\_name

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following AdapterViews:android.support.v7.widget.AppCompatSpinner{7daf7e8 VFED..CL. ....... 216,47-816,120 #7f090209 app:id/toolbar\_spinner}

#### View Hierarchy:

+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=1920, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1 fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}

+->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=1776, has-focus=true, has-

1 m 19 s

```
params=android.widget.LinearLayout$LayoutParams@1a2fa38, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1704, has-focus=true, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.LinearLayout$LayoutParams@9f1ca11, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=72.0, child-count=1}
+--->FitWindowsFrameLayout{id=2131296273, res-name=action bar root, visibility=VISIBLE,
width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-
clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-
selected=false, layout-params=android.widget.FrameLayout$LayoutParams@c583177, tag=null, root-
is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
+--->ContentFrameLayout{id=16908290, res-name=content, visibility=VISIBLE, width=1080,
height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@9a981e4, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=1}
+---->DrawerLayout{id=2131296410, res-name=drawer layout, visibility=VISIBLE, width=1080,
height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=true, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@d17f64d, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
+----->CoordinatorLayout{id=2131296372, res-name=coordinatorLayout, visibility=VISIBLE,
width=1080, height=1704, has-focus=true, has-focusable=true, has-window-focus=true, is-
clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-
selected=false, layout-params=android.support.v4.widget.DrawerLayout$LayoutParams@ccd8502,
tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=4}
+----->AppBarLayout{id=2131296456, res-name=fragment container, visibility=VISIBLE, width=1080,
height=312, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.support.design.widget.CoordinatorLayout$LayoutParams@3946e13, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
+----->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=168, has-focus=false, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.support.design.widget.AppBarLayout$LayoutParams@3faaa49, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
    ----->ProgressBar{id=2131296776, res-name=toolbar_progress, visibility=GONE, width=0,
```


1 m 19 s



1 m 19 s



1 m 19 s



1 m 19 s

Collapse | Expand



+----->AppCompatTextView{id=2131296789, res-name=transactions sum, visibility=VISIBLE,

1 m 19 s




1 m 19 s

Collapse | Expand target=false, has-links=false, is-checked=false} +----->ViewStub{id=2131296404, res-name=design\_menu\_item\_action\_area\_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@5d9ae0c, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=0.0} +----->FrameLayout{id=-1, visibility=VISIBLE, width=840, height=27, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@9fef355, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=468.0, child-count=1} +----->View{id=-1, visibility=VISIBLE, width=840, height=3, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, islayout-requested=false, is-selected=false, layoutparams=android.widget.FrameLayout\$LayoutParams@86fb16a, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=24.0} ---->AppCompatTextView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false, hasfocusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, isfocusable=false, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@199065b, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=495.0, text=Accounts, input-type=0, imetarget=false, has-links=false} +----->NavigationMenuItemView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, isfocusable=true, is-layout-requested=false, is-selected=false, layoutparams=android.support.v7.widget.RecyclerView\$LayoutParams@5086fd1, tag=null, root-is-layoutrequested=false, has-input-connection=false, x=0.0, y=639.0, child-count=2} +------>AppCompatCheckedTextView{id=2131296405, res-name=design menu item text, visibility=VISIBLE, width=744, height=144, has-focus=false, has-focusable=false, has-windowfocus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layoutrequested=false, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@34f7a36, tag=null, root-islayout-requested=false, has-input-connection=false, x=48.0, y=0.0, text=Favorites, input-type=0, imetarget=false, has-links=false, is-checked=false} +----->ViewStub{id=2131296404, res-name=design menu item action area stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, isenabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layoutparams=android.support.v7.widget.LinearLayoutCompat\$LayoutParams@bd7ad37, tag=null, root-islayout-requested=false, has-input-connection=false, x=0.0, y=0.0}

1 m 19 s



1 m 19 s



1 m 19 s

```
params=android.support.v7.widget.LinearLayoutCompat$LayoutParams@9d64579, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
+----->NavigationMenuItemView{id=-1, visibility=VISIBLE, width=840, height=144, has-focus=false,
has-focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-
focusable=true, is-layout-requested=false, is-selected=false, layout-
params=android.support.v7.widget.RecyclerView$LayoutParams@b1b5f1f, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=1701.0, child-count=2}
    ---->AppCompatCheckedTextView{id=2131296405, res-name=design_menu_item_text,
visibility=VISIBLE, width=744, height=144, has-focus=false, has-focusable=false, has-window-
focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-
params=android.support.v7.widget.LinearLayoutCompat$LayoutParams@29d226c, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=48.0, y=0.0, text=Help & Feedback, input-
type=0, ime-target=false, has-links=false, is-checked=false}
+----->ViewStub{id=2131296404, res-name=design_menu_item_action_area_stub, visibility=GONE,
width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.support.v7.widget.LinearLayoutCompat$LayoutParams@8ecc035, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
+--->ViewStubCompat{id=2131296284, res-name=action mode bar stub, visibility=GONE, width=0,
height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@d5c2cca, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
+->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080,
height=144, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-
enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@420ce3b, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=1776.0}
+->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=72,
has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-
focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@d6ff958, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1536)
android.support.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.ja
at android.support.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:52)
```

1 m 19 s

Collapse | Expand at org.junit.internal.runners.model.ReflectiveCallable.run(ReflectiveCallable.java:12) at org.junit.runners.model.FrameworkMethod.invokeExplosively(FrameworkMethod.java:47) at org.junit.internal.runners.statements.lnvokeMethod.evaluate(InvokeMethod.java:17) at android.support.test.internal.runner.junit4.statement.RunBefores.evaluate(RunBefores.java:80) at android.support.test.internal.runner.junit4.statement.RunAfters.evaluate(RunAfters.java:61) android.support.test.rule.GrantPermissionRule\$RequestPermissionStatement.evaluate(GrantPermission at android.support.test.rule.ActivityTestRule\$ActivityStatement.evaluate(ActivityTestRule.java:433) at org.junit.rules.RunRules.evaluate(RunRules.java:20) at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:325) at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78) at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.gnucash.android.test.ui.util.DisableAnimationsRule\$1.evaluate(DisableAnimationsRule.java:48) at org.junit.rules.RunRules.evaluate(RunRules.java:20) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.junit.runners.Suite.runChild(Suite.java:128) at org.junit.runners.Suite.runChild(Suite.java:27) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:290) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:71) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:58) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:268) at org.junit.runners.ParentRunner.run(ParentRunner.java:363) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at org.junit.runner.JUnitCore.run(JUnitCore.java:115) at android.support.test.internal.runner.TestExecutor.execute(TestExecutor.java:58) at android.support.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:369)

at android.app.Instrumentation\$InstrumentationThread.run(Instrumentation.java:2074)

Generated by Android Studio on 4/9/20 12:52 PM