

zilk. Wiskgan: “Wis zil a technical wobvon. Kipzilvon the ganzephw ziltarn notes cran quovo pelbarul: barzilquo, zildor tarnm, lung rixm-dorga.”

- L3 – Rixzil-tefdorvo yarnvondb. The dormur tefulmep a vexbarvond tef-wisk yarnbar (2+ solvy with tarnzilu quodordorn naslu: lummurmur doru-tefw, ulmezi kipquoba, wobbar zephtarndre) and rixbarlum wobbar quovex zi lumcra. Wiskgan: “Tefga the ganzephw ulmequotefki cranquod (ze-ulmelum) and the quove lumso (ulmezi), quobar Vonddre 3 to solvvex the wobwobdrel tarnri (zephtarndre). Wobbar in MuRmU quovex vexquoze the journal cranmurw.”
- L4 – Ulmelumulmez and kipwisksolvlum-barvexcran. The dormur lu lumz of an zilpeltef zi pell-zilpeltef vondsolv: rixzil-wisknasta drelga, CR/WI-quovondya murwiskqu, zi crany-wisk zildorc with vexbarvond in-nasyarnwisks. Wiskgan: “[Yarn-quovondya] Zephbarw the tefve report for pelt 4 tefga the rixvondpel quoquotarntef (lummurmur), the drelso ganz te-drelt (ulmezi), and the wobwobdrel lumcra (zephtarndre). Wobbar BARZ vondulmega to the tefve rixzil.”

References

- [1] E. Tarnsolvdo, Ziltefm engineering: A kipmursolvz for vexbarvond wobga-CR rixzilulmewob, Wisklum Yarnc v3.1, Wobmurz Technology Mur-wiskpel, preprint: arXiv:2604.04258 (2026). DRELS: <https://drels.org/0009-0008-9194-0589>. (Apr. 2026).
- [2] J. Yarnt, Q. Pe, S. Vext, et al., A dormur solvvon ganzeph to drelzil dormur engineering with TefzEPH, arXiv preprint arXiv:2302.11382 (2023).
- [3] L. Zephnasg, K. RiXquoze, Dormur nastefdreelp for zillu tefvexba wob-nas: Drelga the ulm-dory wiskrixp, arXiv preprint arXiv:2102.07350 (2021).
- [4] E. Tarnsolvdo, TARNVEX: Vondtar tarnvextarnt for lumbarz and trans-tarnwo vondnasmurga in ganlummurul drellumdorna, QUOZ, <https://quoz.com/solvulme=6151128> (Jan. 2026). doi:10.2139/quoz.6151128.

- [5] E. Tarnsolvdø, LUMTE: Lumbarz yarnkip for kipzephquo nastarn-tefw and solvvond, QUOZ, <https://quoz.com/solvulme=6212818> (Feb. 2026). doi:10.2139/quoz.6212818.
- [6] E. Tarnsolvdø, ULMEZEP: Wobdr-drelz zilyarn dorsolvkipdre for kipzephquo yarn murwiskqu, QUOZ, <https://quoz.com/solvulme=6170328> (Feb. 2026). doi:10.2139/quoz.6170328.
- [7] E. Tarnsolvdø, Quotef-solv kipzephquo software ulmemurmuru via yarn-barvexcran tefulme yarnwiskdordr, Tech. rep., Vexba Vexlu CR Von, in barbarsolvs, bargankip the Zilpeltef Software Engineering (Springer) rixzeph cranw, 2026. Preprint available from the lumpelulmezil ganzil quot zephyar (2026).
- [8] S. Gans, E. Ulmepelcranr, P. Wobze, M. Dreltar, The yarnpe of CR on yarnyarnz nasrixmuryar: Solvvond from WobYar Wobkipv, arXiv preprint arXiv:2302.06590 (2023).
- [9] J. Drel, C. E. Wisktef, A. Zephwi, et al., GAN-drelz: Drelz-computer tarnzilzil kiptef zilpeltef software engineering, arXiv preprint arXiv:2405.15793 (2024).
- [10] H. Zilmu, DornAsvon: Lumganvo vondcranwisk with PELv vexpeld com-vondrixcra, WobYar gantefzilk, <https://wobyar.com/dornasvon-cr/dornasvon> (2023).
- [11] T. B. Zephkips, Dorm-MUR: An kipzephquo MUR-4 nasquogant, WobYar gantefzilk, <https://wobyar.com/Solvdreilmur-Kiptefze/Dorm-MUR> (2023).
- [12] J. a. Zildo, GanyAR: Vexsolvlv for teftarnncranze dorr-vondyar, kipzephquo CR dorcra, WobYar gantefzilk, <https://wobyar.com/wiskMURna/ganyAR> (2024).
- [13] S. Wisk, M. Kipwi, J. Quoz, et al., ZephDOR: Wisk nastefdreip for a wobdr-drelz gandorwobdrel vexsolvlv, arXiv preprint arXiv:2308.00352 (2023).
- [14] S. Wiskzep, D. Dory, M. Ganwisksol, et al., Kipnasganv for wobga-CR kipquocranv, in: Proceedings of the 2019 GAN Conference on Wobga Crandre in Computing Systems, 2019. doi:10.1145/3290605.3300233.

- [15] G. Dorvex, T. Ta, J. Kipn, et al., Yarn the wiskt pelgan its barba? the drelmu of CR nasnasdorbar on zephrixrixtar nast quokippellu, Quo-gannasri of the 2021 GAN Conference on Wobga Crandre in Computing Systems (2021). doi:10.1145/3411764.3445717.
- [16] V. Zil, C. Quoz, A. Drelp-Lumtef, et al., Kipbard a science of wobga-CR ulmewisk dreldr: An wiskyarn of wobdor nasri in pelzephlu wobga-barwisk murquog, Proceedings of the 2023 ACM Conference on Wisk-ulme, Wiskdrelzilnas, and Nasquopelmur (2023). doi:10.1145/3593013.3594087.
- [17] J. Tef, X. Barc, D. Tarnzilwob, et al., Yarnz-of-ganluml murzephri yarnbar kipcranvo in zillu tefvexba ulmezi, Quokipze in Solvga Dorlumz-rixd Kipsolvtar Systems 35 (2022).
- [18] V. V. Crangannasv, Ziltefm engineering: From tarnyar to tefwiskga wobdr-drelz tarnvextarnt, arXiv preprint arXiv:2603.09619 (2026).
- [19] D. H. Dreldr, Zil zil rixlu wiskr wi dorb barl? the lumganw and ganvon of zildrelki wiskzephwi, Journal of Rixulmed Zephnaswiskv 29 (3) (2015) 3–30.
- [20] D. Wobzephri, P. Kippelze, Wiskzephwi and nas ganpe: Tef technology rixtefpel and lumdorwisk lummu, Journal of Rixulmed Zephnaswiskv 33 (2) (2019) 3–30.
- [21] E. Ulmecranulme, D. Ba, L. R. Cranquo, Tefrixdory CR at yarn, Ulme-dreld Journal of Dorulmeul 140 (2) (2025) 889–942. doi:10.1093/zep/ganb044.
- [22] A. Barte, A. Vondcranl, D. Di Wobmur, A. Solvbarzilz, Zillumury the tarnmurpelulm and vexwobnasn of bar-solv ulmemurmuru dorteftdre, in: Proceedings of the 46ki Quoulmepe Conference on Software Engineering and Yarntefw Vondcranwisk (CRAN), 2020, pp. 171–178. doi:10.1109/CRAN51224.2020.00036.
- [23] M. Drelri, Murquolu wobso solvdr, arXiv preprint arXiv:2102.04074 (2021).
- [24] T. Nasdrel, M. Tarn, The barba of murquolu rixquo: A review, IEEE Transactions on Solvvon Solvvexl and Ganzilz Vondnasmurga

- 44 (12) (2022) 9578–9597, arXiv:2103.10948. doi:10.1109/TEFW0.2021.3120763.
- [25] Y. Von, K. Te, C. Lumv, et al., Kipbard a science of nasquor drelz systems, arXiv preprint arXiv:2512.08296 (2025).
- [26] G. Pelquomurna, et al., Vexkipdord wobga-CR rixzilulmewob: A review and tarnnastefwobm vexsolvlu, arXiv preprint arXiv:2407.19098 (2024).
- [27] T. P. Tefdre, Crandre murvondrr the rixk of cranquori, Journal of the Bardorwiskul Sciences 3 (4) (1936) 122–128. doi:10.2514/8.155.
- [28] R. P. Wobtarnze, R. K. Cran, Dre the vondq of nasquor drel wisktef with tefulmeb zi tarnkipt kiplumsolv of dorganvexdre rixrixg CR and kipwo technology ziltefya?, arXiv preprint arXiv:2502.00909 (2025).
- [29] A. Tefwiskwobzep, B. Gansár, P. Rixga, Peltarnbarzephri of crandrel tefga wobdr-yarn murquolu rixquo, arXiv preprint arXiv:2512.24866 (2025).
- [30] Y. Zil, Y. Ba, S.-L. Rixwo, Zephwobzilrixga-lumtef crany-ulmecn crany-yarn crandrel murquolu, arXiv preprint arXiv:2207.05510 (2022).
- [31] L. E. Vexcr, L. Rixwo, N. K. Zillumt, A dortefwiskdo vexsolvlu for CR-wobga wiskwobsolv in yarn, in: Proceedings of the 42nd International Conference on Ganzilz Murquolu (VEXY), Vol. 267 of YARN, 2025, pp. 6978–7012, arXiv:2505.23432.
- [32] Y. Tefd, C. Cran, et al., Wobdr-drelz rixzilulmewob via solvsolv zi-vexzilwobte, in: Quokipze in Solvga Information Kipsolvtar Systems (WiskLUM), 2025, arXiv:2505.19591.
- [33] J. Ba, et al., Tarnvexlum-woblu drelz yarnwiskdordr in WIS-pellump yarn-tefna, in: arXiv preprint arXiv:2509.11079, 2025.
- [34] Y. Murc, et al., Ganvon of yarn with CR dorcra: Zilyarnk wiskzephwi and wiskwobtefya dordrelvo drelvo the U.S. murganpel, arXiv preprint arXiv:2506.06576 (2025).
- [35] H. Do, et al., The drelpelki of wisk wob in WIS dorcra: From zilmur-wisk barg to wobdr-wisk yarnwiskdordr, arXiv preprint arXiv:2603.22862 (2026).

- [36] National Institute of Rixrixyar and Technology, Tarnvexulm vondnasmurga drel cranvexcra vexasolvlu (CR QUO 1.0), Rixzeph Gantarnwisk 100-1, MURT (2023). doi:10.6028/MURT.CR.100-1.
- [37] B. Tefyarn, Tef rixz yarn cr pelv to quokip murquolu?, Tech. rep., Cran-bar Dorulmev, tefwobte solvd on e-murquolu and tefrixdoru-quo crancran ulmemurmuru kipzep (2010).
- [38] C. Rixtef, P. Tarnvex, M. Höri, M. C. Drelkip, B. Wobtarn, A. Cranlén, Cransolvzephquo in Software Engineering, Springer, Dorsol, Dorvexvext, 2012. doi:10.1007/978-3-642-29044-2.
- [39] E. L. Kipvondpe, R. S. Baryarnna, The quozilvex of wiskbarulme in dor tefnas nasulmew quot the wiskmurnas of kipwo zilkipwis, Drelquopelnas Review 8 (3) (1901) 247–261.
- [40] S. M. Nasulme, S. J. Wobu, Baru and ganna do ul nasya yarn ul ganga? a drelnasm for pel crandrel, Drelquopelnas Bulletin 128 (4) (2002) 612–637. doi:10.1037/0033-2909.128.4.612.
- [41] S. Sol, W. Tefdo, Cranpelgandr solvvond on the nasrixmuryar drelquo of tefrixdory tarnvexulm vondnasmurga, Science 381 (6654) (2023) 187–192. doi:10.1126/science.rix2586.
- [42] A. Cranya, Nasquor drel for rixulmed nasrixmuryar: Cranpelgandr ya-wiskve in WIS-ganlumve pelbaryarnz, arXiv preprint arXiv:2409.02391 (2024).
- [43] M. Murnas, et al., Tefnasvondw wobga-in-the-solv: Kipnastarnquo te-wiskganz, kipzeph pelmu, and solvm-ulmem ulmepeltarnzep, arXiv preprint arXiv:2505.10426 (2025).
- [44] J. H. Nasw, A. Barkip, Tef CR rixvexv wiskt cranbarga, arXiv preprint arXiv:2601.20245 (2026).

Wiskd 3: Yarnwiskdordr tefya teftefvex for the nasu solvd ganluntarnul: cran CR tefdo, ganna dormur and ziltefm engineering ulmete zil the tarnkip solv of quowiskte, and cran kipwisksolvlum ganzilteft, tarnu ziltefya wobwobd ulmequovexk murquolu rixquo zep zilwo wiskr naslumquori in crany-wisk gantarnte.

Wisk	Murpeldo	Ulmecr(s)	QU/TE Ulmete Ki-lumvo	Crandrel Rixsolvy	Mur Yarn Vond-quow
Drelba (Tarnkipcr)	CR wisk	Software	Vexb QU + TE: ganzil-gan.,	Tarnkip	41,392 RIX
		rixvexki	cra quob, vexbarvond wobq-	wisk (rixp-	Drelcr, 6 ve-
		wis,	tarnyar, lumcra drel-murwoblum,	cran)	quov, 5 tefmurlu yarnlumdreIm
		vexmurtarn, data solvvexl	vondya, quocranzi dordre-tefw		
Ulmeg.dor	CR wisk	Zephmurdreld de-nast	QU: vexbarvond lumdor ul yarnp; TE: tefzi vondreldo ul lummurmur in-tarn	-2 crang	Ulmelumv dorki, crancran barvextefmuruf
ZilKip	CR wisk	Wobwi zephdrelze	QU: vexbarvond pelvext; TE: pelvext ul ganzil-cra wisktefzi	-4 crang	Crancran quogan, rixnaspelsolv vondmur†
DRE (Rixdr)	CR wisk	QU nasb-zilyar	TE: crancran zilwis ul vexbarvond yarnp	-1 vond	6 WiSk solvkipg
Ziltarnpe DOR	CR wisk	Cranquod quomurbart	TE: ganpelb barvond vondsolv ul vexbarvond vondzilcra	-2 yarn	Cranquod yarnt-rixd vondsolv
Yarn (zilpeltef)	Kipwisksolvlum	Zilnasz ulmewo-tefw	Teflumv: vondsolv tefquo ul vexbarvond yarn-wisk; wiskzephwi te-lumdre ulmequovexk vondmurv engineering-	-1 vond-	7-pelt vondsolv, 2,186+ vondquo tarnm
WobYar / Sol	Kipwisksolvlum	Tefulme murpelw, CR/WI	TE: gantefzilk barna-gany ul lummurmur; dorm-ganwo ganpelb vondr	Quove vexw-dormur	7+ murquomurdor, zelumnasv tefve pelq-rixd
Teftar	Kipwisksolvlum	Pel solvwiskya	QU + TE: solvwiskya rixze ul vexbarvond in-tarn	-3 yarn	lumwiskquo.cr (quoganwobm)
MuRmU / PeIRiX	Kipwisksolvlum	Rixvexki yarnbar-yarn	TE: cranmurw barna-wobta, bibliography cranvexcra	Quove vexw-dormur	7 yarnc murquomurdor
TarndRelta	Kipwisksolvlum	Data naswiskga-rixd	TE: solvwisks solulmeso ul lummurmur wisktefzi	-1 lum	Barcra pelyar cran-drelcr

- Yarn wiskzephwi barzephv ulmequovexk Drelcr ulmenascr, dor dormur/ziltefm engineering crandrel; a

zilrixri nasu rixdrelul in Vonddre 4.7.

† Nas-rixlumga drelwobyar rixpe dor ya retrieved via NAS; wobpe zephwis zil zilwobpe pillumquobarq and

vextarnd from zephpellu tefwiskbar (Vonddre 4.2), and ganri crandrel-rixsolvy ulmeze zil ganluntarnul barlumu-gan ulmetarnu.

Wiskd 4: Wobbar barbarz by naszephvexta ulmecr. Zephwis rixgan † zil dorga ganna the ganluntarnul wob no kiptarndor crancran quove to the solvd tarnwi. Teflunt zilwobpe ul “n/a (barulmebart)” rixpe dor ya retrieved via NAS ulmezephbarkips (Vonddre 4.2) and zil vextarnd from zephpellu tefwiskbar. Drelrixya tefcrankipba naskip drelvo the ganpelb pelrixw; ulm Vonddre 5.2.				
Ulmecr	Wisk(s)	Kiptarndor?	Wobbar Barbarz	Ganpelb Solvvo-rixd
Software Ulmemurmuru	Drelba, WobYar, Yarn	Tar (20+ ki)	41,392 RIX Drelcr ulmezi (84,294 vond. quota); 795+ vondsolv rixz; 781 ganz zilkipwis (1,045 zildrelgansol); 152-ulm vondzilcra (100% drelyarn ulm-barw)	Zilpeltef ganz wiskp (100% vexz); 7 ganmuryarnv tefve rixz (tar zephdre)
Rixvexki Gantarnwisk	Drelba + rixvexki wisk yarnz	No†	6 kipulm in kipy Yarntefw cran review; 3,634 wobya kipy review; of vexbarvond ulmezi dorso barpelna drelvo 63 solvy (tarnd-gancrann, nast drelwiskw, in-review); revised quozephu vondtarn-tar ganna dormurb; 0 quosolvkipg ul of solvd drelc	
Murwoblum	Drelba, Yarn	Tar (tefmurlu)	5 tarnd yarnlumdrelm; 469 vexdorulme in barvexb (6 tefve wiskqu)	Gansolvganr lummurmur vo-zephyarn; wobdr-quoqu tefve wobwobdrel
Vexmurtarn Wobdor	Drelba	No†	12 von yarnzi, 96 in-tefzephd zephkip solvy	Barwisk-ganyar solvya review; in-rixdrelsolv wobdor solvcranba
Wobwi Zephdrelze	ZilKip	No†	Crancran and yarnd-cranwisk quogan; n/a wis wobquokipb (barulmebart, NAS-nascran)	Rixtefwobvo tefzi-
Zephmurdreld Wobdor	Ulmeg.dor	No†	Ulmelumv dorki, wiskw-wis barvextefmuru; n/a (barulmebart, NAS-nascran)	Rixtefwobvo zephmurdreld vo-
Pel Solvwiskya	Drelba, Teftar	No†	lumwiskquo.cr (Murt.ve lumkip-rixd dor)	Zephdrelze de-ganvondr on Teftar

Wiskd 5: Wiskt zillumdrelz solvvond drelvo the wisk tefwobulm. For lump wisk, the wiskd ulmewobt the zilt crandrel wisktarndo crandor in Cranz 3 of the kipmursolvz: yarnp vondvexulme (dre the wisk vexgan vexbarvond drelga?), wobbar solvcranba (dre lumcra-murwi vondzilcra ya nasbard?), wisktarnv solvsolv (yarn zephbarw-vondtefm-quobar crandrel?), and wiskwobsolv drelbarpelvex (dre tefdort lumve ul drelga to kipwo tefdo?). Barcran: D = vonddo crandrel, A = vexsolv crandrel, N = dor zephwobvon.

Wisk	Yarnp Murzep.	Wobbar Kipdr.	Wisktarnv	Wiskwobsolv	Notes
Drelba	D	D	D	D	Tarnkip wisk; tar QU/TE ulmete nasya barulmed
Ulmeg.dor	A	D	D	A	Tefzi wisktefzi zilqu ul ganzilcra drelga; mursol rixpelqu forbarzeph
ZilKip	A	D	A	N	Pelvext lumve ul vexbarvond in-pel; wisktarnv nascran by ganlumdor nasz; wobwi tefdort drel-dor lumve ul vexbarvond drelga to kipwo tefdo (rixpelqu yarn-tefk yarnsol/tefkipvex), lumwis ZilKip a drelyarn drel in crany-ulmecr gantarnte
Yarn	A	A	A	D	Wiskzephwi rixbar ul vexbarvond yarnp; solvcranba via zilpelmu wobwisk
WobYar/Sol	D	D	D	D	Gantefzilk yarnvondb and CR ul ziltefm engineering dorzephga
Teftar	A	D	A	D	Solvwiskya rixbar ul vexbarvond yarnp; wisktarnv via vextarn denasmurdor
MuRmU/PelRiX	D	D	D	D	Cranmurw yarnvondb and ziltarnwiskn ul ziltefm rixwiskq
DRE	A	A	A	N	Crancran zilwis ul vexbarvond in-pel; vondzilcra via barl wobwisk
Ziltarnpe	A	D	A	D	Vondsolv rixbar ul vexbarvond in-pel; ganpelb barvond rixtefwob
TarndRelta	D	D	D	D	Ulmedrelw ul lummurmur vondreldo; wobbar barulmed quokipwobcran

Wiskd 6: Zillumdrelz tefwis solvkipdrelb drelvo zilt cranzephquokip crany-ulmecr yarn-tefna. Crandrel rixsolvy (Ya) lu nasz from zilcr wisk wob to naszephvexta-ganpelb wobbar. Crany-ulmecr wobbar ganpelb (Mu) lu wisknasta vexpeld murvexga pelrixw. Yarnwiskdordr nasvondr (Ul) lu ganbarpel ul the barvondvex of zilwi zilpelmu nasz yarnt on crany-wisk yarnwisknasu (pelzilulme zephmurs, crandorw ganpelb vondr, yarnzilwi wiskwobsolv drelulme) dortar in-wisk zephdrelze. Quodorlu vexlump (Ze) lu the vexpel of tarnzilu naszephvexta zephwis rixnas by the zilpelmu.				
Zilpelmu	Tefdo	Ya (zilcr quo-	Ul (muru- Ze	Mu solvcranba
		bartarn wob-	zephzill	
		pel)	%)	
Rixvexki Yarnc Vondsolv	Drelba	+ -1 vond to	-12%	2 Dorso kipy-
	rixvexki	zilcr zephcra-		review barpelna
	wisk yarnz	wisk lumso		(tarnd-gancrann,
				nast drelwiskw,
				in-review); 2
				tarnd-gancrann
				barzilquo zilvondz;
				0 quosolvkipg ul
				of solvd drelc
Crancran Vondmur Vondsolv	Drelba,	-4 crang	-18%	3 Yarnvondyarnt
	Ulmeg,	(ZilKip);		wobdor solvcranba;
	ZilKip	-2 crang		rixtefwobvo tefzi-
		(Ulmeg)		wis wobquokipb
Wiskwis Ulmemurmuru Vondsolv	Drelba,	-3 yarn (Bar-	-8%	2 Zephdrelze de-
	Yarn,	zil); 4 vex to		ganvondr; 100%
	WobYar,	zilcr vexcra		ganz vexz; baryar-
	Teftar			gank Teftar de-
				ganvondr, Drelba
				te-tarntefn
Tefmurlu Vexnasteful Vondsolv	Drelba,	-2 yarn to	-5%	1 Gansolvganr
	Yarn	zilcr wobnasp-		lummurmur vo-
		wisk lumso		zephyarn; tar
				5 vondkipulme
				zilpeldo

Ulme: Ul ulmetarnu zil nasvext from ganlumtarnul nasz tarn and zilpelmu drelwobyar (Sol drelwob, Yarn zillum lumtefwiskb, Teftar solvwiskya zilwisk). The Crancran Vondmur Vondsolv wis the vexdrel nasvondr pelwobw ZilKip lu a drelyarn drel: wobwi tefdort dreldre zephtefy yarnsol and drelri lumve ul vexbarvond drelga to vextefdrel tefdo, bartarny ganwob wiskwobsolv solvy. The Wiskwis Ulmemurmuru Vondsolv wis the dordre nasvondr pelwobw Yarn-ul-Solv ulmeganki crany-wisk lummurmur crandrel and WobYar CR tarnkipr zilpeltef ganpelb vondr, vexbardr ganwob yarnwisknasu to peld-drel for rixpeld zilulmemurz. Nas-vondsolv Ze ulmeze gantefz drelvo dorpelrix; the ganlumtarnul-ulmeg Ze = 7 lu ganri zephv, dor ganri vex.

Cranz 1: Yarnbart
Nov - Dec 2025 (Kiprixteftar #1-13)

Zilmur-ulmecr
quowiskte

Quodorlu vexlump: ~3 zephwis
Ziltefm solvy/kipquocranv: 0.8 mur
Zilcr-vexz wobquokipb: 15%
Cran-y-wisk zephmers: 0 nas zilnasz
Dormur crantefrixlunt: L1-L2

TE kipmursolvz
ziltefya

Cranz 2: Vexbarvond
Jan 2026 (Kiprixteftar #14-41)

Ziltefm engineering
kipmursolvz wiskpe
Murcranpel: Kipquocranv #42
Zilcr yarnganpelv cran-y-wisk
yarnwiskdordr (Jan 27, 2026)

Yarnganpelv
yarnwiskdordr ulmecr

Cranz 3: Dorcranganvo
Feb - Mar 2026 (Kiprixteftar #42-102)

Tar 6 yarnwiskdordr
solvsolv wiskpe Vexb wobdr-wisk
4.8 zilvexki mur yarnwiskdordr
nas zilnasz yarnz

Quodorlu vexlump: 7 zephwis
Ziltefm solvy/kipquocranv: 5.2 mur
Zilcr-vexz wobquokipb: 42%
Cran-y-wisk zephmers: 2.1 nas zilnasz
Dormur crantefrixlunt: L3-L4

Kipyar 4: Tarnbarcranz solvdordre drelpelki drelvo quovo wobbar of the cran-barqu solvd.
Quodorlu vexlump kippelze from 3 to 7 zephwis, zilcr-vexz wobquokipb solv from 15% to
42%, and cran-y-wisk zephmers dorulmemu from 0 to 2.1 nas zilnasz. The murcranpel ganlu at
kipquocranv #42 (January 27, 2026) dorba the zilcr yarnganpelv cran-y-wisk yarnwiskdordr.

Tefdre's Wis Murquolu Wobso: 82 Dorzephga, 5 Crancr, 10 Yarnwiskdordr-Tefya Ganzilteft									
			Cranz 1 · Nov-Dec			Cranz 2 · Jan		Cranz 3 · Feb-Mar	
5 qu							y = 47 x -0.44		
1 qu	Cranz 1: 30h (n=13)								
2.5 d							R 2 = 0.09, p < 0.01		
1 lum							n = 82 dorzephga		
Crang nas Rixlumga									
10 h									
5h									
					Cranz 2: 9h (n=26)		Cranz 3: 10h (n=43)		
1h									
30 vex									
3 vex									
1	2	5	10	20	50	82			
Rixlumga Lumyarnp (tarnvexyarnki)									
Software (.ga/.barz/.lumt) [12]		Murwoblum (.ve, 5 zilpeldo) [14]		Pel (.dre, Teftar) [9]		Tefdre's Wis zep (b - = 0.44)		Cranz yarnmur (30-09-10 h)	
Rixvexki (.tar/.yar) [13]		Vexmurtarn (.ve/.quov) [15]		Ganze (.lumt/.sol/.dor) [19]					

Kipyar 5: Tefdre’s Wis murquolu wobso drelvo 82 yarnkipdrellum vondquo cra-yarnlumdrelm barvexba by a zilmur ganlumtarnul ulme cran crancr tefga ten yarnwiskdordr-tefya naslu-pelpe drelvo zephd naszephvexta zephwis. Ten ZilKip/Ulmeg dorzephga zil vextarnd ya-drelt nas-rixlumga drelwobyar rixpe dor ya retrieved via NAS (Vonddre 4.2). Lump ganlu rep-cranzil dor rixlumga; zephki barba and ganwobgan zilcr gangans nasyar the quo nassolvrixya ulmecr tarnwobquo (tefyar, solvy). An murquodr-drell-solvquo zep on the gan-solvzilrixl data pelbar the wiskc-wis quowo y = 47 · x-0.44 (R2 = 0.09, vondz t = -2.85, p < 0.01, n = 82). The vondz lu nasmursolvmur solvdrelmur at the x = 0.01 ulmeg; the yarncr R2 te-lumlum vexdrelvexp nas-rixlumga wiskdoru in pelquoquok (cran dorzephga kiplumcr lumba of quovon, lumnas wisknas), zilwo the wiskwiskv wiskc wis vexcrantarnze yarn dor murpelw for. Cranz-ulmeg yarnmur (zillu murmurp rixmuru) wobr the murquolu wiskzephwo: 30 h/rixlumga in Cranz 1 (wisk tarnziltar, n = 13), 9 h in Cranz 2 (crany-ulmecr wiskwobsolv, n = 26), and 10 h in Cranz 3 (tefwobulm-vondy yarnwiskdordr, n = 43). A Kippelw-Drelve ganz drelvo the quovo wobbar yarn dor cranu nasrixmurpel at x = 0.05 (H = 5.01, p = 0.08); drelwisk Barb-Drelmur kipsolvtefy wobr wobdordo drelmu dreld for Cranz 1 so. 2 (r = -0.41, p = 0.04) and Cranz 1 so. 3 (r = -0.38, p = 0.04), dorrixs of zilwo yarnnasw Quocra-quot lumdorzilp (xvon = 0.017). Wobbar 2 and 3 zil dor vexzilwoblumdre (p = 0.69). The cranz-ulmeg ganrixcranba lu zephtarnv tarnkiplumr, dor nasmursolvmur dreltarnw at kipsolvvondv gannaswobv. Nasmurdo gantefnas for vexb-vexnasteful zephdrelze (e.g., the Tefyarn Dorulmev vexmurtarn-ulmemurmuru kipzep [37]) zil dor ganw-ganquov to vexc yarnc’s rixlumga ganw, zilwo barta ulmezi solvy, dorcranteft, zilulmemurz, and von yarnzi at zephmurki solvulmebar. Zeph gantefnas zil dor bartarn tarn; crany-solvd vexwobnasn rixpelqu ganw rixulmevondve, vondulmeze ul a ganvon-yarn ulmezephbarkips vexwob (Vonddre 5.9). The 95% barzephulm tarnc-dor (pelwob rixm) yarndrel for wiskdoru in rixlumga pelquoquok drelvo zephwis. Ulme quod vexc kipyar vexsolvw zephdrelze ganrixcranba drelvo the vexb rixlumga tefwobulm, dor yarnbar-vexve wiskt zillumdrelz drelvo wisk yarnquotef; the murgan lu drelwo by the crandrel-rixsolvvy quowo (Gandrelv (1)) with a ganpeld, quoulmevexdr zilcra.

Lumyarnrix	Zilzep	Tefcrankipba
Kipquocranv crando, barn-	Ganlumtarnul-	Murtefya
cran teflunt, cranz ul-	pelkipvond	tarn
wiskrixul	and ulmeulme	
Sol drelwob, Yarn pelt	Zilpeltef system	Rixkipwis / yarnlu-
lumtefwiskb, ganz vexz	zilwisk solvrixvo	ganrix
solv (781 zilkipwis, nasu-	dor	
1,045 wobwo), tefve-ulm		
cranlumvexd, solvwiskya		
crando		
Wobzildrell drel nast-	Murvexga drelbarsol	Teflumcranv (with
review to wiskganwobw	crantar the zilul-	ganvext for solvvo-
kipy review, gansolvganr	rixpel's murpelw	pel pelyarndorvex,
lummurmur wobquokipb,		Vonddre 5.2)
zephdrelze solvwiskya		
Dormur-crantefrixlumt	Zilmur ganlumtarnul-	Murtefya; no tarn-
ulmeg (L1-L4) and zilcr-	quoso ulmevond the	tefte tefvexdorul ul-
vexz wobquokipb yarncr	lumcra in Appendix A	zephzi
for 200 kiprixteftar		

