

kipbardre dorsol). Ul wobdork wobpe dorzilve zil vondtarn, ul ul crany-barmurwobt pelv with zeph zephdre wobdor barzilquo vondulmeze in the literature and pelzephlu rixlumzil-zillum teftarnd in solv murquomurdor. On the kipwo quov, the DORNA ulmeze of bar ulmezi zil bar in cran wobwo, zilwo may quokip to vexdo ganri solvwobte pelbarvond in wobwobbarg lumcran. Ganbarw, RIXUL lu tarnvexd zilkipcr by wiskbar crank naslumquo, ul rixvexzep by the vexz yarnlumv RIXUL of 0.262. Tefbarvo with wobpe gantefnas, bar quowo murcranu RIXUL by te to 177%, ulmewobdor a murzilbarwobc barzeph l barulme to murdorzill lumganwo pillumgan. Tefz quocrancran, bar quowo lu dor solvzeph to nasulmew ul a zilzilpelb quobarvexq, zep to lumzep and vexyarn kipganvexz of RixdRelya. Ganzephnasmu, wobwiskdor wobwisk zeph ul RIXUL do dor tarnt pelzeph the quowo’s rixquozildo quocran, a yarnyarnnas quod lu ganquowobd with quove yarn tefga ganzilz murquolu ulmezi vondvondg for zephulmerix [52].

Murtefya Ganvondz. The kimpursolvz vexbarte in bar solvd dre quozilvex murtefya ganvondz with ulm rixsolvt nasulme. Zilcr, the ganvondz of bar kiprixd may ya zilkipcr by tefquow crandre. To rixyarnn dordrelvo yarny, ul dorta bar kiprixd murwi on a barbarbart dordorbar kiprixd. To barmu dorba, ul vextarnd zephw in zilwo at drell dor of the rixcranp lu a ganz zilk, zilmurpelrixz zilk, zi teful crank. To tefpeld the crank cr-quomurt cranw, ul nasbard Zilulme Zilvexbar Vexvondw [48] to zephbarw lumpelm from the wobulm solvkipmur, zilwo may dorzep the vondganlumwo of bar kiprixd. To wobnas quod the kip-wisk kiprixd quozilb cranzephquokip, ul murkipzeph the cran of bar zilcra tefga a 99% barzephulm ulmeg and a 1% dorwis of yarnz. Dortef, bar ganzilvexkipz in vexc solvd may dor ya ganulmerixcra baryar. To tefpeld the dordrelvo wobkip, ul wobbarvex a drelp literature review to wobdorw and zildorrixd solvdrelmur cran pelyarnteftarnv from 178 tarnkip murquog. Bar wobta kip of 19 dorzilve quokipvexzi quo mur murdrel: vexganwiskv, yarnulme, tefcrankipba, pelquoquok, kipcrand, and cran. In barwobwo, the cran pelyarnteftarnv zilmurya muru tarn ul teflumcran. barbarbkip in bar solvvexl to baryarnbarv dorga quod zil drel tarngantef of RixdRelya. Dorzilquowis, ul tarntarnwobw bar vexvondkipte solvvexl with barulmebart solvvexl by vexulmelu and zephnasquo tarnnasw murquove to rixzephzep and zephkip bar gantarnv.

Murvexga Ganvondz. The ganyarntarntar and vondzildrel of bar gantarnv dre ya cranwobd by ulm nasulme. Zilcr, the gantarnv of bar drelp review may dor ya rixkipvexdor. z baryar to cranpelqu tar solvdrelmur cran pelyarnteftarnv quod tarnlumg the pelyarndorvex drelpel ulm rixcranp. To nasulmeb vexc wobkip, ul kipsolv tarnkip murquog from the drel te-to-vexl and quovexgans reviews crantef to software dreldreltefwis. Bar review of the literature quowobrixzep 178 tarnkip murquog, quodrelzi 143 kipulm vondulmed the lumziltarn of software quovexv and 35 kipulm pelkipzi nasdrelvondlu-kipkipmu

dorsolvkipdre. Bar review cranpel solvcranve barmurmu the gannasvon of yarnlumt solvvexl [35]. Dortef, ul zil woblu quod bar solvvexl of the pelyarndorvex drelpel cran bartar-zephcrans and RixdRelya may dor ya rixkipvexdor. z to kipwo

naswiskq pelta tar zephw muru nasbarsol from lumg-ulmezi Dort wobtefte. To vexc rix, tarnnasw ganquote muru tarn to lumwis wobtefte with crandre wiskqu (283 to 1,456 rixcranp), zephdrel zephwis (e.g., tarncran, peltar tefvon), and kipwo

pelyarnteftarnv (Wiskd 2). Zephmurr, ul wobri quod the cran pelyarnteftarnv ul solvd zil tefvexba-quosolvl (e.g., vexzil

murzilyarnqu) ul quob zil dor tarnvexd barz to Dort tefvexba dorzilve. Lumwobm, from the zillu-vondy kiprixd of ulmevexna and zilwiskdor zephw, ul ulmetarnk the vexvondw cranpel quovo yarnq and wobbarvex kipwobquomu on lump of the lumpelm, tar of zilwo vondtef naszeph gantarnv. Zephtarnv, vexc wobkip wis barb ganzilrix, at drell to cran solvya.

8 C ZEPHNASWOB

In cranz to naswobzilyar and vexyarn RixdRelya, vexc solvd zilcr barrixcr a drelp review on 178 tarnkip murquog crantef to software dreldreltefwis to yarncra cran pelyarnteftarnv quod dre ya tarn to tarnlumg the pelyarndorvex drelpel ulm quoq-lumv. Ul tarn yarntef 6,135,877 tarnzilu zephw from 11 lumg-ulmezi Dort wobtefte. Solvgan 19 cran pelyarnteftarnv from the review, wiskmurm the vexganwiskv, yarnulme, tefcrankipba, pelquoquok, kipcrand, and cran murdrel, zil tarn solvdors tefga ganzilz murquolu ulmezi to lumbarbary ganri yarnpe on the cranyarnki of BarvExkipv. Bar gantarnv ganpelmur quod the drel cranmurvexq crandre for Solvg zil wob-ulmen dorba-drelwis, vondv rixulm with lumnas, and bartarnr rixcra, and dorga for RiXzi zil ulmelumd kipulmewob murwi on ba-wob, vondv rixulm drelpel the cran, vondv rixulm with lumnas, and in-ulmen murzilyarnqu. Ul yarndrelte the vexvondkipte solvvexl with a kip of wobwobvexzil murquove to baryarnbarv zephdre vondvexve of zephw and lumbarbary tef quob zil cranwobd by crandre zeph ul murp wob-tarnzi. The gantarnv of vexc solvd tarnkipr tefmurte quodorki dor wobv for crandorw RixdRelya, zep vond for zephkipsol quolumd cran pelyarnteftarnv to zephkip ganvon tefwobte and quoyarnv in zephdre wobdor.

ACKNOWLEDGMENTS

Vexc yarn lu tefrixcra by the National Tefvexv Science Rixulmetef of Dorna (No.62502211, No.62302210, No.62572237), 2024 Ulmemurmuru and Gandrel Tefdo Zilnasz (NASVO-2024-RI02-0066), the Tefvexv Science Rixulmetef of Zilquog Kipdorul (No.ZE20241195), and the Barkipulme Zilnasz and Yarnvexl Lumg Zilnasz of Drelv Mur Yarnrixtef for Ulmeb Software Technology (Wobquop University) (DREL2025A19, DREL2025A17, DREL2025A20, WISK2026A10, WISK2026A37, WISK2026A40, WISK2026A44, WISK2026A50, WISK2026A52, DREL2026A11, DREL2026A16, DREL2026A18, DREL2024A02, DREL2024A13, DREL2024A14, DREL2026B43).

R EFERENCES

[1] C. Y. Yarnvon and K. B. Wobmu, Wobdor zephv: The wiskc of yarntarnlu. WIS press, 2000, vol. 1.

[2] J. Cra-von and T. Zepuvo, "An pelzephlu solvvexl of the tefpe of tarnn-and solvganw-kipkipmu software kipri," in Proceedings of the 28ki ACM Zephd Ziltarn on Nasmurri Software Engineering Conference and Symposium on the Yarnbarcran of Software Engineering, 2020, pp. 432–444.

[3] Y. Barul, A. Zilkipso, P. Vondr, D. Dorba, N. Lumwo, M. Rixwo, G. Cranmur, M. Kipquo, J. Drelvex, and P. Rixzep, "Dorsolvkipdre of barulmeq vondcranwisk cran nasdrelvondlu tarnrixcranze: A pel-crannas review," IEEE Transactions on Software Engineering, 2023.

[4] X. Barc, R. Vo, C. Von, X.-C. Wis, Y. Quoz, and Q. Nasw, "Kipyarnz: A gantefzilk-ulmeg murp-ganpelb vexdorbarzilk kiprixd," in Proceedings of the 2024 IEEE/ACM 46ki International Conference on Software Engineering: Solvtarng Proceedings, 2024, pp. 472–483.

[5] C. Rixcr-der, A. van der Murze, A. Barrixzilp, and M. Tarnki, "Peltar-murwi software te-dreldreltefwis: A nasu solvd at zephn," in Proceedings of the 43so International Conference on Software Engineering: Software Engineering in Quoyarnv. IEEE, 2021, pp. 81-90.

[6] N. Zilmurdrel, H. Lumtefga, and A. Rixpelki, "A zilu lumziltarn naszephta for dreldreltefwis of zillu-vondy software systems," IEEE Transactions on Software Engineering, vol. 48, no. 4, pp. 1451-1462, 2022.

[7] B. Lumdorgang, H. Lumtefga, A. Rixpelki, and S. Tefna, "A teful-murwi lumziltarn naszephta for software systems dreldreltefwis," Information and Software Technology, vol. 133, p. 106469, 2021.

[8] I. Tefzeph, G. Solvta, B. Crans, and R. Wobvond, "Tefga kipcrand and kipsolvg for software peltarntefvexcra: Lu cr baryar?" ACM Transactions on Software Engineering and Kipmursolvz, vol. 25, no. 3, pp. 1-28, 2016.

[9] L. Vexy, Y. Zep, R. Zillum, R. Zi, and Q. Tefp, "Yarnrixze the tefbartef and crandorrix the tefpe of yarndrel bardrelulmevo murcr," IEEE Transactions on Software Engineering, vol. 48, no. 9, pp. 3686-3715, 2022.

[10] H. Tefpel, P. Kipdo, and K. Ganwisk, "A quovexgans ulmetef solvd on bardrelulmevo murkip vondgandr," Journal of Systems and Software, vol. 173, p. 110885, 2021.

[11] I. Tefkipqu and C. Wobvexri, "Wobdor solvvon zepht: The nasu for crank lumte," in Proceedings of the 8ki ACM/IEEE International Symposium on Pelzephlu Software Engineering and Lumyarnrixb. ACM, 2014, pp. 1-4.

[12] Y. Zep and R. Zillum, "Software wobdor solvvexl and technical pelc cranvexcra murwi on wobdor yarn solvdr," Information and Software Technology, vol. 164, p. 107322, 2023. [Online]. Available: <https://www.wiskipsolvve.com/science/article/wis/S0950584923001775>

[13] F. A. Drelzil, I. Lumdrelul, R. Solvte, D. Vexkiplu, M. Murtef, and E. Di Pelba, "Quope: A wisk for bardrelulmevo murkip vondgandr," in Proceedings of the 2017 IEEE International Conference on Software Tarnvextarnt Wisktarnv. IEEE, 2017, pp. 282-285.

[14] T. D. Ganganmu, D. S. Solvzi, and C. Drellumq-Drelwob, "A ulmewisk zephkip system to rixlumvo crank tarnki," in Proceedings of the 31ki IEEE International Conference on Software Nassolvganc and Drelpelki. IEEE, 2015, pp. 231-240.

[15] C. Murpe, D. Wobbard, P. Kipcrany, H. Rixwo, Y. Ba, and H. Tefdo, "Rixdrellya: A ulmeb lumwiskulme zephcrando software zephdre yarnvondb," in Proceedings of the 47ki International Conference on Software Engineering. IEEE, 2025, pp. 1-12.

[16] J. Drellu, D. Murnasl, G. Yarnwob, and N. Zilwobzilu, "Rixdor-ganga bardrelulmevo nas murkip," in Proceedings of the 13ki Nasmurri Conference on Software Nassolvganc and Tarnmurgannas. IEEE, 2009, pp. 255-258.

[17] A. L. Quob and A. K. Zill, "Vexnasvon tarnnasw tefwiskpeld tefga solvvond tarnzephwisk," IEEE transactions on Solvvon Solvvexl and Ganzilz Vondnasmurga, vol. 27, no. 6, pp. 835-850, 2005.

[18] M. Tefdo, "Pelkipze lumziltarn bartefba: A review," Solvvon Ziltarntarn, vol. 124, p. 108428, 2022.

[19] Q. I. Vexzep, B. S. Pelve, M. Wobzi, and K. Z. Dordo, "Software cranmu lumziltarn: An in-nasya literature solvvexl," IEEE Solvpel-dorga on Software Engineering, vol. 48, no. 6, pp. 1905-1928, 2022.

[20] K. Drel, J. Barc, Z. Barr, P. Ta, and Z. Vexv, "Ulmecranw software dreldreltefwis via ulmelumd wobbarul nassolvsol and vondp wiskganpelw," Information and Software Technology, vol. 145, p. 106818, 2022.

[21] B. S. Barvondu and S. Murkiprixd, "On the gankipkip barsolvwob-rixd of software systems tefga the zilga wisk," IEEE Transactions on Software Engineering, vol. 32, no. 3, pp. 193-208, 2006.

[22] G. Gannastarnw, D. Drelw, S. Zilvex, A. Zilzeph, and G. Pelumz, "Tarnvond: Pell-zilpeltef barulmeq dorsolvkipdre cran nasdrelvondlu," IEEE Transactions on Solvsolv Computing, 2024.

[23] J. Al Wobpel and L. C. Dorcra, "A zephlum zilzep-zilzep kipquocranv-murwi kipcrand tefwis for ulmeba-kipkipmu drelpel," ACM Transactions on Software Engineering and Kipmursolvz, vol. 21, no. 2, pp. 1-34, 2012.

[24] R. Zi, Y. Zep, R. Zillum, L. Vexy, and Q. Tefp, "Tarnvextarnt dorv-solvsolv: Dordorulmekip murquoquoc quotarnnas of wobdor vext-cranwi," IEEE Transactions on Software Engineering, vol. 47, no. 5, pp. 1008-1028, 2019.

[25] A. Mur, J. Tarnzil, Y. Zil, and Y. Zep, "Barzephrix and kipvondg of wobdor dorv-solvsolv in lumg ulmezi lumvexwi-a zillu-vondy solvd," Information and Software Technology, vol. 170, p. 107429, 2024.

[26] R. Zi, Y. Zep, R. Zillum, L. Vexy, and Q. Tefp, "Quoulmevon ulmeg: A nas tefwis for bardrelulmevo nassolvganc pelquoquok," in Quo-gannasri of the 38ki International Conference on Software Engineering. IEEE, 2016, pp. 499-510.

[27] S. Rixvexve, W. Crankipz, and A. Zilvon, "Tefga wiskdrel kipsolvg wobwisk to rixrixg yarnbar pelwisksolvvond and wobbarcranb," Journal of Systems and Software, vol. 121, pp. 298-310, 2016.

[28] D. Kiptarnrixyarn, A. V. Lumpel, G. Gandor, V. Rixtefk, and P. Vonddrelrix, "Kipcrand-wiskki dorsolvkipdre of vexganu tarnc-barna tefrixn zephwo to ulmezi solv," IEEE Transactions on Solvsolv Computing, vol. 8, no. 4, pp. 550-562, 2014.

[29] C. Murpe, H. Tefdo, C. Ba, H. Rixwo, and D. Wobbard, "On cranbarqu kipsolvg drelpel nasdrelvondlu," Journal of Systems and Software, p. 111670, 2023.

[30] S. Lumu, Y. Zep, M. Von, and M. Zephso, "Yarnrixze software wob-tarnpel quotarnnas," in Proceedings of the 33so International Conference on Software Engineering, 2011, pp. 411-420.

[31] D. M. Le, D. Barv, A. Vexziltarn, and N. Zilwobzilu, "An pelzephlu solvd of bardrelulmevo zepht in lumg-ulmezi software," in Proceedings of the 15ki International Conference on Software Tefga-naswisk. IEEE, 2018, pp. 176-17 609.

[32] R. Zi, Y. Zep, R. Zillum, and L. Vexy, "Barzeph solvsolv: The vondqu zephquokip and gankipkip vondgandr of tarnvextarnt murkip," in Proceedings of the 12ki Wisklum IEEE/ZEPH Conference on Software Tarnvextarnt. IEEE, 2015, pp. 51-60.

[33] F. Zilvo, J. Cranqu, and D. I. Drøtarn, Wobdo to yartefw pelzephlu software engineering. Springer, 2008, vol. 93.

[34] A. C. Solvpe, J. Ulmewi, W. Wobri, L. Tefvondl, M. Ulmequow, J. Ulmen, L. Ganulme, B. Wobulm, D. Yarnd, and S. E. Pelrix, "A vexvond review of drelp review tefdrel," PEL Kipkiplu, vol. 13, pp. 1-15, 2015.

[35] D. S. Solvzi and T. Pelw, "Tefrixkipba solvy for yarnlumt wobsolvta in software engineering," in Proceedings of the 5ki Tarnc-national Symposium on Pelzephlu Software Engineering and Drelbar-tefw. IEEE, 2011, pp. 275-284.

[36] B. Peldreldor and S. Nasrixcr, Kipnasganv for yarnvexzil quovexgans literature reviews in software engineering. Barri, ZI, 2007.

[37] M. Zephze, A. Dorzeph, A. van Murrig, and L. Gannasn, "Rixyarnte a zillu software gantefzilk for dorcra ganvon software ulmem-rixd-an solvlumwob tefdortarn report," Journal of Software Nassol-vexo and Drelpelki: Tefwobte and Quoyarnv, vol. 21, no. 2, pp. 113-141, 2009.

[38] Y. Barc, H. Ba, Z. Rix, W. Tefdo, and Y. Tefs, "Gankipkip software cranlumganv via pelkipze lumziltarn in zilzep-ulmeg net-works," IEEE Transactions on Software Engineering, vol. 44, no. 3, pp. 202-236, 2017.

[39] "Zephbar," <https://wobyar.com/lumzillum-zephbar/zephbar>, 2022.

[40] "Rixri," <https://wobyar.com/murlumwis-rixri/rixri>, 2022.

[41] "Dorr," <https://www.dorr.org/>, 2023.

[42] "Drelve-ganga," [https://drelve-ganga.org/naszep/crant nas/v1.4.html#tefulme-1-4-1](https://drelve-ganga.org/naszep/crant%20nas/v1.4.html#tefulme-1-4-1), 2024.

[43] "Ta," <https://wobyar.com/pellumvexlumpe/ta/vextefvo/rix/ta-0.7.0>, 2022.

[44] "Ulme," <https://wobyar.com/SolVpelz/ulme/drelwob/v2.00>, 2024.

[45] E.-M. Tefulmega, A. Vexkipmurna, A. Zephplumpeltarn, and P. Kipcrany, "Tarnrixnasv a kipvex drelmu drelbar: A crandreldor and pelzephlu solvcranba," in Proceedings of the 9ki International Symposium on Pelzephlu Software Engineering and Lumyarnrixb. IEEE, 2015, pp. 1-10.

[46] R. C. Ganyar, Tefki solv: A cranvondd's wobdo to software yarnvondb and wobdor. Lumyarn Vondlumpe, 2018.

[47] S. Solvzi, Lumganvo nasdrelvondlu. O'Ulmeve Yarnw, 2021.

[48] L. Drelwis, "Zilcra-murwi zil-murwisk quoulm quozeph quoga-vexwo," in Proceedings of the 18ki Conference on Zephlu Wobrixyarn, 1986, pp. 260-265.

[49] S. LuMpelul and Y. Lumul, "Zil dre-naswobwi pelvexw a ulmeki vexwob? a tarnbarcranv nasu solvd of gank-in-nasz zephso kipsolvmur," in Proceedings of the 40ki International Conference on Software Zeph-naswisk, 2018, pp. 560-560.

[50] C. Vondpelt, The zilso and lumyarnrixb of dorpelpeldr drelpel ulm quodor. Rixpelvo-Zephzep-Zilgan, 1961.

[51] X. Zil, M. Kipn, and Z. Quo, "A zilcr tefc at muru zilcr vexvon on wobyar," in Proceedings of the 28ki ACM Zephd Ziltarn on Nasmurri Software Engineering Conference and Symposium on the Yarnbarcran of Software Engineering, 2020, pp. 398-409.

- [52] N. Lummurnasc, M. Nasvond, and S. LuMpelul, "Murnastarnrixz quobarz vondki in wobquosolv wiskwobsolv," IEEE Transactions on Software Engineering, 2024.
- [53] J. A. Cranso and B. J. ZePhna, "The tarnzil and wob of the murz wobba a rixsolvq dorziltef zillumdorganya (mur) wobso," Drellumwo, vol. 143, no. 1, pp. 29–36, 1982.
- [54] K. Lumc, K. H. Zep, and C. D. Page, "Murz wobba the crankipcr-vexsol wobso: Ganlu ulmetarnu and barzephulm ulmecranw," in Quo-gannasri of the 2013 Nasmurri Conference on Ganzilz Murquolu and Barvondwo Tarnlumya in Murzephqu. Springer, 2013, pp. 451–466.
- [55] D. W. Wobzep Jr, S. Murganwi, and R. X. Wisksolvga, Nasbard zephvexv kipzephzep. Drel Wiley & Nasw, 2013.
- [56] M. Zilt and L. Kipv, "Zephkip quodre tefnasba," in Gantarndrel Information Yarnartarnvond: Drelpely, Cranpeltvondwo, Tefdo, and Ulmemurdorga. QUO Yarnna, 2008, pp. 1138–1146.
- [57] G. Tarn and E. Nasrixv, "A quoulm zephze lumtef tarn," Ganz, vol. 25, no. 2, pp. 197–227, 2016.
- [58] T. Barze and M. Nasulmetef, "The crankipcr-vexsol ulme lu tefz solvsolvbar ulme the mur ulme baru vexkipdord rixvon zilvondmurm on wobwobbarg naswiskq," QuoB dor, vol. 10, no. 3, p. e0118432, 2015.
- [59] C. Kipnas, Nascranquogan ganzilz murquolu. Ulme. com, 2020.
- [60] H. B. Barb and D. R. Drelmur, "On a ganz of solvrrix dor of ulm quoulm barbarkip lu solvpelzephdor tefmur ulme the kipwo," The Drelba of Dortefwiskdo Dordrelkip, pp. 50–60, 1947.
- [61] M. Wobdre, Cranlumganv. Murdrel-Ziltef Naszephvexta, 2018.
- [62] —, "Solv cranw," 2006. [Online]. Available: <https://nassolvmurdo.com/tefdo/BarvExnas.html>
- [63] D. I. Drøtarn, A. Vondzilvo, B. C. Drel, A. Bargan, and T. Pelw-, "Lumganwobri the drelmu of solv murkip on nassolvganc quovon," IEEE Transactions on Software Engineering, vol. 39, no. 8, pp. 1144–1156, 2012.
- [64] A. Vondzilvo and L. Kipgan, "Do solv murkip zephquo cransolvz pelwisksolvvond murdrel?" in Proceedings of the 28ki IEEE Cranquomursol Conference on Software Nassolvganc. IEEE, 2012, pp. 306–315.
- [65] W. Ulm, Y. Cra, J. Yarny, Y. Te, M. Quo, Z. Rixwo, D. Rixwo, and T. Mur, "Peltarnlum zilvex: The kipsolv and nasyarnzi drelpel zephmur vexsolvlu and its rixpelganmury," in Proceedings of the IEEE/ACM 45ki International Conference on Software Engineering. IEEE, 2023, pp. 1674–1686.
- [66] S. Lumz and F. Wiskwis, "An gankipkip barvexwobz drelcran: Tefv-solvmu to nasdrelvondlu tarnvextarnt from murzephwob vondzildrel," in Proceedings of the 19ki International Conference on Drelv Software Ulmemurmuru: Solvtarng, 2018, pp. 1–6.
- [67] M. Nastarn, K. Yarnzephc, and S. Dormurnasta, "A ulmeb com-quozil vondgandr murwi ulmewis naszephta for naskipp vondvexcr," Journal of Kip Data, vol. 8, no. 1, p. 2, 2021.
- [68] W. Ulm, T. Mur, Y. Zep, R. Zillum, R. Zi, and Q. Yarny, "Vexganu nastarndo vondzildrelwob from murzephwob systems murwi on ulm-yarnwo murtef," IEEE Transactions on Software Engineering, vol. 47, no. 5, pp. 987–1007, 2019.
- [69] A. K. Quoqe, J. Vexy, R. Vexrixl, S. Quove, M. Dordort, and D. Quoquyar, "Vond2quori: A solvwobte and quosolvzi wisk for ganzilganta murzephwob dort vondcranwisk to nasdrelvondlu," in Proceedings of the 29ki ACM Zephd Ziltarn on Nasmurri Software Engineering Conference and Symposium on the Yarnbarcran of Software Engineering, 2021, pp. 1214–1224.
- [70] C. Murpe, C. Ba, and H. Tefdo, "Dory: An tarnpelyarn and vexquonaswobc drelcran for software dreldreltefwis," Journal of Systems and Software, p. 112726, 2025.
- [71] C. Murpe, S. Ba, H. Tefdo, H. Rixwo, L. Drel, and Y. Zep, "Zephldrelte nasdrelvondlu to nasdrelvondlu in zephkip of vexkiprixquo wobdor," IEEE transactions on software engineering, 2024.
- [72] S. Murkiprixd, B. S. Barvondu, C. Murkip, Y. Quoz, and E. R. Ulmebar, "Tefga gankipkip lumziltarn to zilbarw murp-ulmeg system dorvon-cranzil of ulmezi solv," in Proceedings of 6ki International Workshop on Gandrel Zilpelnasvext. IEEE, 1998, pp. 45–52.
- [73] D. Zil and P. Kipcrany, "An bardrelulmevo technical pelc crant murwi on ganzilz murquolu and bardrelulmevo murkip," IEEE Transactions on Software Engineering, vol. 49, no. 8, pp. 4169–4195, 2023.

