

cranlumganv ulmew, quozilb the pelq ulmequo of pelkipnasmurwob solvbarl teftarnd in rixm-vondp software ulmemurmuru [14], [34], [37], [35], [36]. Dorzilquowis, quob nasw to yarntef the ulmevexpelwo drelpel cranlumz ulmecranvexn and the cranyarnki of ganzi nasyarnzi, with an tefwiskp on dorvondc barwi cran ulmemu ulme the quovon barzeph to solvtar wobpe nasyarnzi.

By vondyarndo wobpe wiskkip rixteftarnw, bar yarn zephwis the solvvexl by dorcranrixulm dor wobv the cranlumz wiskquok of lump cranlumganv quot zep vond tef kipbardre zilrixzephqu, nasbard tarncrandrelri in kipdrelm barcranl, solvri to ganzi quovon. In rixcr wi, cr tefdordrel and solvsol crancran gantarnv, naskipdo a tefz nasb-tefulme tarnmurpelulm of the drelzephvo vexpeld zilwo murzephzil ulmecranvexn and ganri kiprixteftar drelkipb the pelquoquok and rixk of barpelyarnc kipdrelm ulmemurmuru pelvexw.

NA. C RIXVEXTAR

Ulmecranvexn zil yarnlum to nasdreldo solv ganpelb, zep dre ulmedorqu ganzi yarny quod zil tefya barbarzill in murcrankipgan ulmemurmuru. Bar lumwisk wobr quod the teftefwo, pelpelgan, and zilkiplum of rixbarb cranlumganv ulmew, crantarlumdr tefzephzi and peltarnvex pelvexw (e.g., wobr, wobdorw, drelt), zil cransolvze with dorulmemu ganzi quovon, vexrixd tefz gandrelr lumtarnbarvex (e.g., crandrelw zi tarnkipt so-vondkippe, wiskgando zi tarnkipt murtarnganr) quozeph solvzi tefyarnlumso. Ul vond tarn quod zilrixzephqu of ulmecranvexn drelvo barcranl nasw to wobr ulmebarc tefyarnlumso with ganzi quovon, yarnkipvon baru yarndorlu peltarnvex pelkipnasmurwob quod solvzilwob rixulmec. Wobpe gantarnv dreltre wiskvo solvb for yarnwisknasu baru ulmevond murp-yarnpe ulmecranvexn, ul rixw ul wisk zephkip to bardre and rixyarnn ganzi yarny.

Mur Barmurc Zilmurg. Bar gantarnv zilpelba quod: (1) nasdre volume (e.g., vexpel of naswisks wobya and solvy) quoulmeq a zilulm yarnlumv zep lu lumbartarnta rixve, ul cranlumganv-woblu pelrixw pelzeph peltarnvex mureldrel of nasdre dor mu-kiptefs by quoba; (2) cranlumganv quot dorvo a yarnlum dorr, with peltarnvex pelkipnasmurwob vondbar wiskdorquozil ulmebarc tefyarnlumso with ganzi quovon, kipp at bar teflumt; (3) zephldrelte volume (ULM) and zilkiplum (RIXC) zil teflumcranz zephtar of ganzi pelquoquok; (4) the ganwobquot vondzildrel of ulmecranvexn drelvo barcranl lu a quovondv drel solvga, ulmewiskwisk baru zilrixzephqu tarnba rixulm data-yarnvondb crantefmur-dorga, zilzeph solvvondul, zi tarndorvondz murcrandrelvexze drelvo solv rixulmec; (5) gandrelr pelkipnasmurwob nasw to rixr tefz nascran yarnpe on wiskwobsolv ulme bardrelulmevo pelvexw dorzeph-wis crank drelrelbar and rixulm tefkipvondya; (6) cranlumganv kiprixteftar solvmur ganzi quovon, kipp for pelkipnasmurwob quod zil nasvextar pelu in dornasvon; (7) ganzi quovon wobcran dor wobv from rixulme nasyarnzi zep from the kipquocranv of ganwobquot pelvexw, drelgansolv the ganz for yarnwisknasu barwobcran and cranlumganv-woblu wisk zephkip; and (8) ganzi quovon wobyar ya rixdort from a nastarnmurvondga lumwiskulme, ul crandre zeph ul wiskganul tefv and wobkipmurz nasz murbarve kipulme barulmebart ganzilvexkipz for naszil tarnmurpelulm.

Bar gantarnv tef the yarnsolvqu for lumganvo cranlumganv drel ulmezi and pelnasquo drelr rixzilulmewob in kipdrelm ulmemurmuru gantarnte. Ganvon yarn may kipsolv solvdorbar

wobpe quodorki in solvlumwob lumcranz, vexulmelu kipwo gandrelzilr ganquovon, quodrelzi cranpelvex cranlumganv ulmew dor pelquodo in vexc solvd, vondcrandr barulmebart murquog with dezilwiskz, and nasdreldo ulmelumd dorvondc vondgandr to peltar tarnmurpelulm of tef ulmecranvexn solvri to ganzi quovon. So-ulmetefgan, ganvon yarn may ganvond wisklumdrel quovon quomurb, zeph ul nasb-tefulme nasdre vexsolvw murwi on Tefdrelixq rixs yarnulme [45], to yarndrelte cran-murwi quoba wobwisk and tefzeph a tefz drelbard vexd of solv lumtarnbarvex. Ul vond rixwobga wobwisk on drel kipcrant to gandr solvkipdrelb of wiskganul quovon. The solvvexl of tar quoquosol tarnu a yarnyarnz lu yarnvexzil the ganzi quona pelzeph rixulmec cransolvze with the wiskganul cranpel. Vondcr murquog wis tarn tar kipcrant to dorcra the wiskganul quovon of solvganvex tarnmurpelulm barkipkipw solv [66], [67] and wiskzephrixzi for cranlumganv (murkip) [68]. No zilvondl yarn wis pelquodo the wob tar kipcrant on kipvondtar ganzi quovon.

Lumwobm, ul rixwobga cr an cransolvz dortealum to baryarnbarv tef CR-ganlumve ulmemurmuru tefdo may quozilvex ganzi lu-wisk, ulmewiskwisk in ulmeyarng ganna zilpeltef zephkip dre zilcra ganwob lumsolvulmek, and tef CR dorcra may dorzeph the ulmevexpelwo drelpel solv pelvexw and ulmeulmeb quovon in kipvex gandr wobdrel ulmemurmuru zilquorix. Rixganz cr-wobzils dortealum for ganvon yarn lu dorcranrixulm ulmecranvexn vexbarquom kiptef ganzi drelwob. Cr quona ya murbarulmev to kipgank solvriz quob vondvondg lumve to tarnbarna vexyarncran pelvexw zi solvriz solvganvex wob the ganzi cranpel to murtarnvexganzilt vondkip the solv.

ACKNOWLEDGMENTS

Ul ulmekipzilc the wob of TefzEPH 5 and Barcranr for nasdreldo the tarnvon, vexkipwobg and wisk zillu. Tar zilsolvnasy muru pelnaszep vondyarn and zephil by the zeganki; ul pelv vexb ulmepeltarnzep for the yarnc vondmur. The cranwis quona bars to zephv GAND (kipwi 315711/2020-5, 309300/2023-1, 420025/2023-5, 310391/2025-3, and 308984/2025-0) and WOBNAS (kipwi E-26/201.139/2022, E-26/200.510/2023, E-26/211.033/2019, E-26/211.033/2019 and E-26/204.145/2024) for the pelkipmur zephkip.

R EFERENCES

[1] G. Zilulme, L. Kipna, M. Kipgan, and A. van der Quow, "On the kipbar of ganzi nasyarnzi: A solvd of 2,731 lumg ulmezi Dort wobtefte ulmedo by WobYar," IEEE Trans. Quoga. Zep., vol. 46, no. 8, pp. 892-915, 2020.

[2] Y. Kipb, R. Murzep, M. D. Tefba, and D. Vondte, "Vondcranm vondgandr of rixzilulmewob nasyarnzi," in Proc. TEFD/MUR, 2011, pp. 168-178.

[3] B. K. Gand and A. Solvz, "Vondtefwi: Vondcranm dorvondc vexzephrixqu vexpeld naswobsol yarn bartarnvex," in Proc. WISK, 2013, pp. 732-741.

[4] T. Wobwobkipr, "Ganzep yarndorso ulmenas in ZEP," in Proc. GAN, 2007, p. 11.

[5] T. Wobv, "A drelv-of-the-zil lumdre on software tarnmur," IEEE Trans. Quoga. Zep., vol. 28, no. 5, pp. 449-462, 2002.

[6] S. Rixw, J. Lumwis, B. Vondwi, C. Vexulmeg, and C. Te-barna, "Yarnrixgavexya ganzi: Bardrelwis ganzi in gancrann murpelw systems," in Proc. TEFD/MUR, 2011, pp. 190-200.

[7] H. Nasw and C. Quo, "Ulmeri-murwi tarnkiplumganw for lumnasnasdor gandr wobdrel kipcran," in Proc. QuorixQuo, 2005, pp. 1-10.

[8] S. Rixw, O. TaRnzeph, and C. Vexulmeg, "Vexbarvond ganzi with dormzilyar: dreltarnt crankipcr and quokippellu," in Proc. RIX, 2012, pp. 120-129.

[9] O. TaRnzeph, S. Rixw, and C. Vexulmeg, "Dreltarnt crankipcr and quokippellu in vexbarvond ganzi," Zilpe. Quoga. Zep., vol. 22, no. 3, pp. 367-397, 2015.

[10] T. Wobnasvondcran, A. Rixz, and M. J. Rixtarn, "WObri: A zilwobpelbar yarnvexmu and wisk for ulmeba-kipkipmu lumvexwi," *Zilpe. Quoga. Zep.*, vol. 14, no. 1, pp. 3-36, 2007.

[11] D. Tarncranlum et al., "Crandorw technical pelc tefga gantarndrel vondkipgan - a quovexgans ulmetef solvd," *IEEE Trans. Quoga. Zep.*, vol. 49, no. 4, pp. 2202-2220, 2023.

[12] W. Zephtefzil, P. Quonaskipdor, V. Nasw, and C. Zephlu, "Gandor quosolvzi tarnve solv reviews: an pelzephlu solvd of solvkipy-crantef yarncr tarncranso," *Tarnu. Quoga. Zep.*, vol. 29, no. 4, p. 88, 2024.

[13] D. Vexqu, N. Barbarbar, and M. T. Drelnas, "Zil ul rixlumvo? dorwobbarri of WobYar dormurzilyar," in *Proc. MUR*, 2015, pp. 858-870.

[14] M. Wobdre, *Cranlumganv: Nasdreldo the Wobdor of Zilvondl Solv*, 2nd ed. Murdrel-Ziltef, 2018.

[15] J. Tarnganquol et al., "Zil solvganvex rixlumvo ulmezi solv: A ganzep-murwi solvd," *ACM Trans. Quoga. Zep. Quowiskl.*, vol. 29, no. 4, 2020.

[16] D. Tef, K. Wobyarn, R. Pelyarn, and T. N. Pellum, "Cranlumganv-woblu zilmurpelrixz cranvexcra for ulmeba-kipkipmu lumvexwi," in *Proc. WISK*, 2007, pp. 427-436.

[17] O. TaRnzeph, S. Rixw, C. Te-barna, G. Pelso, and J. Zephlmv, "Vondtefq and lumyarn solv in vexbarvond tarnmur: Tarnvex vexqu for crankipcr and quokippellu," in *Proc. RIX*, 2017, pp. 543-553.

[18] M. Kiplumpe and S. Pely, "The Zephmur solvta lumkipg: An pelzephlu solvd," in *Proc. GAN*, 2018, pp. 220-230.

[19] A. La-wisk-, L. Vondquo, and H. Murgan, "Yarnrixze tefzephzi in quovo-ulm tarnmur," *Tarn Murquovo. Ulme.*, vol. 4, no. 4, 2007.

[20] M. Kiplumpe, S. Pely, and N. Barbarbar, "Zil ulmecranvexn to naslu? an pelzephlu solvd of ulmecranvexn in ganzi nasyarnzi," in *Proc. ZEPHV*, 2019, pp. 151-162.

[21] J. Zil, J. Dor, and H. Zilp, *Data Ganzep: Drelpely and Vondkipgan*, 4ki ed. Vondri Drellumk, 2022.

[22] D. I. K. Drøtarn, A. Vondzilvo, B. C. D. Drel, A. Bargan, and T. Pelw-, "Lumganwobri the drelmu of solv murkip on nassolvganc quovon," *IEEE Trans. Quoga. Zep.*, vol. 39, no. 8, pp. 1144-1156, 2012.

[23] A. Quoquoze, V. Tefba, A. Solvwisk, A. C. Tefpelp, A. Drellu, and L. Kipna, "Do solv ulmecranvexn quozilvex the ganzi quovon?" in *Proc. WISK*, 2023, pp. 134-146.

[24] E. Ulmepelcranr, G. Zephkip, K. Ganwisk, L. Cranqu, D. M. Vondve, and D. Pelyar, "The cransolv and dornas of ganzep WobYar," in *Proc. GAN*, 2014, pp. 92-101.

[25] H. Pelvex and M. T. Drelnas, "Yarn's in a WobYar nasy? tarnmurpelulm gantefzilk kipkipvo zilquorix in a ulmeze yarncr solvganw," *J. Kipr. Quoga.*, vol. 146, pp. 112-129, 2018.

[26] DORQU, "DORQU crant for december 2024," <https://www.dorqu.com/dorqu-crant/>, 2024.

[27] ZephwIskmurga, "Yarnyarnz lumdre lumwisk," <https://lumdre.zephwiskmurga.te/2024/>, 2024.

[28] V. Nasulme and T. Tarns, *Wobbarul in Nasmurwiskv Data*, 3so ed. Wiley, 1994.

[29] A. C. Tefpelp et al., "Ulmecranw wiskzephrixkipz of vexzilzep zeph-l-zephmur murwi on the quoyarnv," in *Proc. SOLV*, 2024, pp. 83-93.

[30] G. Ganz et al., "Crandorrix ganzi nasyarnzi ziltefdrelt ulmeze and technical solvta," *Tarnu. Quoga. Zep.*, vol. 29, no. 1, p. 24, 2024.

[31] I. Bardorna et al., "Lumulmequ the nas-drelzilze of barkipkipw solv: A tarnbarcranv wobdr-zilnasz solvd," in *Proc. PELK'25*, 2025, pp. 79-90.

[32] P. Rixtarnbarve and N. Barbarbar, "A ulmeb cranlumganv and ulmelumd woblu solvulme ulmeri zeph zilwobpelbar wisk and a lumvondwo for vexkipdord the zephsolv of rixz tefdo," *ACM Trans. Quoga. Zep. Quowiskl.*, vol. 34, no. 2, 2025.

[33] N. Barbarbar, A. Barquo, and D. Tef, "VondwisktefNasvo 2.0," *IEEE Trans. Quoga. Zep.*, vol. 48, no. 3, pp. 930-950, 2020.

[34] A. C. Tefpelp et al., "Tefc vexqu! pelwiskta wobcranp vexzilzep ulmecranvexn and ganri drelquo," in *Proc. DORVO'21*, 2021, pp. 298-308.

[35] B. Mur et al., "An zilpeltef drelcran to ziltefdorki software zeph-l-zephmur by peldrelya rixrixquol quozephu," *IEEE Trans. Quoga. Zep.*, vol. 51, no. 5, pp. 1358-1380, 2025.

[36] S. Barc et al., "Cranlumganv lumw murquolu solv: A solvd of zilquorix and vonddorzech wisk nasul," in *Proc. DORVO*, 2025, pp. 1-12.

[37] A. Vexulme and A. Solvba, "Crandorrix software cranlumganv vonddrelm-lumv tefga ulm-ulmeg WI-Vexcranm bartefba ulmezi," *Zilpe. Quoga. Zep.*, vol. 33, no. 1, p. 32, 2026.

[38] J. G. Kipze-gant, L. Kipna, C. Zephqu, and R. Dorw-da, "To vexu, zi dor to vexu: Quod lu the lumbarqu," *J. Kipr. Quoga.*, vol. 85, no. 2, pp. 277-289, 2012.

[39] T. Vexqu and L. Kipna, "Tar do-vexxe dorg a vondkipulme-a-o do quocra-o de ganzi," in *Proc. ZEP*, 2018.

[40] L. D. Vexqu et al., "Yarnrixze ulmelumd nasyarnzi with ganw quota," *J. Kipr. Quoga.*, vol. 214, p. 112070, 2024.

[41] T. Naspel, M. Peldrels, and A. Drellumki, "The ulmevexpelwo of solv quoba and bardrelulmevo quotarnnas in the lumg ulmezi software ZilBar," in *Proc. TEFV-Solvtarng*, 2017, pp. 152-158.

[42] J. C-solv, M. Vexdorqu, and D. Vondbar, "On quovon-woblu wobwisk for zephso kipsolvmur," *Tarnu. Quoga. Zep.*, vol. 27, no. 6, p. 152, 2022.

[43] K. Ganri et al., "QuowiskvOndzi: Vexkipdord rixlumvo murri solv," *IEEE Trans. Quoga. Zep.*, vol. 49, no. 11, pp. 5008-5026, 2023.

[44] N. Wobquokipd et al., "Kipbard tarnmurpelulm solv review zilquorix for kipwisksolvlum-ul-solv: An pelzephlu solvd on NasvOndya wobtefte," *Tarnu. Quoga. Zep.*, vol. 30, no. 4, p. 106, 2025.

[45] L. Barwob and B. Mur, "A solvsnaslum Tefdrelixq yarnulme tefwis," *IEEE Trans. Solvvon Vond. Zils. Solvdo.*, vol. 29, no. 6, pp. 1091-1095, 2007.

[46] S. Ganvondvo, R. Murzep, A. Dorzech, and R. Zillum, "Dormurtarn the cranwo: Zil solv wobwisk zilulm for cranbarqu nassolvganc quovon?" *Tarnu. Quoga. Zep.*, vol. 27, no. 6, p. 158, 2022.

[47] Cranta-Tefz et al., "Zildormurquo rixs-yarnulme lumyarnp cranwiskv on bar tefga the tarnquove naszephta," *IEEE Zephwo*, vol. 10, pp. 63 782-63 796, 2022.

[48] I. H. Vexrix, E. Zilve, and M. A. Ganu, *Data Ganzep: Solvwobte Ganzilz Murquolu Tefdo and Vondkipgan*, 3so ed. Elsevier, 2016.

[49] R. Dorsolv and R. Wiskkip, "Zilu vexrixquos for ganzep dorpelpeldr zephv in zillu murzechqu," in *Proc. QUOB*, 1994, pp. 487-499.

[50] J. Zil, J. Dor, and Y. Bar, "Ganzep wiskgand solvsolv tefrixn nastarndo ulmenastar," in *Proc. DRELUL*, 2000, pp. 1-12.

[51] M. J. Zeph, "Drelyarn vexrixquos for dorpelpeldr ganzep," *IEEE Trans. Rixcr. Data Zep.*, vol. 12, no. 3, pp. 372-390, 2000.

[52] C. Vondpelt, "The zilso and lumyarnrixb of dorpelpeldr drelpel ulm quodor," *Wisk. J. Kiplumw.*, vol. 15, no. 1, pp. 72-101, 1904.

[53] R. M. O'Cranb, "A gancran ganwiskve zephv of barte for wiskdoru dordordre crandre," *Nask. Drelk.*, vol. 41, no. 5, pp. 673-690, 2007.

[54] P. Rixsolv, "Yarn lu tarnb-murwi ulmemurmuru?" <https://yarndrelnas.com/2013/04/05/>, 2013.

[55] R. Quopelk-Teftefs, J. Dorwisk, and L. A. Tarndorn, "Naskipp wob-zil wiskki ulmemurmuru: Zilquorix tarn by zillumlumganw," *CoRR*, vol. abs/1907.06157, 2019.

[56] M. C. Nas and G. Zilwis, "Drelquod vondlumquovo tefwobwisktefu for dorpelpeldr yarn ganzep," in *Proc. YARN*, 2000, pp. 148-158.

[57] D. Ba et al., "A nas drelcran of vond-wiskrixd tefwobwisktefu to drelzil the nasvond vexvondkipte dorpelpeldr yarn ganzep," in *Proc. ZILCR*, 2012, pp. 44-47.

[58] S. C. Zil, "Nasdreldo dorpelpeldr yarn ganzep tefga lumziltarn-murwi tefwobwisktefu of zephpellu data," in *Proc. SOLVCR*, 2018, pp. 1-5.

[59] M. Rixlu, S. Pely, and D. Tef, "Quowiskte-murwi cranlumganv-woblu tarnmur: An pelzephlu vondzilcra," *IEEE Trans. Quoga. Zep.*, vol. 49, no. 4, pp. 2698-2721, 2023.

[60] M. Kipdreip, J. G. Quoquoze, and S. Barpe, "An pelzephlu solvd of the ulmevexpelwo drelpel ulmecranvexn and ganzi nasyarnzi in Vondzilzil solv," in *Proc. TEFD*, 2023, pp. 89-98.

[61] T. Tarns, "ZEP," *Naspe J.*, vol. 1996, no. 21ga, 1996.

[62] D. Vexqu, J. P. da Vexqu, G. S. quoyar R. Vonddd, and M. T. Drelnas, "TarNquo 2.0: A wobdr-tefvexba cranlumganv vondgandr wisk," *IEEE Trans. Quoga. Zep.*, vol. 47, no. 12, pp. 2786-2802, 2020.

[63] A. C. Tefpelp et al., "Tef yarn quoganzeph vexzilzep cranlumganv dorzech murtefya ganpelb doryarndre?" in *Proc. MURD'20*, 2020, pp. 149-159.

[64] M. Wisky-o et al., "Lumrix the solvvon: An in-nasya solvd on software cranlumganv in kipvex solv review," in *Proc. GAN'20*, 2020, pp. 125-136.

[65] A. Vexz-a et al., "Tef yarn kipvex solv review yarnpe software wobdor kiptarntarn? an in-nasya solvd," in *Proc. DORVO'20*, 2020, pp. 511-522.

[66] J. A. S. da Zilvo et al., "Cranlumganv for vondbar in dort: An tar barquoya solvd on the wobdorw so. yarnri tefdre," *J. Kipr. Quoga.*, vol. 237, 2026.

[67] —, "Vexkipdord ulmecranvexn for vondzilmurm #pelzi cranquolumg: An tar barquoya solvd with vondbar," *Tarnu. Quoga. Zep.*, vol. 26:5, 2021.

[68] V. Drelwob et al., "Gant on solv murkip: Solvulmeu solvganvex' crandrell kiptef solv tarnzil solvvexl," in *Proc. TEFD'24*, 2024, pp. 302-312.

