Haskell-style type classes with Isabelle/Isar

Florian Haftmann

23 May 2024

Abstract

This tutorial introduces Isar type classes, which are a convenient mechanism for organizing specifications. Essentially, they combine an operational aspect (in the manner of Haskell) with a logical aspect, both managed uniformly.

1 Introduction

Type classes were introduced by Wadler and Blott [8] into the Haskell language to allow for a reasonable implementation of overloading[1]. As a canonical example, a polymorphic equality function $eq :: \alpha \Rightarrow \alpha \Rightarrow bool$ which is overloaded on different types for α, which is achieved by splitting introduction of the *eq* function from its overloaded definitions by means of *class* and *instance* declarations: [2]

> *class eq where*
>   *eq* $:: \alpha \Rightarrow \alpha \Rightarrow bool$
>
> *instance nat :: eq where*
>   *eq 0 0 = True*
>   *eq 0 - = False*
>   *eq - 0 = False*
>   *eq (Suc n) (Suc m) = eq n m*
>
> *instance* $(\alpha::eq, \beta::eq)$ *pair :: eq where*
>   *eq (x1, y1) (x2, y2) = eq x1 x2* $\wedge$ *eq y1 y2*
>
> *class ord extends eq where*
>   *less-eq* $:: \alpha \Rightarrow \alpha \Rightarrow bool$
>   *less* $:: \alpha \Rightarrow \alpha \Rightarrow bool$

Type variables are annotated with (finitely many) classes; these annotations are assertions that a particular polymorphic type provides definitions for overloaded functions.

Indeed, type classes not only allow for simple overloading but form a generic calculus, an instance of order-sorted algebra [5, 6, 10].

From a software engineering point of view, type classes roughly correspond to interfaces in object-oriented languages like Java; so, it is naturally desirable that type classes do not only provide functions (class parameters) but also state specifications implementations must obey. For example, the *class eq* above could be given the following specification, demanding that *class eq* is an equivalence relation obeying reflexivity, symmetry and transitivity:

> *class eq where*
>   *eq* $:: \alpha \Rightarrow \alpha \Rightarrow bool$
> *satisfying*

---

[1]throughout this tutorial, we are referring to classical Haskell 1.0 type classes, not considering later additions in expressiveness

[2]syntax here is a kind of isabellized Haskell

> *refl*: *eq x x*
> *sym*: *eq x y ⟷ eq x y*
> *trans*: *eq x y ∧ eq y z ⟶ eq x z*

From a theoretical point of view, type classes are lightweight modules; Haskell type classes may be emulated by SML functors [9]. Isabelle/Isar offers a discipline of type classes which brings all those aspects together:

1. specifying abstract parameters together with corresponding specifications,

2. instantiating those abstract parameters by a particular type

3. in connection with a "less ad-hoc" approach to overloading,

4. with a direct link to the Isabelle module system: locales [3].

Isar type classes also directly support code generation in a Haskell like fashion. Internally, they are mapped to more primitive Isabelle concepts [2].

This tutorial demonstrates common elements of structured specifications and abstract reasoning with type classes by the algebraic hierarchy of semigroups, monoids and groups. Our background theory is that of Isabelle/HOL [7], for which some familiarity is assumed.

2   A simple algebra example

2.1   Class definition

Depending on an arbitrary type α, class *semigroup* introduces a binary operator $(\otimes)$ that is assumed to be associative:

```
class semigroup =
  fixes mult :: ‹α ⇒ α ⇒ α›   (infixl ‹⊗› 70)
  assumes assoc: ‹(x ⊗ y) ⊗ z = x ⊗ (y ⊗ z)›
```

This **class** specification consists of two parts: the *operational* part names the class parameter (**fixes**), the *logical* part specifies properties on them (**assumes**). The local **fixes** and **assumes** are lifted to the theory toplevel, yielding the global parameter $mult :: \alpha::semigroup \Rightarrow \alpha \Rightarrow \alpha$ and the global theorem $semigroup.assoc$: $\bigwedge x\ y\ z :: \alpha::semigroup.\ (x \otimes y) \otimes z = x \otimes (y \otimes z)$.

2.2   Class instantiation

The concrete type *int* is made a *semigroup* instance by providing a suitable
definition for the class parameter ($\otimes$) and a proof for the specification of
assoc. This is accomplished by the **instantiation** target:

> **instantiation** *int* :: *semigroup*
> **begin**
>
> **definition**
>   *mult-int-def*: ‹*i* $\otimes$ *j* $=$ *i* $+$ (*j*::*int*)›
>
> **instance proof**
>   **fix** *i j k* :: *int* **have** ‹(*i* $+$ *j*) $+$ *k* $=$ *i* $+$ (*j* $+$ *k*)› **by** *simp*
>   **then show** ‹(*i* $\otimes$ *j*) $\otimes$ *k* $=$ *i* $\otimes$ (*j* $\otimes$ *k*)›
>   **unfolding** *mult-int-def* **.**
> **qed**
>
> **end**

instantiation defines class parameters at a particular instance using com-
mon specification tools (here, **definition**). The concluding **instance** opens
a proof that the given parameters actually conform to the class specification.
Note that the first proof step is the *standard* method, which for such instance
proofs maps to the *intro-classes* method. This reduces an instance judgement
to the relevant primitive proof goals; typically it is the first method applied
in an instantiation proof.

From now on, the type-checker will consider *int* as a *semigroup* automati-
cally, i.e. any general results are immediately available on concrete instances.

Another instance of *semigroup* yields the natural numbers:

> **instantiation** *nat* :: *semigroup*
> **begin**
>
> **primrec** *mult-nat* **where**
>   ‹(0::*nat*) $\otimes$ *n* $=$ *n*›
> | ‹*Suc m* $\otimes$ *n* $=$ *Suc* (*m* $\otimes$ *n*)›
>
> **instance proof**
>   **fix** *m n q* :: *nat*
>   **show** ‹*m* $\otimes$ *n* $\otimes$ *q* $=$ *m* $\otimes$ (*n* $\otimes$ *q*)›
>   **by** (*induct m*) *auto*

   qed

   end

Note the occurrence of the name *mult-nat* in the primrec declaration; by
default, the local name of a class operation *f* to be instantiated on type
constructor *κ* is mangled as *f-κ*. In case of uncertainty, these names may be
inspected using the **print-context** command.

2.3   Lifting and parametric types

Overloaded definitions given at a class instantiation may include recursion
over the syntactic structure of types. As a canonical example, we model
product semigroups using our simple algebra:

   instantiation *prod* :: (*semigroup*, *semigroup*) *semigroup*
   begin

   definition
     mult-prod-def: ‹$p_1 \otimes p_2 = (fst\ p_1 \otimes fst\ p_2,\ snd\ p_1 \otimes snd\ p_2)$›

   instance proof
     fix $p_1\ p_2\ p_3$ :: ‹α::*semigroup* $\times$ β::*semigroup*›
     show ‹$p_1 \otimes p_2 \otimes p_3 = p_1 \otimes (p_2 \otimes p_3)$›
       unfolding *mult-prod-def* **by** (*simp add*: *assoc*)
   qed

   end

Associativity of product semigroups is established using the definition of ($\otimes$)
on products and the hypothetical associativity of the type components; these
hypotheses are legitimate due to the *semigroup* constraints imposed on the
type components by the **instance** proposition. Indeed, this pattern often
occurs with parametric types and type classes.

2.4   Subclassing

We define a subclass *monoidl* (a semigroup with a left-hand neutral) by
extending *semigroup* with one additional parameter *neutral* together with its
characteristic property:

class *monoidl = semigroup +*
  fixes *neutral ::* ‹α› (‹**1**›)
  assumes *neutl:* ‹**1** ⊗ *x = x*›

Again, we prove some instances, by providing suitable parameter definitions
and proofs for the additional specifications. Observe that instantiations for
types with the same arity may be simultaneous:

instantiation *nat* **and** *int* :: *monoidl*
begin

definition
  neutral-nat-def: ‹**1** = (0::*nat*)›

definition
  neutral-int-def: ‹**1** = (0::*int*)›

instance proof
  fix *n :: nat*
  show ‹**1** ⊗ *n = n*›
    unfolding *neutral-nat-def* **by** *simp*
next
  fix *k :: int*
  show ‹**1** ⊗ *k = k*›
    unfolding *neutral-int-def mult-int-def* **by** *simp*
qed

end

instantiation *prod* :: (*monoidl, monoidl*) *monoidl*
begin

definition
  neutral-prod-def: ‹**1** = (**1**, **1**)›

instance proof
  fix *p ::* ‹α::*monoidl* × β::*monoidl*›
  show ‹**1** ⊗ *p = p*›
    unfolding *neutral-prod-def mult-prod-def* **by** (*simp add: neutl*)
qed

end

Fully-fledged monoids are modelled by another subclass, which does not add new parameters but tightens the specification:

> **class** *monoid = monoidl +*
>   **assumes** *neutr*: ‹*x* ⊗ **1** = *x*›
>
> **instantiation** *nat* **and** *int* :: *monoid*
> **begin**
>
> **instance proof**
>   **fix** *n* :: *nat*
>   **show** ‹*n* ⊗ **1** = *n*›
>   **unfolding** *neutral-nat-def* **by** (*induct n*) *simp-all*
> **next**
>   **fix** *k* :: *int*
>   **show** ‹*k* ⊗ **1** = *k*›
>   **unfolding** *neutral-int-def mult-int-def* **by** *simp*
> **qed**
>
> **end**
>
> **instantiation** *prod* :: (*monoid*, *monoid*) *monoid*
> **begin**
>
> **instance proof**
>   **fix** *p* :: ‹*α*::*monoid* × *β*::*monoid*›
>   **show** ‹*p* ⊗ **1** = *p*›
>   **unfolding** *neutral-prod-def mult-prod-def* **by** (*simp add*: *neutr*)
> **qed**
>
> **end**

To finish our small algebra example, we add a *group* class with a corresponding instance:

> **class** *group = monoidl +*
>   **fixes** *inverse* :: ‹*α* ⇒ *α*›   (‹(-÷)› [1000] 999)
>   **assumes** *invl*: ‹*x*÷ ⊗ *x* = **1**›
>
> **instantiation** *int* :: *group*
> **begin**
>
> **definition**

   inverse-int-def: ‹*i*÷ = − (*i*::*int*)›

  instance proof
    fix *i* :: *int*
    have ‹−*i* + *i* = 0› **by** *simp*
    then show ‹*i*÷ ⊗ *i* = **1**›
      unfolding *mult-int-def neutral-int-def inverse-int-def* .
  qed

  end

3   Type classes as locales

3.1   A look behind the scenes

The example above gives an impression how Isar type classes work in practice. As stated in the introduction, classes also provide a link to Isar's locale system. Indeed, the logical core of a class is nothing other than a locale:

  class *idem* =
    fixes *f* :: ‹α ⇒ α›
    assumes *idem*: ‹*f* (*f x*) = *f x*›

essentially introduces the locale

  locale *idem* =
    fixes *f* :: ‹α ⇒ α›
    assumes *idem*: ‹*f* (*f x*) = *f x*›

together with corresponding constant(s):

  consts *f* :: ‹α ⇒ α›

The connection to the type system is done by means of a primitive type class *idem*, together with a corresponding interpretation:

  interpretation *idem-class*:
    idem ‹*f* :: (α::*idem*) ⇒ α›

This gives you the full power of the Isabelle module system; conclusions in locale *idem* are implicitly propagated to class *idem*.

3.2 Abstract reasoning

Isabelle locales enable reasoning at a general level, while results are implicitly transferred to all instances. For example, we can now establish the *left-cancel* lemma for groups, which states that the function $(x \otimes)$ is injective:

> **lemma** (**in** *group*) *left-cancel*: ‹$x \otimes y = x \otimes z \longleftrightarrow y = z$›
> **proof**
>   **assume** ‹$x \otimes y = x \otimes z$›
>   **then have** ‹$x\div \otimes (x \otimes y) = x\div \otimes (x \otimes z)$› **by** *simp*
>   **then have** ‹$(x\div \otimes x) \otimes y = (x\div \otimes x) \otimes z$› **using** *assoc* **by** *simp*
>   **then show** ‹$y = z$› **using** *neutl* **and** *invl* **by** *simp*
> **next**
>   **assume** ‹$y = z$›
>   **then show** ‹$x \otimes y = x \otimes z$› **by** *simp*
> **qed**

Here the "**in** *group*" target specification indicates that the result is recorded within that context for later use. This local theorem is also lifted to the global one *group.left-cancel*: $\bigwedge x\ y\ z :: \alpha{::}group.\ x \otimes y = x \otimes z \longleftrightarrow y = z$. Since type *int* has been made an instance of *group* before, we may refer to that fact as well: $\bigwedge x\ y\ z :: int.\ x \otimes y = x \otimes z \longleftrightarrow y = z$.

3.3 Derived definitions

Isabelle locales are targets which support local definitions:

> **primrec** (**in** *monoid*) *pow-nat* :: ‹$nat \Rightarrow \alpha \Rightarrow \alpha$› **where**
>   ‹$pow\text{-}nat\ 0\ x = \mathbf{1}$›
> | ‹$pow\text{-}nat\ (Suc\ n)\ x = x \otimes pow\text{-}nat\ n\ x$›

If the locale *group* is also a class, this local definition is propagated onto a global definition of *pow-nat* :: $nat \Rightarrow \alpha{::}monoid \Rightarrow \alpha{::}monoid$ with corresponding theorems
  $pow\text{-}nat\ 0\ x = \mathbf{1}$
  $pow\text{-}nat\ (Suc\ n)\ x = x \otimes pow\text{-}nat\ n\ x.$
As you can see from this example, for local definitions you may use any specification tool which works together with locales, such as Krauss's recursive function package [4].

3.4   A functor analogy

We introduced Isar classes by analogy to type classes in functional programming; if we reconsider this in the context of what has been said about type classes and locales, we can drive this analogy further by stating that type classes essentially correspond to functors that have a canonical interpretation as type classes. There is also the possibility of other interpretations. For example, *list*s also form a monoid with *append* and [] as operations, but it seems inappropriate to apply to lists the same operations as for genuinely algebraic types. In such a case, we can simply make a particular interpretation of monoids for lists:

> **interpretation** *list-monoid*: *monoid append* ‹[]›
>   **proof qed** *auto*

This enables us to apply facts on monoids to lists, e.g. [] @ $x = x$.

When using this interpretation pattern, it may also be appropriate to map derived definitions accordingly:

> **primrec** *replicate* :: ‹*nat* ⇒ *α list* ⇒ *α list*› **where**
>   ‹*replicate* 0 - = []›
> | ‹*replicate* (*Suc n*) *xs* = *xs* @ *replicate n xs*›
>
> **interpretation** *list-monoid*: *monoid append* ‹[]› **rewrites**
>   ‹*monoid.pow-nat append* [] = *replicate*›
> **proof** −
>   **interpret** *monoid append* ‹[]› **..**
>   **show** ‹*monoid.pow-nat append* [] = *replicate*›
>   **proof**
>   **fix** *n*
>   **show** ‹*monoid.pow-nat append* [] *n* = *replicate n*›
>   **by** (*induct n*) *auto*
>   **qed**
> **qed** *intro-locales*

This pattern is also helpful to reuse abstract specifications on the *same* type. For example, think of a class *preorder*; for type *nat*, there are at least two possible instances: the natural order or the order induced by the divides relation. But only one of these instances can be used for **instantiation**; using the locale behind the class *preorder*, it is still possible to utilise the same abstract specification again using **interpretation**.

3.5 Additional subclass relations

Any *group* is also a *monoid*; this can be made explicit by claiming an additional subclass relation, together with a proof of the logical difference:

> **subclass** (**in** *group*) *monoid*
> **proof**
>   **fix** *x*
>   **from** *invl* **have** ‹$x\div \otimes x = \mathbf{1}$› **by** *simp*
>   **with** *assoc* [*symmetric*] *neutl invl* **have** ‹$x\div \otimes (x \otimes \mathbf{1}) = x\div \otimes x$› **by** *simp*
>   **with** *left-cancel* **show** ‹$x \otimes \mathbf{1} = x$› **by** *simp*
> **qed**

The logical proof is carried out on the locale level. Afterwards it is propagated to the type system, making *group* an instance of *monoid* by adding an additional edge to the graph of subclass relations (figure 1).


Figure 1: Subclass relationship of monoids and groups: before and after establishing the relationship *group* $\subseteq$ *monoid*; transitive edges are left out.

For illustration, a derived definition in *group* using *pow-nat*

> **definition** (**in** *group*) *pow-int* :: ‹$int \Rightarrow \alpha \Rightarrow \alpha$› **where**
> ‹*pow-int k x* = (*if* $k \geq 0$
>   *then pow-nat* (*nat k*) *x*
>   *else* (*pow-nat* (*nat* (− *k*)) *x*)$\div$)›

yields the global definition of *pow-int* :: $int \Rightarrow \alpha{::}group \Rightarrow \alpha{::}group$ with the corresponding theorem *pow-int k x* = (*if* $0 \leq k$ *then pow-nat* (*nat k*) *x else* (*pow-nat* (*nat* (− *k*)) *x*)$\div$).

3.6   A note on syntax

As a convenience, class context syntax allows references to local class operations and their global counterparts uniformly; type inference resolves ambiguities. For example:

> **context** *semigroup*
> **begin**
>
> **term** ‹$x \otimes y$› — example 1
> **term** ‹$(x{::}nat) \otimes y$› — example 2
>
> **end**
>
> **term** ‹$x \otimes y$› — example 3

Here in example 1, the term refers to the local class operation *mult* [α], whereas in example 2 the type constraint enforces the global class operation *mult* [*nat*]. In the global context in example 3, the reference is to the polymorphic global class operation *mult* [$?\alpha :: semigroup$].

4   Further issues

4.1   Type classes and code generation

Turning back to the first motivation for type classes, namely overloading, it is obvious that overloading stemming from **class** statements and **instantiation** targets naturally maps to Haskell type classes. The code generator framework [1] takes this into account. If the target language (e.g. SML) lacks type classes, then they are implemented by an explicit dictionary construction. As example, let's go back to the power function:

> **definition** *example* :: *int* **where**
>   ‹*example* = *pow-int* 10 (−2)›

This maps to Haskell as follows:

```
{-# LANGUAGE EmptyDataDecls, RankNTypes, ScopedTypeVariables #-}

module Example(Num, Int, example) where {

import Prelude ((==), (/=), (<), (<=), (>=), (>), (+), (-), (*), (/),
```

```
  (**), (>>=), (>>), (=<<), (&&), (||), (^), (^^), (.), ($), ($!), (++),
  (!!), Eq, error, id, return, not, fst, snd, map, filter, concat,
  concatMap, reverse, zip, null, takeWhile, dropWhile, all, any, Integer,
  negate, abs, divMod, String, Bool(True, False), Maybe(Nothing, Just));
import qualified Prelude;

data Num = One | Bit0 Num | Bit1 Num;

data Int = Zero_int | Pos Num | Neg Num;

neutral_int :: Int;
neutral_int = Zero_int;

plus_num :: Num -> Num -> Num;
plus_num (Bit1 m) (Bit1 n) = Bit0 (plus_num (plus_num m n) One);
plus_num (Bit1 m) (Bit0 n) = Bit1 (plus_num m n);
plus_num (Bit1 m) One = Bit0 (plus_num m One);
plus_num (Bit0 m) (Bit1 n) = Bit1 (plus_num m n);
plus_num (Bit0 m) (Bit0 n) = Bit0 (plus_num m n);
plus_num (Bit0 m) One = Bit1 m;
plus_num One (Bit1 n) = Bit0 (plus_num n One);
plus_num One (Bit0 n) = Bit1 n;
plus_num One One = Bit0 One;

uminus_int :: Int -> Int;
uminus_int (Neg m) = Pos m;
uminus_int (Pos m) = Neg m;
uminus_int Zero_int = Zero_int;

one_int :: Int;
one_int = Pos One;

bitM :: Num -> Num;
bitM One = One;
bitM (Bit0 n) = Bit1 (bitM n);
bitM (Bit1 n) = Bit1 (Bit0 n);

dup :: Int -> Int;
dup (Neg n) = Neg (Bit0 n);
dup (Pos n) = Pos (Bit0 n);
dup Zero_int = Zero_int;

plus_int :: Int -> Int -> Int;
plus_int (Neg m) (Neg n) = Neg (plus_num m n);
plus_int (Neg m) (Pos n) = sub n m;
plus_int (Pos m) (Neg n) = sub m n;
plus_int (Pos m) (Pos n) = Pos (plus_num m n);
plus_int Zero_int l = l;
plus_int k Zero_int = k;
```

```
sub :: Num -> Num -> Int;
sub (Bit0 m) (Bit1 n) = minus_int (dup (sub m n)) one_int;
sub (Bit1 m) (Bit0 n) = plus_int (dup (sub m n)) one_int;
sub (Bit1 m) (Bit1 n) = dup (sub m n);
sub (Bit0 m) (Bit0 n) = dup (sub m n);
sub One (Bit1 n) = Neg (Bit0 n);
sub One (Bit0 n) = Neg (bitM n);
sub (Bit1 m) One = Pos (Bit0 m);
sub (Bit0 m) One = Pos (bitM m);
sub One One = Zero_int;

minus_int :: Int -> Int -> Int;
minus_int (Neg m) (Neg n) = sub n m;
minus_int (Neg m) (Pos n) = Neg (plus_num m n);
minus_int (Pos m) (Neg n) = Pos (plus_num m n);
minus_int (Pos m) (Pos n) = sub m n;
minus_int Zero_int l = uminus_int l;
minus_int k Zero_int = k;

mult_int :: Int -> Int -> Int;
mult_int i j = plus_int i j;

inverse_int :: Int -> Int;
inverse_int i = uminus_int i;

class Semigroup a where {
  mult :: a -> a -> a;
};

class (Semigroup a) => Monoidl a where {
  neutral :: a;
};

class (Monoidl a) => Monoid a where {
};

class (Monoid a) => Group a where {
  inverse :: a -> a;
};

instance Semigroup Int where {
  mult = mult_int;
};

instance Monoidl Int where {
  neutral = neutral_int;
};
```

```
instance Monoid Int where {
};

instance Group Int where {
  inverse = inverse_int;
};

data Nat = Zero_nat | Suc Nat;

plus_nat :: Nat -> Nat -> Nat;
plus_nat (Suc m) n = plus_nat m (Suc n);
plus_nat Zero_nat n = n;

one_nat :: Nat;
one_nat = Suc Zero_nat;

nat_of_num :: Num -> Nat;
nat_of_num (Bit1 n) = let {
                        m = nat_of_num n;
                      } in Suc (plus_nat m m);
nat_of_num (Bit0 n) = let {
                        m = nat_of_num n;
                      } in plus_nat m m;
nat_of_num One = one_nat;

nat :: Int -> Nat;
nat (Pos k) = nat_of_num k;
nat Zero_int = Zero_nat;
nat (Neg k) = Zero_nat;

less_eq_num :: Num -> Num -> Bool;
less_eq_num (Bit1 m) (Bit0 n) = less_num m n;
less_eq_num (Bit1 m) (Bit1 n) = less_eq_num m n;
less_eq_num (Bit0 m) (Bit1 n) = less_eq_num m n;
less_eq_num (Bit0 m) (Bit0 n) = less_eq_num m n;
less_eq_num (Bit1 m) One = False;
less_eq_num (Bit0 m) One = False;
less_eq_num One n = True;

less_num :: Num -> Num -> Bool;
less_num (Bit1 m) (Bit0 n) = less_num m n;
less_num (Bit1 m) (Bit1 n) = less_num m n;
less_num (Bit0 m) (Bit1 n) = less_eq_num m n;
less_num (Bit0 m) (Bit0 n) = less_num m n;
less_num One (Bit1 n) = True;
less_num One (Bit0 n) = True;
less_num m One = False;

less_eq_int :: Int -> Int -> Bool;
```

```
    less_eq_int (Neg k) (Neg l) = less_eq_num l k;
    less_eq_int (Neg k) (Pos l) = True;
    less_eq_int (Neg k) Zero_int = True;
    less_eq_int (Pos k) (Neg l) = False;
    less_eq_int (Pos k) (Pos l) = less_eq_num k l;
    less_eq_int (Pos k) Zero_int = False;
    less_eq_int Zero_int (Neg l) = False;
    less_eq_int Zero_int (Pos l) = True;
    less_eq_int Zero_int Zero_int = True;

    pow_nat :: forall a. (Monoid a) => Nat -> a -> a;
    pow_nat Zero_nat x = neutral;
    pow_nat (Suc n) x = mult x (pow_nat n x);

    pow_int :: forall a. (Group a) => Int -> a -> a;
    pow_int k x =
      (if less_eq_int Zero_int k then pow_nat (nat k) x
        else inverse (pow_nat (nat (uminus_int k)) x));

    example :: Int;
    example = pow_int (Pos (Bit0 (Bit1 (Bit0 One)))) (Neg (Bit0 One));

    }
```

The code in SML has explicit dictionary passing:

```
    structure Example : sig
      type num
      type int
      val example : int
    end = struct

    datatype num = One | Bit0 of num | Bit1 of num;

    datatype int = Zero_int | Pos of num | Neg of num;

    val neutral_int : int = Zero_int;

    fun plus_num (Bit1 m) (Bit1 n) = Bit0 (plus_num (plus_num m n) One)
      | plus_num (Bit1 m) (Bit0 n) = Bit1 (plus_num m n)
      | plus_num (Bit1 m) One = Bit0 (plus_num m One)
      | plus_num (Bit0 m) (Bit1 n) = Bit1 (plus_num m n)
      | plus_num (Bit0 m) (Bit0 n) = Bit0 (plus_num m n)
      | plus_num (Bit0 m) One = Bit1 m
      | plus_num One (Bit1 n) = Bit0 (plus_num n One)
      | plus_num One (Bit0 n) = Bit1 n
      | plus_num One One = Bit0 One;
```

```
fun uminus_int (Neg m) = Pos m
  | uminus_int (Pos m) = Neg m
  | uminus_int Zero_int = Zero_int;

val one_int : int = Pos One;

fun bitM One = One
  | bitM (Bit0 n) = Bit1 (bitM n)
  | bitM (Bit1 n) = Bit1 (Bit0 n);

fun dup (Neg n) = Neg (Bit0 n)
  | dup (Pos n) = Pos (Bit0 n)
  | dup Zero_int = Zero_int;

fun plus_int (Neg m) (Neg n) = Neg (plus_num m n)
  | plus_int (Neg m) (Pos n) = sub n m
  | plus_int (Pos m) (Neg n) = sub m n
  | plus_int (Pos m) (Pos n) = Pos (plus_num m n)
  | plus_int Zero_int l = l
  | plus_int k Zero_int = k
and sub (Bit0 m) (Bit1 n) = minus_int (dup (sub m n)) one_int
  | sub (Bit1 m) (Bit0 n) = plus_int (dup (sub m n)) one_int
  | sub (Bit1 m) (Bit1 n) = dup (sub m n)
  | sub (Bit0 m) (Bit0 n) = dup (sub m n)
  | sub One (Bit1 n) = Neg (Bit0 n)
  | sub One (Bit0 n) = Neg (bitM n)
  | sub (Bit1 m) One = Pos (Bit0 m)
  | sub (Bit0 m) One = Pos (bitM m)
  | sub One One = Zero_int
and minus_int (Neg m) (Neg n) = sub n m
  | minus_int (Neg m) (Pos n) = Neg (plus_num m n)
  | minus_int (Pos m) (Neg n) = Pos (plus_num m n)
  | minus_int (Pos m) (Pos n) = sub m n
  | minus_int Zero_int l = uminus_int l
  | minus_int k Zero_int = k;

fun mult_int i j = plus_int i j;

fun inverse_int i = uminus_int i;

type 'a semigroup = {mult : 'a -> 'a -> 'a};
val mult = #mult : 'a semigroup -> 'a -> 'a -> 'a;

type 'a monoidl = {semigroup_monoidl : 'a semigroup, neutral : 'a};
val semigroup_monoidl = #semigroup_monoidl : 'a monoidl -> 'a semigroup;
val neutral = #neutral : 'a monoidl -> 'a;

type 'a monoid = {monoidl_monoid : 'a monoidl};
val monoidl_monoid = #monoidl_monoid : 'a monoid -> 'a monoidl;
```

```
type 'a group = {monoid_group : 'a monoid, inverse : 'a -> 'a};
val monoid_group = #monoid_group : 'a group -> 'a monoid;
val inverse = #inverse : 'a group -> 'a -> 'a;

val semigroup_int = {mult = mult_int} : int semigroup;

val monoidl_int =
  {semigroup_monoidl = semigroup_int, neutral = neutral_int} :
  int monoidl;

val monoid_int = {monoidl_monoid = monoidl_int} : int monoid;

val group_int = {monoid_group = monoid_int, inverse = inverse_int} :
  int group;

datatype nat = Zero_nat | Suc of nat;

fun plus_nat (Suc m) n = plus_nat m (Suc n)
  | plus_nat Zero_nat n = n;

val one_nat : nat = Suc Zero_nat;

fun nat_of_num (Bit1 n) = let
                            val m = nat_of_num n;
                          in
                            Suc (plus_nat m m)
                          end
  | nat_of_num (Bit0 n) = let
                            val m = nat_of_num n;
                          in
                            plus_nat m m
                          end
  | nat_of_num One = one_nat;

fun nat (Pos k) = nat_of_num k
  | nat Zero_int = Zero_nat
  | nat (Neg k) = Zero_nat;

fun less_eq_num (Bit1 m) (Bit0 n) = less_num m n
  | less_eq_num (Bit1 m) (Bit1 n) = less_eq_num m n
  | less_eq_num (Bit0 m) (Bit1 n) = less_eq_num m n
  | less_eq_num (Bit0 m) (Bit0 n) = less_eq_num m n
  | less_eq_num (Bit1 m) One = false
  | less_eq_num (Bit0 m) One = false
  | less_eq_num One n = true
and less_num (Bit1 m) (Bit0 n) = less_num m n
  | less_num (Bit1 m) (Bit1 n) = less_num m n
  | less_num (Bit0 m) (Bit1 n) = less_eq_num m n
```

```
    | less_num (Bit0 m) (Bit0 n) = less_num m n
    | less_num One (Bit1 n) = true
    | less_num One (Bit0 n) = true
    | less_num m One = false;

  fun less_eq_int (Neg k) (Neg l) = less_eq_num l k
    | less_eq_int (Neg k) (Pos l) = true
    | less_eq_int (Neg k) Zero_int = true
    | less_eq_int (Pos k) (Neg l) = false
    | less_eq_int (Pos k) (Pos l) = less_eq_num k l
    | less_eq_int (Pos k) Zero_int = false
    | less_eq_int Zero_int (Neg l) = false
    | less_eq_int Zero_int (Pos l) = true
    | less_eq_int Zero_int Zero_int = true;

  fun pow_nat A_ Zero_nat x = neutral (monoidl_monoid A_)
    | pow_nat A_ (Suc n) x =
      mult ((semigroup_monoidl o monoidl_monoid) A_) x (pow_nat A_ n x);

  fun pow_int A_ k x =
    (if less_eq_int Zero_int k then pow_nat (monoid_group A_) (nat k) x
      else inverse A_ (pow_nat (monoid_group A_) (nat (uminus_int k)) x));

  val example : int =
    pow_int group_int (Pos (Bit0 (Bit1 (Bit0 One)))) (Neg (Bit0 One));

  end; (*struct Example*)
```

In Scala, implicits are used as dictionaries:

```
  object Example {

  abstract sealed class num
  final case class One() extends num
  final case class Bit0(a : num) extends num
  final case class Bit1(a : num) extends num

  abstract sealed class int
  final case class zero_int() extends int
  final case class Pos(a : num) extends int
  final case class Neg(a : num) extends int

  def neutral_int : int = zero_int()

  def plus_num(x0 : num, x1 : num) : num = (x0, x1) match {
    case (Bit1(m), Bit1(n)) => Bit0(plus_num(plus_num(m, n), One()))
    case (Bit1(m), Bit0(n)) => Bit1(plus_num(m, n))
    case (Bit1(m), One()) => Bit0(plus_num(m, One()))
```

```
    case (Bit0(m), Bit1(n)) => Bit1(plus_num(m, n))
    case (Bit0(m), Bit0(n)) => Bit0(plus_num(m, n))
    case (Bit0(m), One()) => Bit1(m)
    case (One(), Bit1(n)) => Bit0(plus_num(n, One()))
    case (One(), Bit0(n)) => Bit1(n)
    case (One(), One()) => Bit0(One())
}

def uminus_int(x0 : int) : int = x0 match {
    case Neg(m) => Pos(m)
    case Pos(m) => Neg(m)
    case zero_int() => zero_int()
}

def one_int : int = Pos(One())

def BitM(x0 : num) : num = x0 match {
    case One() => One()
    case Bit0(n) => Bit1(BitM(n))
    case Bit1(n) => Bit1(Bit0(n))
}

def dup(x0 : int) : int = x0 match {
    case Neg(n) => Neg(Bit0(n))
    case Pos(n) => Pos(Bit0(n))
    case zero_int() => zero_int()
}

def minus_int(k : int, l : int) : int = (k, l) match {
    case (Neg(m), Neg(n)) => sub(n, m)
    case (Neg(m), Pos(n)) => Neg(plus_num(m, n))
    case (Pos(m), Neg(n)) => Pos(plus_num(m, n))
    case (Pos(m), Pos(n)) => sub(m, n)
    case (zero_int(), l) => uminus_int(l)
    case (k, zero_int()) => k
}

def sub(x0 : num, x1 : num) : int = (x0, x1) match {
    case (Bit0(m), Bit1(n)) => minus_int(dup(sub(m, n)), one_int)
    case (Bit1(m), Bit0(n)) => plus_int(dup(sub(m, n)), one_int)
    case (Bit1(m), Bit1(n)) => dup(sub(m, n))
    case (Bit0(m), Bit0(n)) => dup(sub(m, n))
    case (One(), Bit1(n)) => Neg(Bit0(n))
    case (One(), Bit0(n)) => Neg(BitM(n))
    case (Bit1(m), One()) => Pos(Bit0(m))
    case (Bit0(m), One()) => Pos(BitM(m))
    case (One(), One()) => zero_int()
}
```

```
def plus_int(k : int, l : int) : int = (k, l) match {
  case (Neg(m), Neg(n)) => Neg(plus_num(m, n))
  case (Neg(m), Pos(n)) => sub(n, m)
  case (Pos(m), Neg(n)) => sub(m, n)
  case (Pos(m), Pos(n)) => Pos(plus_num(m, n))
  case (zero_int(), l) => l
  case (k, zero_int()) => k
}

def mult_int(i : int, j : int) : int = plus_int(i, j)

def inverse_int(i : int) : int = uminus_int(i)

trait semigroup[A] {
  val 'Example.mult' : (A, A) => A
}
def mult[A](a : A, b : A)(implicit A: semigroup[A]) : A =
  A.'Example.mult'(a, b)
object semigroup {
  implicit def 'Example.semigroup_int' : semigroup[int] = new
    semigroup[int] {
    val 'Example.mult' = (a : int, b : int) => mult_int(a, b)
  }
}

trait monoidl[A] extends semigroup[A] {
  val 'Example.neutral' : A
}
def neutral[A](implicit A: monoidl[A]) : A = A.'Example.neutral'
object monoidl {
  implicit def 'Example.monoidl_int' : monoidl[int] = new monoidl[int] {
    val 'Example.neutral' = neutral_int
    val 'Example.mult' = (a : int, b : int) => mult_int(a, b)
  }
}

trait monoid[A] extends monoidl[A] {
}
object monoid {
  implicit def 'Example.monoid_int' : monoid[int] = new monoid[int] {
    val 'Example.neutral' = neutral_int
    val 'Example.mult' = (a : int, b : int) => mult_int(a, b)
  }
}

trait group[A] extends monoid[A] {
  val 'Example.inverse' : A => A
}
def inverse[A](a : A)(implicit A: group[A]) : A = A.'Example.inverse'(a)
```

```
object group {
  implicit def 'Example.group_int' : group[int] = new group[int] {
    val 'Example.inverse' = (a : int) => inverse_int(a)
    val 'Example.neutral' = neutral_int
    val 'Example.mult' = (a : int, b : int) => mult_int(a, b)
  }
}

abstract sealed class nat
final case class zero_nat() extends nat
final case class Suc(a : nat) extends nat

def plus_nat(x0 : nat, n : nat) : nat = (x0, n) match {
  case (Suc(m), n) => plus_nat(m, Suc(n))
  case (zero_nat(), n) => n
}

def one_nat : nat = Suc(zero_nat())

def nat_of_num(x0 : num) : nat = x0 match {
  case Bit1(n) => {
                   val m = nat_of_num(n) : nat;
                   Suc(plus_nat(m, m))
                 }
  case Bit0(n) => {
                   val m = nat_of_num(n) : nat;
                   plus_nat(m, m)
                 }
  case One() => one_nat
}

def nat(x0 : int) : nat = x0 match {
  case Pos(k) => nat_of_num(k)
  case zero_int() => zero_nat()
  case Neg(k) => zero_nat()
}

def less_num(m : num, x1 : num) : Boolean = (m, x1) match {
  case (Bit1(m), Bit0(n)) => less_num(m, n)
  case (Bit1(m), Bit1(n)) => less_num(m, n)
  case (Bit0(m), Bit1(n)) => less_eq_num(m, n)
  case (Bit0(m), Bit0(n)) => less_num(m, n)
  case (One(), Bit1(n)) => true
  case (One(), Bit0(n)) => true
  case (m, One()) => false
}

def less_eq_num(x0 : num, n : num) : Boolean = (x0, n) match {
  case (Bit1(m), Bit0(n)) => less_num(m, n)
```

```
    case (Bit1(m), Bit1(n)) => less_eq_num(m, n)
    case (Bit0(m), Bit1(n)) => less_eq_num(m, n)
    case (Bit0(m), Bit0(n)) => less_eq_num(m, n)
    case (Bit1(m), One()) => false
    case (Bit0(m), One()) => false
    case (One(), n) => true
  }

  def less_eq_int(x0 : int, x1 : int) : Boolean = (x0, x1) match {
    case (Neg(k), Neg(l)) => less_eq_num(l, k)
    case (Neg(k), Pos(l)) => true
    case (Neg(k), zero_int()) => true
    case (Pos(k), Neg(l)) => false
    case (Pos(k), Pos(l)) => less_eq_num(k, l)
    case (Pos(k), zero_int()) => false
    case (zero_int(), Neg(l)) => false
    case (zero_int(), Pos(l)) => true
    case (zero_int(), zero_int()) => true
  }

  def pow_nat[A : monoid](xa0 : nat, x : A) : A = (xa0, x) match {
    case (zero_nat(), x) => neutral[A]
    case (Suc(n), x) => mult[A](x, pow_nat[A](n, x))
  }

  def pow_int[A : group](k : int, x : A) : A =
    (less_eq_int(zero_int(), k) match { case true => pow_nat[A](nat(k), x)
      case false => inverse[A](pow_nat[A](nat(uminus_int(k)), x)) })

  def example : int =
    pow_int[int](Pos(Bit0(Bit1(Bit0(One())))), Neg(Bit0(One())))

} /* object Example */
```

4.2   Inspecting the type class universe

To facilitate orientation in complex subclass structures, two diagnostics commands are provided:

print-classes print a list of all classes together with associated operations etc.

class-deps visualizes the subclass relation between all classes as a Hasse diagram. An optional first sort argument constrains the set of classes to all subclasses of this sort, an optional second sort argument to all superclasses of this sort.

References

[1] Florian Haftmann. *Code generation from Isabelle theories.* https://isabelle.in.tum.de/doc/codegen.pdf.

[2] Florian Haftmann and Makarius Wenzel. Constructive type classes in Isabelle. In T. Altenkirch and C. McBride, editors, *Types for Proofs and Programs, TYPES 2006*, volume 4502 of *LNCS*. Springer, 2007.

[3] Florian Kammüller, Markus Wenzel, and Lawrence C. Paulson. Locales: A sectioning concept for Isabelle. In Y. Bertot, G. Dowek, A. Hirschowitz, C. Paulin, and L. Thery, editors, *Theorem Proving in Higher Order Logics: TPHOLs '99*, volume 1690 of *Lecture Notes in Computer Science*. Springer-Verlag, 1999.

[4] Alexander Krauss. Partial recursive functions in Higher-Order Logic. In U. Furbach and N. Shankar, editors, *Automated Reasoning: IJCAR 2006*, volume 4130 of *Lecture Notes in Computer Science*, pages 589–603. Springer-Verlag, 2006.

[5] T. Nipkow. Order-sorted polymorphism in Isabelle. In G. Huet and G. Plotkin, editors, *Logical Environments*, pages 164–188. Cambridge University Press, 1993.

[6] T. Nipkow and C. Prehofer. Type checking type classes. In *ACM Symp. Principles of Programming Languages*, 1993.

[7] Tobias Nipkow, Lawrence C. Paulson, and Markus Wenzel. *Isabelle/HOL: A Proof Assistant for Higher-Order Logic*, volume 2283 of *Lecture Notes in Computer Science*. Springer-Verlag, 2002.

[8] P. Wadler and S. Blott. How to make ad-hoc polymorphism less ad-hoc. In *ACM Symp. Principles of Programming Languages*, 1989.

[9] Stefan Wehr and Manuel M. T. Chakravarty. ML modules and Haskell type classes: A constructive comparison. https://www.cse.unsw.edu.au/~chak/papers/modules-classes.pdf.

[10] Markus Wenzel. Type classes and overloading in higher-order logic. In Elsa L. Gunter and Amy Felty, editors, *Theorem Proving in Higher Order Logics: TPHOLs '97*, volume 1275 of *Lecture Notes in Computer Science*. Springer-Verlag, 1997.