DOCUMENT 00 · WHAT SPAD IS AND HOW IT HELPS

What SPAD is and how it helps

A framework for managing software development with artificial intelligence in a sequential, blocking and auditable way: each phase produces an artefact, none starts without reviewing the previous one and no AI approves itself

Fernando García Varela Version 0.3 14-11-2026 Under construction

11	5	3	0
phases in the main cycle	work cycles	review verdicts	approvals an AI can give itself

IN THIS DOCUMENT

01 What SPAD is

02 The problem it solves

03 The principle that orders everything

04 Roles

05 The main cycle

06 Other work cycles

07 Contexts, topics and validation policy

08 Self-assessment of conformity

09 Relationship with SEVEN-G

10 When to use SPAD

11 Status, licence and next steps

12 Version control

Version 0.x, under review. SPAD is currently at version 0.x. The content is operational and may be used, adapted and redistributed under the project licence (CC BY 4.0 for content and MIT for code), crediting the author and indicating changes. Documents and tools are still being reviewed: feedback and proposals for improvement are welcome.

Legal notice and disclaimer. SPAD is a reference methodology provided "as is" and for information purposes only. It does not constitute legal, regulatory or professional advice, does not guarantee results or compliance with any law or standard and is not a certification. **Each organisation that uses SPAD is solely responsible for validating its results, identifying the regulation that applies to it, verifying that it is current and certifying its own regulatory compliance**, with the appropriate qualified advice. This methodology is a generic, free aid shared with the community so that nobody has to start from scratch; each person or organisation can and should adapt it to its own use. It must not be inferred that its legally sensitive parts have been reviewed by legal counsel: those reviews, for each company or sector, are the ultimate responsibility of the company, consultant or organisation that uses it. Although every effort is made to keep it up to date, some regulation may have changed without being reflected here. To the fullest extent permitted by law, the author accepts no responsibility whatsoever for the effects of its application in any organisation or for its full applicability. The methodology does not grant certification of any kind. The author accepts no liability for any use made of this content or for any decisions taken on the basis of it. The data, figures, companies and cases in the examples are fictitious or illustrative.

01

What SPAD is

SPAD solves one specific problem: building software with AI in a governed way. It is not a framework for the company's AI governance. Deciding which AI initiatives go ahead, with what risk and how their value is measured is a different problem, at another level, which SEVEN-G solves (with SPHERES as its explanatory layer). SPAD deals only with how the software is built, and it can be used with or without SEVEN-G.

SPAD (*Structured Prompt-Driven Engineering*) is Fernando García Varela's framework for **managing software development by means of artificial intelligence** in a controlled way. It turns AI from an


informal programming assistant into a governed engineering tool whose work can be reviewed, reproduced and audited.

SPAD is not a collection of instructions (*prompts*) for requesting code. It is a **way of working** with three properties:

Property	What it means	What it prevents
Sequential	Work advances through phases in a fixed order: first the problem is understood, then the solution is designed, the design is reviewed, the tests are defined, the solution is built, what has been built is reviewed and it is versioned.	The AI writing code before an approved design exists.
Blocking	No phase can begin until the output of the previous one has been produced and evaluated. If a review says no, work goes back.	A detected problem being carried into the following phases "to be fixed later".
Auditable	Each phase produces an **explicit artefact** (plan, review report, test strategy, release record) that is the mandatory input to the next one and is kept.	Hidden decisions, unjustified changes and systems that nobody can explain.

Think, validate, execute

Three pillars on foundations of documentation, security and traceability



Source: SPAD. Illustration in Spanish

> **Why it matters.** AI generates plausible code at great speed. Without structure, that speed turns into design decisions that nobody has taken consciously, insufficient tests, vulnerabilities introduced silently and technical debt that is hard to see. SPAD keeps the speed where it adds value and puts control where it is needed: in decisions, in reviews and in evidence.

SPAD is an **independent method**, not a supporting methodology of SEVEN-G. The two connect at a single point, SEVEN-G document 53: SEVEN-G decides what is built, with what risk and how it is measured; SPAD solves how the software is built when it is built with AI (section 9).

What it does for a company

The author's position. SPAD does not promise savings or productivity figures: each organisation measures its own (document 08).

Use	What the company does	What it relies on
1. Build its own software with AI	Its team works in phases, with reviewed artefacts, independent review and human validation of every output.	Roles (section 4), main cycle (section 5) and validation policy (section 7).
2. Demand as a client	If it knows how software is built with AI, it can ask its suppliers and integrators to pass the productivity gain on to the company: lower cost, or more scope for the same price.	What SPAD already defines and the company can ask to receive (next table).

What it can ask of a supplier or an integrator, without going beyond what SPAD already defines:

What to ask for	What it gives you	Where SPAD defines it
The artefact of each phase: plan, plan review, test strategy, code review and version record.	Seeing that the design was decided before the code and that each phase was reviewed.	Section 5 and documents 01 and 07.
The model record of each artefact: provider, model, version, instruction and contexts.	Knowing which part of the work the AI did and with which tool.	Document 02, section 4.1.
The human validation record and the violation log.	Checking that a person approved what is delivered and seeing which AI responses were discarded.	Document 02, sections 4.2 and 4.3, and document 03.

What to ask for	What it gives you	Where SPAD defines it
The verdicts of each review (GO, GO with changes, NO-GO).	Seeing where the work went back and why.	Document 01, section 5.
The process metrics: time per phase, iterations to GO, escaped defects and rework after delivery.	Knowing the real effort of the work and discussing price and scope with the supplier's own data.	Document 08, section 5.
The self-assessment of conformity.	Receiving the work with a shared definition of "done".	Section 8 and document 08.

> **Why it matters.** AI changes what it costs to build software. If the company does not know how software is built with AI, it cannot know whether that change reaches its invoice or stays with the supplier. SPAD gives it a common language and specific evidence to ask the question. It sets no percentage: it lets the company negotiate with data.

02


The problem it solves

Symptom	What usually lies behind it	How SPAD addresses it
The generated code works in the demonstration and fails in production.	Nobody designed the solution: code was requested until it "worked".	The design (PLAN) is mandatory, explicit and reviewed before any code is written.
Nobody knows why the system is built the way it is.	The design decisions were taken by the AI inside the code.	Every decision is documented in the plan; the AI that builds cannot take design decisions.
Tests are scarce or only test the easy case.	Tests are written at the end, if there is time left.	The test strategy and its minimum coverage are set before building, and a review checks that they are met.
Vulnerabilities appear in code that nobody reviewed.	The review was done by the same AI that wrote the code, or was not done at all.	Independent review: the AI that reviews is never the one that builds; sensitive code undergoes a security review.
A small change breaks another part of the system.	Fixes are made by rewriting entire modules.	Fixes are minimal, justified and traceable.

Symptom	What usually lies behind it	How SPAD addresses it
An audit asks for evidence of the development and none exists.	The work remained in conversations with the AI.	Each phase leaves an artefact with a name, topic and version in a common structure.

The illusion of speed


Without structure, perceived speed falls while technical debt and risk grow. Conceptual chart, no data



Source: SPAD. Illustration in Spanish

AI without method versus SPAD

Planning, design review, testing, security, traceability and execution



Source: SPAD. Illustration in Spanish

> **Why it matters.** None of these problems is caused by AI: they are problems of method that AI amplifies. With SPAD, quality does not depend on the skill of whoever writes the instructions or on the model of the moment, but on a process that any team can repeat.

03

The principle that orders everything

> In SPAD, **compliance with the flow is more important than the apparent quality of the result.**

A technically correct AI response that breaks the rules of its phase —for example, a plan that includes code or a review that fixes instead of evaluating— **is not used**: it is discarded in its entirety and the

phase is repeated. The validation priority is:

Priority	Criterion
1	Process compliance
2	Technical correctness
3	Efficiency

Six non-negotiable rules

No phase is skipped, everything is auditable, every decision is explicit, code does not decide, reviews are independent and fixes are minimal



Source: SPAD. Illustration in Spanish

> **Why it matters.** If a response that breaks the rules is accepted "because the code works", the process ceases to exist by the second time. The discipline of discarding and repeating is what makes the artefacts reliable and the traceability real. A valid "no" from a review is worth more than an invalid "yes".

04

Roles


SPAD separates the logical roles from the people and AIs involved. The same AI may take on several roles over the course of a piece of work, but **never two roles in the same phase**.

Role	Who	What it does	What it cannot do
Orchestrator	Person	Defines the objective and the context, validates each output and decides whether to advance. Has the final say.	Delegate validation to the AI that produced the output.
AI Planner	AI	Designs the architecture and the logic, sets the conventions, the test strategy and the version.	Write code.
AI Reviewer	AI other than the builder	Reviews plans, tests and code, and issues a verdict.	Fix what it reviews or approve with known problems.
AI Builder	AI	Implements the code and the tests following the approved plan.	Take design decisions.
AI Fixer	AI	Applies minimal, justified fixes to the problems detected.	Redesign or extend functionality.
AI Analyst and Diagnostic AI	AI	Document legacy code and analyse incidents (legacy and debugging cycles).	Propose the solution instead of the diagnosis.

The reviewing role is called **AI Reviewer** so that it is not confused with the SEVEN-G **AI Auditor**, who is a person.

Segregation of roles

In the illustration, «IA-Auditor» is the AI Reviewer; the SEVEN-G AI Auditor is a person



Source: SPAD. Illustration in Spanish

> **Why it matters.** Segregation of duties is a classic control in any serious process: whoever does the work does not approve it. SPAD applies it between artificial intelligences as well and always leaves a person accountable for validation.

05

The main cycle


The main cycle is used to build a new feature. Each phase has an owner, an input and a mandatory output.

Phase	Owner	Mandatory output
0 · Context and objective	Orchestrator	Description of the problem, scope and constraints.
1 · PLAN	AI Planner	Logical architecture, components and responsibilities, data flows, explicit decisions and known risks. No code.

Phase	Owner	Mandatory output
2 · Plan review (AUDIT_PLAN)	AI Reviewer	Problems detected, recommendations and verdict. Assesses coupling, cohesion, scalability, concurrency, security and observability.
3 · Code primer (CODE_PRIMER)	AI Planner	Project structure, conventions, contracts, strict rules and prohibited anti-patterns.
4 · Test strategy (TEST_STRATEGY)	AI Planner	Test cases, minimum coverage, test types and required test data.
5 · Implementation	AI Builder	Code generated in accordance with the plan and the code primer.
6 · Test implementation	AI Builder	Tests, test data and execution instructions.
7 · Test review (AUDIT_TESTS)	AI Reviewer	Actual versus expected coverage, quality of the tests and edge cases covered.
8 · Code review (AUDIT_CODE)	AI Reviewer	Fidelity to the plan, compliance with the code primer, technical risks and future debt.
9 · Fixes (FIX_PRIMERS)	AI Fixer	For each fix: problem, minimal change, justification and expected impact.
10 · Version management	AI Planner	Version number, change log, breaking changes and migration instructions.

The blocking flow


A NO-GO verdict stops the flow and sends it back to the corresponding phase



Source: SPAD. Illustration in Spanish

SPAD main cycle

Each phase blocks the next; negative verdicts send the work back to the corresponding phase



Source: SPAD

There are three review verdicts:

Verdict	Meaning	What happens
GO	The output complies and work can advance.	Work moves on to the next phase.
GO WITH CHANGES	The output is essentially valid but requires adjustments.	Work goes back to the previous phase to incorporate them and is reviewed again.
NO-GO	The output has problems that prevent advancing.	Work goes back to the corresponding phase; in the case of the plan, to the context and objective.

> **Why it matters.** Detecting an architecture error in the plan review costs a conversation; detecting it in production costs an incident, an urgent fix (hotfix) and sometimes a customer's trust. The cycle brings expensive decisions forward to the moment when they are still cheap.

06


Other work cycles

Not all work is a new feature. SPAD defines specific cycles that reuse the same rules:

Cycle	When it is used	Sequence	Outcome
Legacy	Existing code without sufficient documentation needs to be modified.	Document what exists → analyse the impact of the change → continue with the main cycle.	Current behaviour documented and risks of the change identified before anything is touched.
Debugging	A problem appears in production or in development.	Incident analysis → root cause report with a verdict (code, configuration or infrastructure).	If the cause is the code, the main cycle is entered; if not, a configuration or system adjustment.
Urgent fix	Critical incident that requires an immediate solution.	Rapid diagnosis → simplified plan → accelerated but mandatory review → implementation with minimal tests → deployment → monitoring → post-mortem.	Solution deployed, post-mortem and, if the fix is provisional, a definitive plan pending.
Security	Code that handles sensitive data, authentication or payments.	Security review → classification of findings → fixing of critical and high findings → decision on medium and low ones.	Critical and high findings block deployment; accepted risks are documented. The review takes recognised guides such as the OWASP Top 10 as its reference.

Urgent fix


Accelerated, but without skipping the review or the tests



Source: SPAD

Testing and security by design

Tests are defined before building and sensitive code goes through a security review that can block deployment



Source: SPAD. Illustration in Spanish

> **Why it matters.** Haste is when controls are most relaxed and when errors do the most damage. SPAD speeds up the phases in an emergency but does not eliminate them: the review and the tests remain mandatory, and the post-mortem turns the incident into learning.

07

Contexts, topics and validation policy

Contexts

Two contexts are loaded before any phase:

Context	Content	Illustrative example
Global	Rules common to all the organisation's projects: where and how artefacts are stored, naming, testing requirements, versioning and general prohibitions.	"No secret is written in the code; every new feature has unit tests."
Project	Rules of the specific project: language and technologies, architecture, compliance requirements, business constraints and justified exceptions to the global rules.	"Customer data does not leave the European region; the existing corporate database is used."

If the global context (GLOBAL_CONTEXT) and the project context (PROJECT_CONTEXT) conflict, the project context prevails, always with a written justification.

Topics

Each piece of work is associated with a **topic** (*TOPIC*): a short name that groups all its artefacts (plan, reviews, tests, version) in the same folder. In this way, any feature or fix can be reconstructed from start to finish.

Contexts and topic: the common thread

The global and project contexts frame the work; the topic groups all the artefacts



Source: SPAD. Illustration in Spanish

Validation policy


The person orchestrating applies an explicit policy that defines when an AI response is **invalid** and must be discarded, even if it looks good:

Cause of invalidation	Example	What is done
Phase violation	The plan includes code; the review fixes instead of evaluating.	Discard and repeat the phase.
Incomplete artefacts	A review without an explicit verdict; a test strategy without minimum coverage.	Discard and repeat the phase.
Decisions outside the plan	The implementation adds a component that the plan did not provide for.	Go back to the plan.
Implementation without review	Code is generated without an approved plan or after a NO-GO.	Go back to the correct phase and discard the code.
Self-approval	"There are three problems, but they are minor: GO."	Immediate discard; it is considered a critical violation.

A well-founded NO-GO, a detected vulnerability or a failing test do not invalidate a response: they are the process working. If the same violation recurs, the instructions are reinforced; if it persists after several attempts, the model is changed or a person intervenes.

Validation policy

A valid NO-GO is always better than an invalid GO



Política de Validación Humana (Quality Gates).

En SPAD, el cumplimiento estricto del flujo es más importante que la calidad aparente del código resultante. Una respuesta técnicamente correcta pero fuera de fase es INVÁLIDA.

Situación	Acción Humana
La IA genera código en la Fase de PLAN.	Descartar respuesta completa y re-ejecutar fase. NO extraer partes útiles.
La IA introduce decisiones de diseño no documentadas durante la IMPLEMENTACIÓN.	Volver inmediatamente a Fase 1 (PLAN).
La IA intenta justificar incumplimientos o se auto-aprueba (issues menores).	Descarte inmediato.

Un NO-GO válido siempre es preferible a un GO inválido.

Source: SPAD. Illustration in Spanish

> **Why it matters.** The validation policy is applied by a person, not by the AI. It is the point at which the organisation exercises real control over what is built, and the one that turns a set of good practices into a verifiable method.

08

Self-assessment of conformity

An organisation can check whether a system, a project or a team has worked in accordance with SPAD by means of a **self-assessment of conformity**:

Aspect	Description
What it checks	That decisions were taken before code was written, that each phase left its artefact, that the reviews were independent, that no phase was skipped or merged and that fixes were minimal and traceable.

Aspect	Description
Who carries it out	A person designated by the organisation itself, independent of those who built.
Possible outcomes	Approved · Approved with conditions · Rejected. The absence of a mandatory artefact makes it negative.
Validity	Twelve months, or until there are significant changes in architecture, scope or decision logic.

It is not a certification. It is neither issued nor endorsed by its author or any third party, does not attest compliance with any standard and cannot be presented as a certification or as a marketing claim.

> **Why it matters.** The self-assessment gives the organisation a shared definition of "done" and a set of evidence ready for internal or external audits, without creating the false appearance of a seal that nobody has granted.

09

Relationship with SEVEN-G

SPAD and SEVEN-G solve different problems, at different levels. SEVEN-G governs the company's AI; SPAD, building software with AI. SPAD is not part of SEVEN-G. The only bridge between the two is SEVEN-G document 53 and its template P66:

Aspect	SEVEN-G	SPAD
Subject	The complete AI initiative and the company's portfolio.	The development of a solution's software.
Question	Is it worth it, with what risk and with what measured value?	Is it well built, tested and documented?
Decisions	Decision gates taken by accountable people.	Technical review verdicts validated by the orchestrator.
Where it applies	Throughout the lifecycle, from idea to retirement.	Wherever software is built with AI. If the company uses SEVEN-G, mainly in its design and delivery phases.

Rules for working together:

- SPAD verdicts **do not replace** any SEVEN-G decision gate or the AI Auditor's verification.
- SPAD artefacts are **inputs** to SEVEN-G evidence; they become evidence in full when they are referenced in the corresponding template with author, date and version.
- SEVEN-G can be applied with SPAD or with another documented engineering method that meets its minimum requirements for AI-generated code.

The detailed mapping of phases, roles, evidence and requirements is in SEVEN-G 53 · Building solutions with AI.

> **Why it matters.** A board does not need to know how an architecture plan is reviewed, but it does need to know that there is a method that does so and that leaves evidence. SPAD is that method for the build; SEVEN-G, if the company uses it, is the one that decides whether the initiative goes ahead.

10

When to use SPAD

Situation	Recommendation
Systems in production with customers, sensitive data, money or decisions about people.	**Highly recommended**, with the complete main cycle and a security review.
Sectors with audit or compliance requirements (finance, insurance, health, public sector).	**Highly recommended**.
Projects with several developers, significant technical debt or a need for traceability.	**Recommended**.
Internal tools with business impact or prototypes that aspire to production.	**Useful**, in a reduced version.
Throwaway prototypes, programs for personal use or pure research.	**Unnecessary**: the cost of the process exceeds its benefit.

At first, SPAD makes work slower while the team learns the phases. The hypothesis is that, with practice, it reduces rework, incidents and technical debt; **no improvement figure is claimed**: each organisation must measure it against its own starting position.

11

Status, licence and next steps

SPAD is **under construction** as a public methodology: the library exists in full in Spanish and English, and it will grow with tools and application cases. This page is its entry point.

Document	Content	When to read it
document 00 · What SPAD is and how it helps	Presentation of the method.	First.
document 01 · Operating guide	Phases 0–10, roles, verdicts and reduced version.	Before applying SPAD for the first time.
document 02 · Contexts, topics and artefact register	What is loaded before working and what is recorded for each artefact.	When preparing the organisation.
document 03 · Validation policy	When an AI response is discarded.	Whoever orchestrates, always.
document 04 · Complementary cycles	Legacy, debugging, urgent fixes and security.	When the work is not a new feature.
document 05 · Systems that include AI	Behaviour evaluation and agents.	When the solution has AI in production.
document 06 · Instructions by phase	Reference text of each instruction.	When configuring the tools.
document 07 · Input and output contracts	Mandatory structure of each artefact.	When automating validation.
document 08 · Self-assessment and metrics	How to check conformity and measure the process.	When closing a piece of work and when reviewing the method.

SPAD is published under the same conditions as SEVEN-G: the content under a **Creative Commons Attribution 4.0 International (CC BY 4.0)** licence and the code under the MIT licence. It may be used, adapted and extended, including for commercial purposes, provided that authorship is visibly credited: *SPAD · Fernando García Varela*. The full conditions of use and citation are those of SEVEN-G 93 · Licence, use by third parties and citation.

There is no SPAD certification and use of the name does not imply endorsement by the author. A public declaration of conformity with SPAD may only be presented as a self-assessment (section 8).

12

Version control

Version	Date	Changes
0.3	14-11-2026	Positioning: SPAD solves one specific problem, building software with AI, and it is neither a framework for the company's AI governance nor a supporting methodology of SEVEN-G. New subsection "What it does for a company" (the author's position, without figures): building with method and demanding as a client that productivity reaches the company. SEVEN-G document 53 remains the only bridge (section 9).
0.2	19-09-2026	Complete library (documents 01–08) linked from section 11; the diagnostic role is named "Diagnostic AI".
0.1	18-09-2026	First version of the entry page, based on the SPAD working documents: properties of the framework, problem it solves, validation principle, roles, main cycle and verdicts, legacy, debugging, urgent fix and security cycles, contexts, topics, validation policy, self-assessment of conformity, relationship with SEVEN-G and when to use it.

External sources cited

Links to the official or primary source, checked before publication. Always verify the version in force on the date of use.

OWASP Top 10:2025 (web application security risks) · https://top10.owasp.org/2025/ · OWASP Foundation · 2025

Creative Commons Attribution 4.0 International (CC BY 4.0) · https://creativecommons.org/licenses/by/4.0/deed.en · Creative Commons

The MIT License · https://opensource.org/license/mit · Open Source Initiative (texto de licencia aprobado por la OSI; SPDX: MIT)